Safed Musli Farming: New entries in Medicinal Plant Database by Pankaj Oudhia. 191.

## **List of Documents**

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Abelmoschus crinitus WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Abelmoschus esculentus (L.) MOENCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Abelmoschus ficulneus (L.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Abelmoschus manihot (L.) MEDIK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Abelmoschus moschatus MEDIK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Abies densa W. Griff. ex.Parker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Abies pindrow ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Abies spectabilis (D.DON) SPACH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Abies webbiana LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Abrus fruticulosus WALL. EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Abrus precatorius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Abrus pulchellus WALL. EX THWAITES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Abutilon asiaticum (L.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Abutilon avicennae GAETRN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Abutilon glaucum SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Abutilon graveolens (ROXB. EX HORNEM.) WIGHT & ARN. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Abutilon hirtum (LAM.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Abutilon indicum (L.) SWEET guineense (SCHUMACH.) BORSSUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Abutilon indicum (L.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Abutilon pannosum (G. FORST.) SCHLTDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Abutilon persicum (BURM.F.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Abutilon theophrasti MEDIK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia arabica SENSU BAKER vediana COOKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia arabica WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia caesia (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia catechu (L.F.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia catechu (L.F.) WILLD. sundra (DC.) PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia chundra (ROXB. EX ROTTLER) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia concinna (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia dealbata LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia decurrens WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia eburnea (L.F.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia farnesiana (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia ferruginea DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia indica DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia intsia WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia jacquemontii BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia leucophloea (ROXB.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia melonoxylon R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia modesta WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia nilotica (L.) WILLD. EX DEL. indica (BENTH.) BRENAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia pennata (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia planifrons WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia polyacantha WILLD. polycantha BRENAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia polyantha SPRENG EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia pseudo-eburnea DRUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia pycnantha BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia rugata (LAM.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia senegal WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia sinuata (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia speciosa WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia suma (ROXB.) KURZ and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia tomentosa WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia torta (ROXB) CRAIB NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acalypha alnifolia KLEIN EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acalypha betulina RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acalypha ciliata FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acalypha fruticosa FORSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acalypha hispida BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acalypha indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acalypha paniculata MIQ. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acalypha racemosa WALL. EX BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acampe carinata (GRIFF) PANIGR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acampe papillosa (LINDL.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acampe praemorsa (ROXB.) BLATT. & MCCANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acampe wightiana LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acanthopanax trifoliatus (LINN.) VOSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acanthospermum hispidum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acanthospermum hispidum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acanthus ilicifolius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acer caesium WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acer cappadocicum GLEDITSCH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acer laevigatum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acer mono MAXIM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acer oblongum WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acer pentapomicum STEWART.EX BRAND NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acer pictum THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Achillea millefolium LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Achillea santolina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Achras zapota L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Achyranthes aquatica R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Achyranthes aspera L. rubrofusca HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Achyranthes bidentata BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Achyranthes lanata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Achyranthes porphyristachya WALL. EX MOQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aconitum atrox (BRUHL) MUK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aconitum balfourii STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aconitum bisma (HAM.) RAPAICS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aconitum chasmanthum STAPF EX HOLMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aconitum deinorrhizum STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aconitum elwesii STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aconitum falconeri STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aconitum ferox WALL. EX SERINGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aconitum heterophyllum WALL. EX ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aconitum kashmiricum STAPF EX COVENTRY

NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aconitum laciniatum (BRUEHL) STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aconitum laeve ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aconitum lethale GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aconitum luridum HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aconitum moschatum (BRUEHL) STAPF NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aconitum napellus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aconitum palmatum D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aconitum rotundifolium KAR. & KIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aconitum soonoricum STAPF NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aconitum spicatum (BRUHL) STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aconitum violaceum JACQ. EX STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aconogonum rumicifolium (ROYLE EX BAB.)HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aconogonum tortuosum (D.DON)HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acorus calamus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acorus gramineus AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acrocarpus fraxinifolius WIGHT & ARNOLAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acrocephalus hispidus (L.) NICOLS. & SIVADASAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acrocephalus indicus (BURM.F.) KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acronychia laurifolia BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acronychia pedunculata (L.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acroptilon repens (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acrostichum aureum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acrotrema arnottianum WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Actaea racemosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Actaea spicata L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Actiniopteris australis (L.F.) LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Actiniopteris dichotoma BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Actiniopteris radiata (SW.) LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Actinodaphne angustifolia NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Actinodaphne dichotoma FLORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Actinodaphne hookeri MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Actinodaphne obovata BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Adansonia digitata L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Adenanthera pavonina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Adenema hyssopifolium G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Adenia heterophylla (BLUME) KOORD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Adenia hondala (GAERTN.) W.J.DE WILDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Adenia nicobarica KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Adenia palmata ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Adenia penangiana (DON) DE WILDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Adenia wightiana (WALL. EX WIGHT & ARN.)ENGLER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Adenosma capitatum HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Adenosma indianum (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Adenosma indicum MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Adenostemma lavenia (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Adhatoda beddomei C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Adhatoda vasica NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Adhatoda zeylanica MEDIK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Adiantum aethiopicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Adiantum capillus-veneris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Adiantum caudatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Adiantum cuneipinnulum NAIR & GHOSH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Adiantum flabellulatum LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Adiantum incisum FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Adiantum lunulatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Adiantum melanacaulon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Adiantum pedatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Adiantum peruvianum A.BR.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Adiantum philippense L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Adiantum tinetum MOORE F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Adiantum trapiziforme L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Adiantum venustum DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Adina cordifolia BENTH. & HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Adinobotrys atropurpureus DUNN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Adonis aestivalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Adonis chrysocyathus HOOK.F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Adonis majus GAERTN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Adonis scrobiculata L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Adonis vernalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aegiceras corniculatum (L.) BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aeginetia indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aegle marmelos (L.) CORREA EX. SCHULTZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aerides crispum LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aerides fieldingii WILLMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aerides multiflorum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aerides odorata LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aerides rosea LINDL. & PAXT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aerides williamsii WARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aerva javanica (BURM.F.) JUSS. EX SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aerva lanata (L.) JUSS. EX SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aerva monsonia MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aerva pseudotomentosa BLATT. & HALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aerva sanguinolenta (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aerva tomentosa FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aerva wightii HOOK .F. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aeschynanthus hookerii CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aeschynanthus maculata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aeschynomene aspera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aeschynomene indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aesculus assamica GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aesculus hippocastamum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aesculus indica COLEBR. EX CAMBESS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aframomum melegueta (ROSC.) K. SCHUM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aganosma calycina A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aganosma caryophyllata G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aganosma cymosa (ROXB.) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aganosma dichotoma (ROTH) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aganosma marginata G. DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aganosma wallichii G.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Agapanthus africanus (L.)HOFFMANNS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Agathis robusta F.M.BAILEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Agati grandiflora (L.) DEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Agave americana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Agave angustifolia HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Agave cantala ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Agave sisalana PERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Agave vera-cruz MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Agave vivipara L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ageratina adenophora (SPR.) KING & ROB., NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ageratum conyzoides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ageratum houstonianum MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aglaia diepenhorstii MIQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aglaia domestica (CORREA EMEND. JACK) PELLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aglaia elaeagoidea (JUSS.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aglaia lawii (WIGHT.) SALDANHA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aglaia minutiflora BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aglaia odorata LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aglaia odoratissima BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aglaia roxburghiana MIQ. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Agni-jwalamonia eupatoria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Agni-jwalamonia pilosa LEDEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Agropyron repens BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Agrostemma githago L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Agrostis linearis RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Agrostistachys meeboldii PAX & HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ailanthus altissima SWINGLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ailanthus excelsa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ailanthus glandulosa DESF. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ailanthus malabarica DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ailanthus triphysa (DENNST.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ainsliaea angustifolla HOOK.F. & TH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ainsliaea aptera DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ainsliaea pteropoda DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aisandra butyracea (ROXB.) BAEHNI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ajuga bracteosa WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ajuga macrocarpa WALL EX. BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ajuga macrosperma WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ajuga parviflora WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alangium begonifolium MARM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alangium decapetalum LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alangium hexapetalum LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alangium kurzii CRAIB NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alangium lamarckii THWAITES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alangium salvifolium (L.F.) WANG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Albizia amara (ROXB.) BOIVIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Albizia chinensis (OSBECK) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Albizia julibrissin DURASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Albizia lebbeck (L.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Albizia lucida BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Albizia lucidior (STEND.) NIELSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Albizia marginata MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Albizia myriophylla BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Albizia odoratissima (L.F.)BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Albizia procera (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Albizia stipulata BOIVIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alcbornea javensis MULL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alcbornea rugosa (LOUR) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alcea rosea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alchornea tiliaeafolia MUELL.-ARG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alectra parasitaca RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alectra parasitica A.RICH. chitrakutensis RAU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aleurites moluccana (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alhagi camelorum FISCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alhagi maurorum DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alhagi pseudalhagi (BIEB.) DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alisma plantago L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alisma plantago-aquatica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alisma plantagoauatica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alkanna tinctoria DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, AllamKalam cathartica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alliaria officinalis ANDRZEJ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alliaria petiolata (BIEB.)CAVARA & GRANDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Allium ampeloprasum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Allium ascalonicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Allium carolinianum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Allium cepa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Allium chinense DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Allium consanguineum KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Allium hookeri THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Allium humile KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Allium leptophyllum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Allium macleani BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Allium porrum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Allium rubellum M.BIEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Allium sativum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Allium schoenoprasum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Allium stracheyi BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Allium tuberosum ROTTL. EX SPRENG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Allium victorialis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Allium wallichii KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Allmania nodiflora (L.) R.BR. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Allophylus cobbe (L.) RAEUSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Allophylus rheedii (WIGHT.) RADLK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Allophylus serratus (ROXB.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alloteropsis cimicina (L.) STAPR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alnus nepalensis DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alnus nitida ENDL. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alocasia cucullata SCHOTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alocasia denudata ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alocasia fornicata (ROXB.) SCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alocasia indica (LOUR.) SPACH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alocasia macrorhiza (L.) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alocasia montana SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alocasia odora (ROXB.) C.KOCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aloe abyssinica LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aloe barbadensis MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aloe ferox MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aloe indica (SCHOTT) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aloe littoralis KOEN. EX. BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aloe perryi BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aloe spicata L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aloe succotrina LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aloe variegata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aloe vera L. chinensis BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aloe vera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aloe vera L. littoralis KOEING EX BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aloe vera(typica) (L.) BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aloysia triphylla (L'HER.) BRITT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alphonsea verntricosa HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alpinia allhugas ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alpinia calcarata ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alpinia chinensis ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alpinia conchigera GRIFF. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alpinia galanga (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alpinia khulanjan M. SHERIFF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alpinia malaccensis (BURM.F.) ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alpinia nigra (GAERTN.) BURTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alpinia nutans ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alpinia officinarum HANCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alpinia speciosa K.SCHWM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alpinia zerumbet BURTT & R.M. SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alseodaphne semicarpifolia NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alstonia constricta F MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alstonia kurzii HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alstonia macrophylla WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alstonia scholaris R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alstonia spectabilis R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alstonia venenata R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alternanthera ficoidea (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alternanthera philoxeroides (MAR.) GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alternanthera pungens H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alternanthera sessilis (L.) R.BR.EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alternanthera triandra LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Althaea ludwigii L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Althaea officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Althaea rosea (L.) CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Altingia excelsa NORONHA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alysicarpus bupleurifolius (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alysicarpus longifolius WIGHT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alysicarpus monilifer DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alysicarpus vaginalis (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alyxia reinwartii BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alyxia stellata ROEM. & SCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amaranthus atropurpureus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amaranthus blitum L. oleracea DUTHIE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amaranthus blitum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amaranthus campestris WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amaranthus caudatus L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amaranthus dubius E.H.L.KRAUSE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amaranthus fasciatus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amaranthus gangeticus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amaranthus gangeticus LINN. tristis PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amaranthus gracilis DESF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amaranthus graecizans AUCT. HISP. EX CUT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amaranthus hybridus L. hybridus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amaranthus hybridus L. paniculatus THELL. cruentus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amaranthus hypochondriacus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amaranthus lividus L. polygonoides (MIQ.) THELL. EX PROBS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amaranthus lividus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amaranthus mangostanus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amaranthus oleraceus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amaranthus paniculatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amaranthus polygamus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amaranthus polygonoides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amaranthus spinosus L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amaranthus tenuifolius ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amaranthus tricolor L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amaranthus tristis WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amaranthus viridis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amaryllis belladona LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amberboa divaricata KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amberboa hookeri (HASSK.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amberboa ramosa (ROXB.) JAFRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amblyanthus glandulosus A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ambroma augusta (L.) L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amentotaxus assamica D.K.Ferguson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amischophacelus axillaris ROLLA RAO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amischotolype hookeri (HASSK.) HARA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ammannia auriculata WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ammannia baccifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ammannia senegalensis LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ammannia vesicatoria ROXB. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ammi majus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amomum aromaticum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amomum costatum BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amomum dealbatum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amomum fenzlii KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amomum granum-paradisi L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amomum kepulaga SPRAGUE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amonum melegueta ROSC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amomum racemosum LAM. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amomum subulatum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amomum xanthioides WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amomum zingiber L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amoora cucullata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amoora rohituka (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amorpha fruticosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amorphophallus bulbifer BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amorphophallus campanulatus BLUME EX DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amorphophallus commutatus ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amorphophallus dubius BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amorphophallus paeoniifolius (DENNST.) NICOLSON campanulatus (DECNE.) SIVADASAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amorphophallus paeoniifolius (DENNST.) NICOLSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amorphophallus prainii HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amorphophallus sylvaticus (ROXB.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ampelocissus araneosa (DALZ. & CRIBBS.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ampelocissus arnottiana PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ampelocissus barbata (WALL.) PLANCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ampelocissus indica (L.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ampelocissus latifolia (ROXB.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ampelocissus tomentosa (ROTH.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amphicome emodi LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amphilophis odorata CAMUS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amphineuron extensus (BI.) HOLTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amyris gileadensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anacardium occidentale L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anacolosa densiflora BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anacyclus pyrethrum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anagallis arvensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anamirta cocculus (L.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ananas comosus (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ananas sativus SCHULT.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anaphalis adnata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anaphalis brevifolia DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anaphalis cinnamomea C.B. CLARKE NULL

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anaphalis contorta HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anaphalis cuneifolia HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anaphalis neelgerriana DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anaphalis nubigena DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anaphalis sarmentosa WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anaphalis semepervivoides JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anaphalis triplinervis CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anastatica hierochuntica L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anchusa strigosa LABILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ancistrocladus heyneanus WALL. EX GRAHAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ancistrocladus tectorius (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andira araroba AGUIAR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andrachne cadishaw ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andrachne cordifolia MUELL. ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andrographis atropurpurea (DENNST.) ALSTON EX MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andrographis echioides NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andrographis lineata NEES and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andrographis macrobotrys NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andrographis paniculata (BURM.F.)WALLICH

EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andrographis serpyllifolia (ROTTL. EX VAHL)WIGHT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andropogon citratus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andropogon contortus L. NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andropogon halepensis BROT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andropogon jwarancusa JONES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andropogon laniger DUTHIE NON DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andropogon martini ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andropogon muricatus RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andropogon nardus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andropogon odoratus DNA LISBOA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clerodendrum phlomidis L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clerodendrum serratum (L.) Moon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clerodendrum thomsonae Balf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clerodendrum waiiichii Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Duranta erecta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gmelina arborea Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gmelina asiatica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gmelina philippensis Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Holmskioldia sanguinea Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lantana camara L. var. aculeata (L.) Mold. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lantana camara L.var. splendens (Medic.) Mold. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lantana indica Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lantana trifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lantana veronicifolia Hayek and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lippia citriodora H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lippia javanica (Burm.f.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Petrea volubilis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyla nodiflora (L.) Greene and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Premna balakrishnanii Rajendran & P.Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Premna coriacea Clarke var.coriacea and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Premna coriacea Clarke var. villosa (C. B. Clarke) Rajendran & Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Premna corymbosa (Burm.f.) Rottl. & Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Premna glaberrima Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Premna herbacea Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Premna latifolia Rozb. var. latifolia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Premna latifolia Roxb. var. henryi D. Naras. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Premna latifolia Rozb. var. mollissima (Roth) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Premna latifolia Roxb. var. viburnoides Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Premna mundanthuraiensis Rajendran & P.Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Premna paucinervis (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Premna serratifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Premna tomentosa Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Premna wightiana Schauer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Priva cordifolia (L.f.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stachytarpheta jamaicensis (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stachytarpheta mutabilis (Jacq.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stachytarpheta urticaefolia (Salisb.) Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tectona grandis L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Verbena bipinnatifida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Verbena bonariensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Verbena x hybrida and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Verbena rigida Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vitex altissima L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vitex leucoxylon L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vitex negundo L. var. negundo and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vitex negundo L. var. purpurascens Sivar. & Moldenke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vitex peduncularis Wall. ex Schauer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vitex pinnata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vitex trifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Congea tomentosa Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sphenodesme paniculata Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Symphorema involucratum Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Avicennia alba Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Avicennia marina (Forssk.) Vierh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Avicennia officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acrocephalus hispidus (L.) Nicolson & Sadasivan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acrocephalus palniensis Mukerjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anisochilus argenteus Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anisochilus carnosus (L.f.) Wall. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anisochilus dysophylloides Benth. var. dysophylloides and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anisochilus dysophylloides Benth. var. purpureus (Wight) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anisochilus eriocephalus Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anisochilus henryi Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anisochilus paniculatus Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anisochilus robustus Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anisochilus scaber Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anisochilus sericeus Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anisochilus suffruticosus Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anisochilus wightii Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anisomeles heyneana Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anisomeles indica (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anisomeles malabarica (L.) R. Br. ex Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Basilicum polystachyon (L.) Moench and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Becium filamentosum (Forssk.) Chiov. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clinopodium umbrosum (M. Bieb.) K. Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Colebrookea oppositifolia J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elsholtzia ciliata (Thunb.) Hyland and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Endostemon viscosus (Roth) M. Ashby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eusteralis cruciata (Benth.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eusteralis deccanensis Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eusteralis quadrifolia (Benth.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Geniosporum elongatum Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Geniosporum menthoides (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Geniosporum menthoides (L.) Merr. var. longiracemosum (Ramam. & Sebastine) Press & Sivar. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gomphostemma eriocarpon Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gomphostemma heyneanum Wall. ex Benth. var. heyneanum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gomphostemma heyneanum Wall. ex Benth. var. rottleri Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gomphostemma keralensis Vivek., Gopalan & Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gomphostemma strobilinum Wall. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hyptis suaveolens (L.) Poit. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Isodon coetsa (D. Don) Kudo and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Isodon nigrescens (Benth.) H. Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Isodon nilgherricus (Benth.) H. Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Isodon walkeri (Arn.) H.Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Isodon wightii (Benth.) H. Hara and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lavendula angustifolia Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lavandula lawii Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leonotis leonurus R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leonotis nepetiifolia (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leonurus sibiricus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucas anKalamraoana Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucas angularis Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucas aspera (Willd.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucas biflora (Vahl) R.Br. var. biflora and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucas cephalotes (Roth) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucas chinensis (Retz.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucas ciliata Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucas diffusa Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucas eriostoma Hook.f. var. eriostoma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucas eriostoma Hook.f. var. lanata Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucas eriostoma Hook.f. var. latifolia Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucas flaccida R.Br. var. scaberula (Hook.f.) Srinivasan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucas helianthemifolia Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucas hirta (Heyne ex Roth) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucas indica (L.) R.Br. ex Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucas lamifolia Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucas lanata Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucas lanceaefolia Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucas marrubioides Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucas martinicensis (Jacq.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucas montana Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucas nutans Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucas prostrata (Hook.f.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucas pubescens Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucas rosmarinifolia Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucas stelligera Wall. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucas stricta Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucas suffruticosa Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucas ternifolia Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucas urticaefolia (Vahl) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucas vestita Benth. var. vestita and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucas vestita Benth. var. angustifolia Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucas vestita Benth. var. oblongifolia Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucas vestita Benth. var. sericostoma Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucas wightiana Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucas zeylanica (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mentha arvensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mentha canadensis L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mentha x piperita L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Meriandra bengalensis Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Micromeria biflora (Buch.-Ham.ex D.Don.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Micromeria capitellata Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nepeta hindostana (Roth) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ocimum americanum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ocimum basilicum L. var. basilicum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ocimum basilicum L. var. pilosum Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ocimum basilicum L. var. purpurascens Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ocimum basilicum L. var. thyrsiflorum Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ocimum gratissimum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ocimum tenuiflorum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Origanium hortensis Moench and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Orthosiphon aristatus (Blume) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Orthosiphon comosus Wight ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Orthosiphon pallidus Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Orthosiphon rubicundus (D.Don) Benth. var. rubicundus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Orthosiphon rubicundus (D.Don) Benth. var. hohenackeri Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Orthosiphon thymiflorus (Roth) Sleensen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plectranthus amboinicus (Lour.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plectranthus barbatus Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plectranthus bishopianus Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plectranthus bourneae Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plectranthus caninus Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plectranthus coleoides Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plectranthus deccanicus Briq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plectranthus malabaricus (Benth.) Willemse and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plectranthus mollis (Ait.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plectranthus rivularis Wight ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plectranthus rotundifolius (Poir.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plectranthus scutellarioides (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plectranthus stocksii Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plectranthus subincisus Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plectranthus urticifolius Hook.f. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plectranthus vettiveroides (Jacob) Singh & Sharma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pogostemon atropurpureus Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pogostemon auricularius (L.) Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pogostemon benghalensis (Burm.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pogostemon cablin (Blanco) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pogostemon gardneri Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pogostemon hedgei V.S. Kumar & B. Sharma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pogostemon heyneanus Benth. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pogostemon mollis Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pogostemon myosuroides (Roth) El Gazzar & L. Watson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pogostemon nilagiricus Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pogostemon paludosus Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pogostemon paniculatus (Willd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pogostemon pubescens Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pogostemon purpurascens Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pogostemon rotundatus Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pogostemon rugosus (Hook.f.) El Gazzar & L. Watson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pogostemon speciosus Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pogostemon wightii Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Prunella vulgaris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rosmarinus officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salvia coccinea Buc'hoz ex Etlinger and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salvia farinacea Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salvia grahamii Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salvia involucrata Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salvia leucantha Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salvia microphylla Kunth var. neurepia (Fernald) Epling and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salvia officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salvia patens Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salvia rutilans Carr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salvia splendens Sell. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salvia uliginosa Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salvia verbenacea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Satureja umbrosa (Bieb.) Scheele and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scutellaria colebrookiana Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scutellaria rivularis Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scutellaria violacea Heyne ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scutellaria wightiana Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tetradenia riparia (Hochst.) Codd and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Teucrium fruticans L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Teucrium plectranthoides Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Teucrium tomentosum Heyne ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Teucrium wightii Hook.f. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thymus vulgaris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plantago afra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plantago erosa Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plantago exigua Juss.ex Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plantago lanceolata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plantago ovata Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Commicarpus chinensis (L.) Heimerl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Boerhavia crispa Heyne ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Wild Boerhavia diffusa L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Boerhavia erecta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Boerhavia helenae Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bougainvillea glabra Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bougainvillea spectabilis Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mirabilis jalapa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mirabilis longiflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pisonia aculeata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pisonia grandis R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Achyranthes aspera L. var. aspera and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Achyranthes aspera L. var. porphyristachya (Wall. ex Moq.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Achyranthes aspera L. var. rubro-fusca (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Achyranthes bidentata Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aerva lanata (L.) Juss. ex Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aerva persica (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aerva sanguinolenta (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aerva wightii Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Allmania nodiflora (L.) R. Br. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alternanthera paronychioides A.St. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alternanthera philoxeroides (C. Martiu) Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alternanthera pungens Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alternanthera sessilis (L.) R.Br. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alternanthera tenella Colla. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alternanthera tenella Colla. var. bettzickiana (Regel) Veldkamp and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amaranthus blitum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amaranthus caudatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amaranthus graecizans subsp. thelProstateianus (Nevski) Gusev. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amaranthus hybridus L. subsp. cruentus (L.) Thell. var. paniculatus (L.) Thell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amaranthus spinosus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amaranthus tricolor L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amaranthus viridis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Celosia argentea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Celosia cristata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Celosia polygonoides Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Celosia pulchella Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyathula prostrata (L.) Blume and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Digera muricata (L.) Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gomphrena globosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gomphrena serrata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indobanalia thyrsiflora (Moq.) Henry & Roy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Iresine herbstii Hook.f. ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nothosaerva brachiata (L.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psilotrichum elliotii Baker & Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psilotrichum nudum (Heyne ex Wall.) Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pupalia lappacea (L.) Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trichuriella monsoniae (L.f.) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arthrocnemum glaucum (Del.) Ung.-Sternb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arthrocnemum indicum (Willd.) Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Atriplex repens Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Atriplex stockesii Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Beta vulgaris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chenopodium album L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chenopodium ambrosioides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chenopodium carinatum R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chenopodium giganteum D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chenopodium murale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chenopodium pumilo R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Haloxylon recurvum (Moq.) Bunge and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kochia indica Wight. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salicornia brachiata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Spinacia oleracea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Suaeda maritima (L.) Dumort. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Suaeda monoica Forssk. ex Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Suaeda vermiculata Forssk. ex J.F.Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Basella rubra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ercilla spicata Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Petiveria alliacea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phytolacca dioica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phytolacca octandra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rivina humilis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Antigonon leptopus Hook. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coccoloba uvifera (L.) L. Syst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Emex spinosus (L.) Campdera and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fagopyrum esculentum Moench and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Muehlenbeckia gracillima Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Muehlenbeckia platyclada (F.v. Muell. ex Hook.) Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Persicaria attenuata (R.Br.) Sojak subsp. pulchra (Blume) K.L.Wilson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Persicaria barbata (L.) Hara var. gracilis (Danser) H.Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Persicaria barbata (L.) Hara var. stagnina (Buch.-Ham. ex Meisn.) S.K.Dixit B.Datt & G.P.Roy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Persicaria capitata (Buch.-Ham. ex D.Don) H.Gross and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Persicaria chinensis (L.) H.Gross and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Persicaria dichotoma (Blume) S.K.Dixit B.Datt & G.P.Roy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Persicaria hydropiper (L.) Spach var.hydropiper and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Persicaria hydropiper (L.) Spach subsp. flaccida (Meisn.) Munshi & Javeid and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Persicaria lapathifolia (L.) Gray var. lanigera (R.Br.) Chantar. & Tubtimtong and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Persicaria nepalensis (Meisn.) H.Gross and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Persicaria pedunculeris (Meissner) Nemato and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum dichotomum Blume var. angustissima (Hook.f.) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum dichotomum Blume var. nilagirica (Hook.f.) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum dichotomum Blume var. robusta (Hook.f.) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum glabrum Willd. var. glabrum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum glabrum Willd. var. scabrinervis Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum minus Huds. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum molle D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum orientale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum plebeium R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum sphaerocephalum Wall.ex Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rheum rhaponticumL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rumex acetosella L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rumex crispus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rumex maritimus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rumex nepalensis Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rumex vesicarius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dalzellia zeylanica (Gard.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Farmeria indica Willis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indotristicha ramosissima (Wight) Royen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indotristicha tirunelveliana Sharma, Karthik. & Shetty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Podostemon barberi Willis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Podostemon subulatus Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polypleurum dichotomum (Gard.) Hall and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polypleurum stylosum (Wight) Hall and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Willisia selaginoides (Bedd.) Warm. ex Willis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zeylanidium lichenoides (Kurz) Engler and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zeylanidium olivaceum (Gard.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aristolochia bracteolata Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aristolochia cymbifera Mart. & Zucc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aristolochia grandiflora Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aristolochia indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aristolochia ringens Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aristolochia tagala Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thottea barberi (Gamble) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thottea siliquosa (Lam.) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lepianthes umbellata (L.) Rafin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Peperomia blKalam (Jacq.) Kunth var. floribunda (Miq.) Huber and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Peperomia heyneana Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Peperomia pellucida (L.) H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Peperomia candolleana Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Peperomia tetraphylla (Forst.f.) Hook. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Peperomia pseudo - rhombi C. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Peperomia wightiana Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper argyrophyllum Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper barberi Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper betle L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper galeatum C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper glabrirhache C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper hapnium Buch.-Ham. ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper hymenophyllum Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper longum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper mullesua Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper nigrum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper obtusistigmum C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper ootacamunbense C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper opacilimbum C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper ovatostemon C.DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper pykarahense C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper schmidtii Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper trichostachyon (Miq.) C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper trioicum Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper wightii Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sarcandra chloranthoides Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Knema attenuata (Wall. ex Hook.f.& Thoms.) Warb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Myristica dactyloides Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Myristica fatua Houtt. var. magnifica (Bedd.) Sinclair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Myristica fragrans Houtt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Actinodaphne bourdillonii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Actinodaphne bourneae Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Actinodaphne campanulata Hook.f. var. campanulata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Actinodaphne campanulata Hook.f. var. obtusa Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Actinodaphne lanata Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Actinodaphne lawsonii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Actinodaphne maderaspatana Bedd. ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Actinodaphne malabarica Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Actinodaphne salicina Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Actinodaphne tadulingamii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alseodaphne semecarpifolia Nees var. semecarpifolia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alseodaphne semecarpifolia Nees var. angustifolia Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alseodaphne semecarpifolia Nees var. parvifolia Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Apollonias arnottii Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Beilschmiedia bourdillonii Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Beilschmiedia gammieana King ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Beilschmiedia wightii (Nees) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cassytha capillaris Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cassytha filiformis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cinnamomum bejolghota (Buch. - Ham.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cinnamomum camphora (L.) Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cinnamomum filipedicellatum Kosternm and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cinnamomum keralaense Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cinnamomum macrocarpum Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cinnamomum malabatrum (Burm.f.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cinnamomum multiflorum (Roxb.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cinnamomum nitidum Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cinnamomum perrottetii Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cinnamomum riparium Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cinnamomum sulphuratum Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cinnamomum travancoricum Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cinnamomum verum Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cinnamomum walaiwarense Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cinnamomum wightii Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cryptocarya anamalayana Gamble and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cryptocarya beddomei Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cryptocarya bourdillonii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cryptocarya lawsonii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cryptocarya neilgherrensis Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cryptocarya stocksii Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Laurus nobilis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Litsea beddomei Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Litsea bourdillonii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Litsea coriacea (Heyne ex Meisner) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Litsea deccanensis Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Litsea floribunda (Blume) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Litsea glabrata (Wall. ex Nees) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Litsea glutinosa (Lour.) C. Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Litsea hookeriana Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Litsea insignis Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Litsea laevigata (Nees) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Litsea monopetala (Roxb.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Litsea nigrescens Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Litsea oleoides (Meisner) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Litsea quinqueflora (Dennst.) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Litsea stocksii (Meisner) Hook.f. var. stocksii and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Litsea stocksii (Meisner) Hook.f. var. glabrescens (Meisner) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Litsea travancorica Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Litsea venulosa (Meisner) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Litsea wightiana (Nees) Hook.f. var. wightiana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Litsea wightiana (Nees) Hook.f. var. tomentosa (Meisner) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Neolitsea cassia (L.) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Neolitsea fischeri Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Neolitsea foliosa (Nees) Gamble var. caesia (Meisner) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Neolitsea scrobiculata (Meisner) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Persea americana Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Persea macrantha (Nees) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phoebe lanceolata Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phoebe paniculata Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phoebe wightii Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gyrocarpus asiaticus Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Banksia marginata Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grevillea banksii R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grevillea bipinnatifida R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grevillea hilliana F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grevillea punicea R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grevillea robusta A. Cunn. ex R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hakea laurina R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hakea salicifolia (Vent.) Burtt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hakea sericea Schrader and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Helicia nilagirica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Helicia robusta (Roxb.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucadendron argenteum (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Macadamia ternifolia F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Petrophile pulchella R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stenocarpus salignus R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gnidia glauca (Fresen.) Gilg var. glauca and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gnidia glauca (Fresen.) Gilg var. sisparensis (Gard.) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gyrinops walla Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ovidia humboldtia Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Wikstroemia indica (L.) C. Meyer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elaeagnus conferta Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elaeagnus indica Servettaz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elaeagnus kologa Schlecht. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dendrophthoe falcata (L.f.) Etting. var. falcata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dendrophthoe falcata (L.f.) Etting. var. pubescens (Hook.f.) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dendrophthoe memecylifolia (Wight & Arn.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dendrophthoe neelgherrensis (Wight & Arn.) Tieghem and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dendrophthoe sarcophylla (Wight & Arn.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dendrophthoe trigona (Wight & Arn.) Danser ex Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Helicanthus elastica (Desr.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Helixanthera hookeriana (Wight & Arn.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Helixanthera intermedia (Wight) Danser and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Helixanthera lepidophylla (Walp.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Helixanthera obtusata (Schultes) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Helixanthera wallichiana (Schultes) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Macrosolen capitellatus (Wight & Arn.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Macrosolen parasiticus (L.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scurrula cordifolia (Wall.) G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scurrula parasitica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Taxillus courtallensis (Gamble) Danser and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Taxillus cuneatus (Heyne ex Roth) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Taxillus heyneanus (Schultes) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Taxillus recurvus (Wall. ex DC.) Tieghem and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Taxillus sclerophyllus (Thw.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Taxillus tomentosus (Heyne ex Roth) Tieghem and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Korthalsella japonica (Thunb.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Viscum angulatum Heyne ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Viscum articulatum Burm.f. var. articulatum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Viscum articulatum Burm.f. var. dichotomum Kurz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Viscum articulatum Burm.f. var. thelocarpum (Danser) R. Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Viscum capitellatum J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Viscum heyneanum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Viscum monoicum Roxb.ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Viscum orientale Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Viscum ramosissimum Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Viscum trilobatum Talbot and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Osyris quadripartita Salzm. ex Decne. var. quadripartita and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Osyris quadripartita Salzm. ex Decne. var. puberula (Hook.f.) Kumari

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Santalum album L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scleropyrum pentandrum (Dennst.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thesium wightianum Wall. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Balanophora fungosa J.R. & G. Forst. subsp. indica (Arn.) Hansen var. indica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Balanophora fungosa J.R. & G. Forst. subsp. indica (Arn.) Hansen var.minor (Eichl.) Hansen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Balanophora fungosa J.R. & G. Forst. subsp. indica (Arn.) Hansen var. agastyamalayana Viswanathan Prem Kumar & Ramesh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Balanophora fungosa J.R. & G. Forst. subsp. indica (Arn.) Hansen var. tirunelveliensis Viswanathan Prem Kumar & Ramesh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acalypha alnifolia Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acalypha brachystachya Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acalypha ciliata Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acalypha fruticosa Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acalypha hispida Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acalypha indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acalypha lanceolata Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acalypha malabarica Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acalypha racemosa Heyne ex Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acalypha amentacea Roxb. subsp. wilkesiana (Muell.Arg.) Fosberg and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Actephila excelsa (Dalz.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Agrostistachys borneensis Becc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Agrostistachys indica Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aleurites moluccana (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Antidesma acidum Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Antidesma alexiteria L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Antidesma bunius (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Antidesma ghaesembilla Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Antidesma menasu (Tul.) Miq. ex Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Antidesma walkeri (Tul.) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aporosa acuminata Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aporosa fusiformis Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aporosa lindleyana (Wight) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Baccaurea courtallensis (Wight) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Baliospermum montanum (Willd.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bischofia javanica Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blachia calycina Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blachia reflexa Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blachia umbellata (Willd.) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Breynia retusa (Dennst.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Breynia vitis-idaea (Burm.f.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bridelia cinerascens Gehrm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bridelia crenulata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bridelia retusa (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bridelia scandens (Roxb.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chrozophora prostrata Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chrozophora rottleri (Geiseler) Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Claoxylon anomalum Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Claoxylon wightii Hook.f. var. angustatum Susila et Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Claoxylon wightii Hook.f. var. hirsutum (Hook.f.) Sushila et Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cleidion spiciflorum (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cleistanthus collinus (Roxb.) Benth. ex Hook.f.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cleistanthus patulus (Roxb.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cleistanthus travancorensis Jablonszky and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Codiaeum variegatum (L.) Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coelodepas calycinum Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Croton bonplandianum Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Croton caudatus Geiseler var. caudatus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Croton caudatus Geiseler var. obovoideus Balakr. & Chakrab. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Croton hirtus L'Herit and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Croton klotzchianus (Wight) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Croton laccifer L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Croton malabaricus Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Croton oblongifolius Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Croton tiglium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Croton zeylanicus Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dalechampia indica Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dalechampia scandens L. var. velutina (Wight) Mull. Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dimorphocalyx beddomei (Benth.) Airy Shaw and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dimorphocalyx glabellus Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dimorphocalyx lawianus (Muell.-Arg.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Drypetes elata (Bedd.) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Drypetes longifolia (Blume) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Drypetes malabarica (Bedd.) Airy Shaw

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Drypetes porteri (Gamble) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Drypetes roxburghii (Wall.) Hurusawa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Drypetes sepiaria (Wight & Arn.) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Drypetes venusta (Wight) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Drypetes wightii (Hook.f.) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Epiprinus mallotiformis (Muell.-Arg.) Croizat and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia agowensis Hochst. ex Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia antiquorum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia balakrishnanii Binojk. & Gopalan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia barnhartii Croizat and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia chamaesyce L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia corrigioloides Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia cotinifolia L. subsp. cotinoides (Miq.) Christenh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia cristata Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia cyathophora Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia dracunculoides Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia heterophylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia helioscopia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia heyneana Spreng. subsp. heyneana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia heyneana Spreng. subsp. nilagirica (Miq.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia hirta L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia indica Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia laciniata Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia longistyla Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia neriifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia milii Des and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia nivulia Buch.-Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia pulcherrima Willd.ex Klotzsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia pycnostegia Boiss. var. zornioides (Boiss.) Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia rosea Retz. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia rothiana Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia santapaui Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia serpens H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia thymifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia tirucalli L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia trigona Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia tortilis Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia vajravelui Binojk. & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Excoecaria agallocha L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Excoecaria cochinchinensis Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Excoecaria crenulata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Excoecaria robusta Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fahrenheitia zeylanica (Thw.) Airy Shaw and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Flueggea leucopyrus Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Flueggea virosa (Willd) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Givotia rottleriformis Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glochidion arboreum Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glochidion balakrishnanii G.J. Jothi, V.S.

Manickam, V. Sundaresan & M. Josphine Mary and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glochidion bourdillonii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glochidion candolleanum (Wight & Arn.) Chakrab. & Gangop and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glochidion ellipticum Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glochidion fagifolium Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glochidion malabaricum Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glochidion neilgherrense Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glochidion pauciflorum Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glochidion tomentosum Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glochidion velutinum Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glochidion zeylanicum (Gaertn.) Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hevea brasiliensis (Willd. ex Juss.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Homonoia retusa (Graham ex Wight) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Homonoia riparia Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hura crepitans L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jatropha curcas L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jatropha glandulifera Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jatropha gossypifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jatropha heynei Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jatropha integerrima Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jatropha maheshwarii Subram. & Nayar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jatropha multifida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jatropha tanjorensis Ellis & Saroja and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jatropha villosa Wight var. villosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jatropha villosa Wight var. ramnadensis Ramam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Macaranga flexuosa Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Macaranga indica Wight and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Macaranga peltata (Roxb.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mallotus atrovirens Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mallotus aureo-punctatus (Dalz.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mallotus beddomei Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mallotus distans Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mallotus philippensis (Lam.) Muell.-Arg. var. philippensis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mallotus philippensis (Lam.) Muell.-Arg. var. tomentosus Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mallotus repandus (Willd.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mallotus resinosus (Blanco) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mallotus rhamnifolius Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mallotus stenanthus Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mallotus subramanyamii Ellis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mallotus tetracoccus (Roxb.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Manihot esculenta Crantz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Manihot glaziovii Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Margaritaria indica (Dalz.) Airy Shaw and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Meineckia longipes (Wight) Webster and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Meineckia parvifolia (Wight) Webster and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Micrococca beddomei (Hook.f.) Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Micrococca mercurialis (L.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Micrococca wightii (Hook.f.) prain var. wightii and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Micrococca wightii (Hook.f.) prain var. hirsutum (Hook.f.) Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mischodon zeylanicus Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Paracroton integrifolius (Airy Shaw) Balakr. & Chakrab and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pedilanthus tithymaloides (L.) Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllanthus acidus (L.) Skeels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllanthus amarus Schum. & Thonn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllanthus baillonianus Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllanthus beddomei (Gamble) Mohanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllanthus chandrabosei Govaerts & Radcl. - Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllanthus debilis Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllanthus emblica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllanthus fimbriatus (Wight) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllanthus gageana (Gamble) Mohanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllanthus gardnerianus (Wight) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllanthus indofischeri Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllanthus kozhikodianus Sivar. & Manilal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllanthus lawii Graham ex Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllanthus leschenaultii Muell. Arg.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllanthus longiflorus Heyne ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllanthus macraei Muell.-Arg. var. macraei and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllanthus macraei Muell.-Arg. var. hispidus Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllanthus macrocalyx Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllanthus maderaspatensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllanthus megacarpa (Gamble) Kumari & Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllanthus myrtifolius Moon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllanthus pinnatus (Wight) Webster and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllanthus polyphyllus Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllanthus reticulatus Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllanthus rheedii Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllanthus rotundifolius Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllanthus singampattiana (Sebastine & Henry) Kumari & Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllanthus speciosus Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllanthus urinaria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllanthus virgatus Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pseudoglochidion anamalayanum Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ricinus communis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sapium insigne (Royle) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sapium sebiferum (Michaux) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sauropus androgynus (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sauropus bacciformis (L.) Airy Shaw and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sauropus quadrangularis (Willd.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sebastiania chamaelea (L.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Suregada lanceolata(Willd.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Synadenium grantii Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tragia bicolor Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tragia involucrata L. var. involucrata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tragia involucrata L. var. angustifolia Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tragia muelleriana Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tragia plukenetii R. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trewia nudiflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trewia polycarpa Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trigonostemon nemoralis Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vernicia montana Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Daphniphyllum neilgherrense (Wight) K. Rosenth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Buxus sempervirens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sarcococca brevifolia (Muell.-Arg.) Stapf ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sarcococca saligna (D. Don.) Muell. Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Boehmeria glomerulifera Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Boehmeria macrophylla Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Boehmeria nivea (L.) Gaudich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chamabaina cuspidata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Debregeasia ceylanica Hook.f. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Debregeasia longifolia (Burm.f.) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Debregeasia wallichiana (Wedd.) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dendrocnide sinuata (Blume) Chew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Droguetia iners (Forssk.) Schweinf. subsp. urticoides (Wight) friis & Wilmot- Dear and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elatostema acuminatum (Poir.) Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elatostema cuneatum Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elatostema lineolatum Wight var. lineolatum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elatostema lineolatum Wight var. falcigera Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elatostema lineolatum Wight var. linearis Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elatostema lineolatum Wight var. setosum Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elatostema sessile Forst. var. sessile and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elatostema sessile Forst. var. cuspidata (Wight) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elatostema sessile Forst. var. pubescens Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elatostema surculosum Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elatostema wightii Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Girardinia diversifolia (Link) Friis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Laportea bulbifera (Sieb. & Zucc.) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Laportea interrupta (L.) Chew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lecanthus peduncularis (Wall. ex Royle) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oreocnide frutescens (Thunb.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oreocnide integrifolia (Gaudich.) Miq. var. integrifolia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oreocnide integrifolia (Gaudich.) Miq. var. sylvatica (Hassk.) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Parietaria micrantha Ledeb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pellionia heyneana Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pilea angulata (Blume) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pilea kingii Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pilea melastomoides (Poir.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pilea microphylla (L.) Liebm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pilea wightii Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pouzolzia auriculata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pouzolzia bennettiana Wight var. bennettiana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pouzolzia bennettiana Wight var. acuta (Wight) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pouzolzia bennettiana Wight var. gardneri (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pouzolzia bennettiana Wight var. macrophylla Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pouzolzia bennettiana Wight var. mysorensis (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pouzolzia bennettiana Wight var. ovalifolia (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pouzolzia bennettiana Wight var. quadrialata (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pouzolzia bennettiana Wight var. tomentosa (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pouzolzia cymosa Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pouzolzia hirta (Blume) hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pouzolzia pentandra (Roxb.) Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pouzolzia wightii Benn. var. wightii and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pouzolzia wightii Benn. var. caudata (Benn.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pouzolzia wightii Benn. var. lawsoniana Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pouzolzia wightii Benn. var. nilghirensis (Wight) Hook.f and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pouzolzia wightii Benn. var. scabra (Wight) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pouzolzia wightii Benn. var. wallichiana Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pouzolzia zeylanica (L.) Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Procris crenata Robinson and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Urtica hyperborea Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Urtica parviflora Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aphananthe cuspidata (Blume) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Celtis australis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Celtis philippensis Blanco var. wightii (Planch.) Soep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Celtis tetrandra Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Celtis timorensis Spanoghe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Holoptelea integrifolia (Roxb.) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trema orientalis (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cannabis sativa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Antiaris toxicaria (Pers.) Lesch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Artocarpus incisus L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Artocarpus gomezianus Wall. ex Trec. subsp. zeylanicus Jarrett and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Artocarpus heterophyllus Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Artocapus hirsutus Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Broussonetia papyrifera Vent. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cudrania cochinchinensis (Lour.) Kudo & Masamune and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dorstenia indica Wall. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus albipila (Miq.) King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus amplissima J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus amplocarpa Govindarajulu & Masilamoney and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus angladei Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus arnottiana (Miq.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus auriculata Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus beddomei King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus benghalensis L. var. benghalensis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus benghalensis L. var. krishnae C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus benjamina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus callosa Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus carica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus dalhousiae Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus drupacea Thunb. var. pubescens (Roth) Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus elastica Roxb. ex Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus exasperata Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus glaberrima Blume var. bracteata Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus guttata (Wight) Kurz ex King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus heterophylla L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus hispida L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus hookeriana Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus laevis Blume var. macrocarpa (Miq.) Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus microcarpa L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus mollis Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus nervosa Heyne ex Roth var. nervosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus nervosa Roth var. minor King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus palmata Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus pumila L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus racemosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus religiosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus talbotii King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus tinctoria Forst.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus tsjahela Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus virens Ait. var. virens and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus virens Ait. var. lambertiana (Miq.) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus virens Ait. var. wightiana (Miq.) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Morus alba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Morus australis Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Morus nigra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plecospermum spinosum Trec. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Streblus asper Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Streblus taxoides (Heyne ex Roth) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Platanus orientalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Juglans regia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Casuarina glauca Sieber. ex A.Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Casuarina equisetifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Casuarina junghuhniana Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Casuarina stricta Dryand. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Casuarina suberosa Otto & Dietr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Casuarina torulosa Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alnus nepalensis D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Betula alnoides Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Castanea crenataSieb. & Zucc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Castanea sativa Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Castanopsis indica (Roxb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Castanopsis roxburghiana S.N. Biswas and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fagus sylvatica L. var. sylvatica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fagus sylvatica L. var. cuprea Loud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Quercus baloot Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Quercus coccifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Quercus leucotrichophora A. Camus ex Bahadur and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Quercus robur L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Quercus serrata Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salix babylonica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salix tetrasperma Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ceratophyllum demersum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blyxa aubertii Rich. var. echinosperma (Clarke) Cook & Luond and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blyxa octandra (Roxb.) Planch ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Enhalus acoroides (L. f.) Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Halophila beccarii Asch. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Halophila decipiens Ostenf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Halophila ovalis (R. Br.) Hook.f. subsp. ovalis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Halophila ovalis (R. Br.) Hook.f. subsp. ramamurthiana Ravikumar & Ganesan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Halophila ovata Gaudich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Halophila stipulacea (Forssk.) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hydrilla verticillata (L. f.) Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nechamandra alternifolia (Roxb.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ottelia alismoides (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thalassia hemprichii (Ehrenb.) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vallisneria natans (Lour.) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Burmannia candelabrum Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Burmannia coelestis D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Burmannia wallichii (Miers) Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acampe praemorsa (Roxb.) Blatter & McCann and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acanthephippium bicolor Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aenhenrya rotundifolia (Blatter) Sathish & Rasmussen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aerides crispaLindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aerides maculosum Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aerides ringens (Lindl.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anoectochilus elatus Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anoectochilus rotundifolius (Blatter) Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aphyllorchis montana Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arundina graminifolia (D. Don) Hochr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brachycorythis iantha (Wight) Summerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brachycorythis splendida Summerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bulbophyllum acutiflorum A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bulbophyllum albidum (Wight) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bulbophyllum aureum (Hook. f.) J. J. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bulbophyllum elegantulum (Rolfe) J. J. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bulbophyllum fischeri Seidenfaden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bulbophyllum fuscopurpureum Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bulbophyllum kaitiense Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bulbophyllum sterile (Lam) Suresh and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bulbophylum tremulum Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bulbophylum xylophyllum Par. & Reichb. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calanthe sylvatica(Thouars) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calanthe triplicata (Willem.) Ames and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calanthe vestita Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cheirostylis flabellata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cheirostylis parvifolia Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chiloschista fasciata(F. Muell.) Seidenf. & Ormerod and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chrysoglossum hallbergii Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chrysoglossum maculatum (Thw.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coelogyne breviscapa Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coelogyne glandulosa Lindl. var. glandulosa Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coelogyne glandulosa Lindl. var. bournei Das & Jain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coelogyne glandulosa Lindl. var. sathyanarayanae Das & Jain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coelogyne mossiae Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coelogyne nervosa A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coelogyne odoratissima Lindl. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coelogyne ovalis Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coelogyne prolifera Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coelogyne uniflora Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Corymborkis veratrifolia (Reinw.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cottonia peduncularis (Lindl.) Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crepidium purpureum(Lindl.) Szlach and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cymbidium aloifolium (L.) Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cymbidium bicolor Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cymbidium ensifolium (L.) Sw. var. haematodes (Lindley) D. Du Put & P. Cribb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dendrobium anamalayanum Chandrabose, Chandrasekaran & N. C. Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dendrobium aqueum Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dendrocium barbatulum Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dendrobium diodon Reichb.f. subsp. kodayarensis Gopalan & A.N. Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dendrobium haemoglossum Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dendrobium herbaceum Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dendrobium heterocarpum Wall. ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dendrobium heyneanum Lindl. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dendrobium macrostachyum Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dendrobium microbulbon A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dendrobium nanum Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dendrobium nutantiflorum Hawkes & Heller and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dendrobium wightii A. Hawkers & A. H. Heller and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dendrobium panduratum Lindl. subsp. villosum Gopalan & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Didymoplexis pallens Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diplocentrum congestum Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diplocentrum recurvum Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Disperis neilgherrensis Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Epidendrum radicans Pav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Epipactis veratrifolia Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Epipogium roseum (D. Don) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eria albiflora Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eria dalzellii (Hook. ex Dalz) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eria microchilos (Dalz.) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eria mysorensis Lindl. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eria nana A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eria pauciflora Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eria polystachya A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eria pseudoclavicaulis Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eria reticosa Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eulophia cullenii (Wight) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eulophia epidendraea (Koen.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eulophia graminea Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eulophia pulchra (Thouars) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eulophia pratensis Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eulophia spectabilis (Dennst.) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Flickingeria nodosa (Dalz.) Seidenfaden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gastrochilus acaulis (Lindl.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gastrochilus calceolaris (Buch.- Ham. ex J. E. Smith) D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Geodorum densiflorum (Lam.) Schlte and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Goodyera fumata Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Goodyera procera (Ker-Gawl) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Habenaria acuminata (Thw.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Habenaria barnesii Summerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Habenaria cepholotes Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Habenaria crassifolia A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Habenaria crinifera Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Habenaria decipens Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Habenaria denticulata Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Habenaria digitata Lindl. var. digitata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Habenaria digitata Lindl. var. foliosa (A. Rich)

Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Habenaria digitata Lindl. var. travancorica (Hook. f.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Habenaria elliptica Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Habenaria elwesii Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Habenaria furcifera Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Habenaria grandifloriformis Blatter & McCann and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Habenaria heyneana Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Habenaria hollandiana Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Habenaria longicorniculata Granham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Habenaria longicornu Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Habenaria macrostachya Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Habenaria marginata Coleb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Habenaria multicaudata Sedgw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Habenaria ovalifolia Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Habenaria pallideviridis Seidenf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Habenaria perrottetiana A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Habenaria plantaginea Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Habenaria polyodon Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Habenaria rariflora A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Habenaria richardiana Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Habenaria roxburghii Nicolson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Habenaria virens (Lindl.) Abeyw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Habenaria viridiflora (Rottl. Ex Sw.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hetaeria ovalifolia Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kingidium deliciosum (Reichb.f.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Liparis atropurpurea Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Liparis beddomei Ridley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Liparis biloba Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Liparis caespitosa (Thouars) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Liparis duthiei Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Liparis elliptica Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Liparis nervosa (Sw.) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Liparis platyphylla Ridley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Liparis prazeri King & Pantl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Liparis resupinata Ridley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Liparis viridiflora (Blume) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Liparis walkeriae Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Liparis wightiana Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Luisia birchea Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Luisia zeylanica Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Malleola gracilis (Lindl.) Schltr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nervilia aragoana Gaudich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nervilia carinata (Roxb.) Schltr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nervilia plicata (Andr.) Schltr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nervilia prainiana (Ling & Prantl) Seidenfaden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oberonia anamalayana Joseph and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oberonia balakrishnanii R. Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oberonia brunoniana Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oberonia ensiformis (J. E. Smith) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oberonia iridifolia Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oberonia platycaulon Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oberonia proudlockii King & Pantl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oberonia santapaui Kapadia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oberonia sebastiana Shetty & Vivek and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oberonia seidenfadeniana Joseph & Vajravelu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oberonia tenuis Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oberonia verticillata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oberonia wightiana Lindl. var. wightiana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oberonia wightiana Lindl. var. arnottiana (Wight) R. Ansari N. C. Nair & V. J. Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oberonia wightiana Lindl. var. nilgirienis R. Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oberonia zeylanica Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pachystoma senile (Lindl.) Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Paphiopedilum druryi (Bedd.) Pfitz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Papilionanthe cylindrica (Lindl.) Seidenf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pecteilis gigantea (J. E. Smith) Rafin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Peristylus aristatus Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Peristylus brachyphyllus A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Peristylus densus (Lindl.) Sant. & Kapadia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Peristylus goodyeriodes (D. Don) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Peristylus lawii Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Peristylus plantagineus Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phaius tancarvilleae (Banks ex L'Hér.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Peristylus secundus (Lindl.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Peristylus spiralis A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Peristylus stocksii (Hook. f.) Kraenzl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pholidota pallida Lindl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Podochilus falcatus Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polystachya concreta (Jacq.) Garay & Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Porpax jerdoniana (Wight) Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Porpax reticulata Lindl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Proteroceras leopardianum (Par. Reichb.f.) Seidenf. & Smitin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhynchostylis retusa (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhytionanthos nodosus (Rolfe) Garay Hamer & Siegerist and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Robiquetia josephiana Manilal & Satish Kumar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Satyrium nepalense D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Schoenorchis jerdoniana (Wight) Garay and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Seidenfadeniella filiformis (Richb.f.) E.A.Christ & Ormerod and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Seidenfia densiflora (A. Rich.) Szlach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Seidenfia intermedia (A. Rich.) Szlach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Seidenfia rheedii (Sw.) Szlach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Seidenfia versicolor (Lindley) Marg. & Szlach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sirhookera lanceolata (Wight) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sirhookera latifolia (Wight) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Smithsonia maculata (Dalz.) Saldanha and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Spathoglottis plicata Blume and 15 wasteland

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Spiranthes sinensis (Pers.) Ames var. sinensis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Spiranthes sinensis (Pers.) Ames var. wightiana Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Taeniophyllum alwisii Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tainia bicornis (IIndl.) Reichb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thelasis pygmaea (Griff.) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thrixspermum muscaeflorum A. S. Rao & Joseph var. nilagiricum Joseph & Vajravelu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trias stocksii Benth ex Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trichoglottis tenera (Lindl.) Schltr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tropidia angulosa (lindl.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tropidia curculigoides Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, VKalam spathulata (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, VKalam tessellata (Roxb.) Hook ex. G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, VKalam testaceae (Lindl.) Reichb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, VKalam wightii Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vanilla planifolia Andrews and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vanilla walkeriae Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vanilla wightiana Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zeuxine affinis (Lindl.) Benth.ex. Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zeuxine gracilis (Breda) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zeuxine longilabris (Lindl.) Benth ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alpinia abundiflora Burtt & Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alpinia calcarata Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alpinia galanga Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alpinia malaccensis (Burm.f.) Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alpinia nigra (Gaertn.) B. L. Brutt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alpinia zerumbet (Pers.) B. L. Burtt & R. M.Sm.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amomum cannicarpum (Wight) Benth. ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amonum hypoleucum Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amomum masticatorium Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amomum muricatum Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amomum pterocarpum Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Curcuma amada Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Curcuma aromatica Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Curcuma longa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Curcuma montana Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Curcuma neilgherrensis Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Curcuma pseudomontana Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Curcuma zedoaria (Christm.) Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elettaria cardamomum (L.) Maton var. cardamomum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elettaria cardamomum (L.) Maton var. major Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Globba marantina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Globba ophioglossa Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedychium coronarium Koen. and 15 wasteland

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedychium flavescens Carey ex Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedychium spicatum Hamilton ex Smith var. acuminatum (Roscoe) Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedychium venustum Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kaempferia galanga L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zingiber montanum (K. D. Koenig) Link ex Dietr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zingiber nimmonii (J. Graham) Dalzell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zingiber officinale Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zingiber roseum (Roxb.) Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zingiber wightianum Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zingiber zerumbet (L.) J. E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Costus pictus D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Costus speciosus (Koen.) J. E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Maranta arundinacea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phrynium pubinerve Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Schumannianthus virgatus (Roxb.) Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ensete superbum (Roxb.) Cheesman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ensete ventricosum(Welw.) Cheesman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heliconia psittacorum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Musa acuminata Colla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Musa balbisiana Colla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Musa parasidiaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ravenala madagascarensis Sonner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strelitzia reginae Aiton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Canna indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ananas comosus (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anigozanthos flavidus DC. and 15 wasteland

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Disporum leschenaultianum D. Don var. leschenaultianum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Disporum leschenaultianum D. Don var. angustifolium Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lilium trigrinum Ker-Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lilium wallichianum Schultes & Schultes f. var. neilgherrense (Wight) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ophiopogon intermedius D. Don var. intermedius and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ophiopogon intermedius D. Don var. gracilipes Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ophiopogon intermedius D. Don var. pauciflorus Hook. f and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Peliosanthes teta Andr. subsp. humilis (Andr.) Jessop and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aristea ecklonii Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Babiana stricta (Aiton) Ker Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Babiana villosa Ker Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crocosmia x crocosmiiflora (E. Morren) N. E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crocosmia pottsii (Baker) N. E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dierama pulcherrima (Hook. F.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eleutherine palmifolia (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Freesia refracta Klatt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gladiolus natalensis (Eckl.) Reinw. ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gladiolus primulinus Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Iris germanica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Iris japonica Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Iris unguicularis Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Moraea iridioides L. Mant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Watsonia borbonica (Pourr.) Goldblatt subsp. ardernei (Sander) Goldblatt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Watsonia rosea Ker-Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amaryllis belladonna L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crinum asiaticum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crinum viviparum (Lam.) R.Ansari & V.J. Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crinum latifolium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crinum moorei Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucharis x grandiflora Planch. & Linden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eurycles sylvestris Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Haemanthus coccineus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Haemanthus matalensis Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hippeastrum x johnsonii (Hort.) Herb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hippeastrum reginae Herb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hippeastrum vittatum (L'Her.) Herb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hymenocallis littoralis (Jacq.) Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucojum aestivum L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucojum pulchellum Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Narcissus pseudo-narcissus L. subsp. moschatus (L.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Narcissus tazetta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nerine flexuosa (Jacq.) Herb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nerine undulata Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pancratium triflorum Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phaedranassa dubia (Kunth) J. F. Macbr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sprekelia formossissima Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stenomesson coccineum Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zephyranthes carinata Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zephyranthes grandiflora Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zephyranthes tubispatha Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Agave americana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Agave angustifolia Haw. and 15 wasteland weeds

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Agave sisalana Perrine ex Engelm and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Agave vera-cruz Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cordyline australis (Forst. F.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Furcraea foetida (L.) Haw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polianthes tuberosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Yucca gloriosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dianella ensifolia (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phormium tenax Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dracaena fruticosa (L.) A. Chev. and 15

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dracaena terniflora Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sansevieria roxburghiana Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sansevieria trifasciata Hort. ex Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sansevieria thyriflora Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sansevieria varians N.E.Br and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sansevieria zeylanica (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alstroemeria aurea Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bomarea caldasiana Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bomarea oligantha Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Curculigo orchioides Gaertn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hypoxis aurea Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Molineria trichocarpa (Wight) Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tacca leontopetaloides (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dioscorea alata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dioscorea belophylla Voigt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dioscorea bulbifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dioscorea esculenta (Lour.) Burkill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dioscorea hamiltonii Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dioscorea hispida Dennst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dioscorea kalkapershadii Prain & Burkill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dioscorea oppositifolia L. var. oppositifolia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dioscorea oppositifolia L. var. dukhumensis Prain & Burkill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dioscorea pentaphylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dioscorea spicata Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dioscorea tomentosa Koen ex Spreng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dioscorea wallichii Hook and 15 wasteland

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dioscorea wightii Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trichopus zeylanicus Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stemona tuberosa Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dipcadi montanum (Dalz.) Baker var. madrasicum (Barnes & Fischer) Deb & Dasgupta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucomis autumnalis (Miller) Chitt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucomis punctata L'Herit. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ornithogalum arabicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ornithogalum conicum Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scilla hyacinthina (Roth) Mecbr. and 15

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Urginea congesta Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Urginea indica (Roxb.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Urginea polyantha Blatter & Mc Cann and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asphodelus tenuifolius Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aloe vera (L.) Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kniphofia uvaria (L.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asparagus asiaticus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asparagus fysonii Macbr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asparagus gonoclados Baker and 15 wasteland

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asparagus laevissimus Steud. ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asparagus officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asparagus setaceus (Kunth) Jessop and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asparagus racemosus Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chlorophytum acaule Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chlorophytum arundinaceum Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chlorophytum attenuatum (Wight) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chlorophytum heynei Rottl. ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chlorophytum laxum R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chlorophytum malabaricum Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chlorophytum nimmonii (Graham) Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chlorophytum tuberosum (Roxb.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gloriosa rothschildiana O'Brien and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gloriosa superba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Iphigenia indica (L.) A. Gray ex Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Iphigenia magnifica Ansari & R. S. Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hemerocallis aurantiaca Baker and 15 wasteland

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Agapanthus praecox Willd. var. orientalis (F. Leight.) F. Leight. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Agapanthus praecox Willd. var. albus Hort. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Allium cepa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Allium porrum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Allium sativum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ruscus aculeatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Smilax aspera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Smilax perfoliata Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Smilax wightii A. DC and 15 wasteland weeds

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Smilax zeylanica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eichhornia crassipes (Mart.) Solms-Laub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Monochoria hastata (L.) Solms-Laub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Monochoria vaginalis (Burm. F.) Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Xyris capensis Thunb. var. schoenoides (Mart) Nilsson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Xyris pauciflora Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aclisia secundiflora (Blume) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aneilema montana (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aneilema ovalifolia (Wight) Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Belosynapsis kewensis Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Belosynapsis vivipara (Dalz.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Commelina attenuata Koen var. Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Commelina benghalensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Commelina clavata Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Commelina diffusa Burm and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Commelina ensifolia R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Commelina erecta L. var. erecta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Commelina erecta L. var. glochidea (Koen.ex Clarke) Bhargavan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Commelina forskalaei Vahl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Commelina hirsuta (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Commelina imberbis Ehrenb. ex Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Commelina indehiscens Barnes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Commelina longifolia Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Commelina paleata Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Commelina paludosa Blume and 15 wasteland

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Commelina subulata Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Commelina tricolor Barnes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Commelina wightii R. Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyanotis adscendens Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyanotis arachnoidea Clarke var. arachnoidea and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyanotis arachnoidea Clarke var. thwaitesii (Hassk.) R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyanotis arcotensis R. Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyanotis axillaris (L.) D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyanotis burmanniana Wight and 15 wasteland

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyanotis concanensis Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyanotis cristata (L.) D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyanotis cucullata (Roth) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyanotis fasciculata (Heyne ex Roth) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyanotis obtusa Trimen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyanotis papilionacea (L.) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyanotis pilosa Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyanotis tuberosa (Roxb.) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyanotis villosa (Spreng.) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyanotis wightii Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dictyospermum scaberrimum (Blumes) Morton ex Hara et al. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Floscopa scandens Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Murdannia dimorpha (Dalz.) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Murdannia edulis (Stokes) Faden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Murdannia esculenta (Wall ex Clarke) Raizada ex R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mudannia gigantea (Vahl.) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Murdannia glauca (Thw. ex Clarke) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Murdannia japonica (Thunb.) Faden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Murdannia juncoides (Wight) R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Murdannia lanceolata (Wight) Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Murdannia lanuginosa (Wall ex Clarke) Beueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Murdannia loriformis (Hassk.) R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Murdannia nudiflora (L.) Brenan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Murdannia pauciflora Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Murdannia semiteres (Dalz.) Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Murdannia simplex (Vahl.) Brenan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Murdannia spirata (L.) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Murdannia vaginata (L.) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Murdannia zeylanica (Clarke) Brueckner var. longiscapa (Clarke) R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhoeo discolor Hance and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Setcreasea purpurea Boom and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zebrina pendula Schnitzl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Flagellaria indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Juncus bufonius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Juncus effusus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Juncus inflexus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Juncus leschenaultii J. Gay and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Luzula indica Kirschner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Areca catechu L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arenga wightii Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bentinckia condapanna Berry ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Borassus flabellifer L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calamus brandisii Beccari ex Beccari & Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calamus gamblei Beccari ex Becari & Hook. var. gamblei and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calamus gamblei Beccari ex Beccari & Hook. var. sphaerocarpa Beccari ex Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calamus huegelianus Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calamus pseudo-tenuis Beccari ex Beccari & Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calamus rheedii Griff and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calamus rotang L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calamus travancoricus L. and 15 wasteland

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caryota urens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cocos nucifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Corypha umbraculifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Corypha macropoda and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Livistona chinensis (Jacq.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Livistona rotundifolia (Lam.) Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phoenix canariensis Hort ex Chabaud and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phoenix loureirii Kunth var. loureirii and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phoenix loureirii Kunth var. humilis (Becc.) S.C. Barrow and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phoenix pusilla Gaertn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phoenix rupicola L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phoenix sylvestris (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pinanga dicksonii (Roxb.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhapis excelsa (Thunb.) A. Henry ex Rehder and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Roystonea regia (Kunth) O. F. Cook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sabal mauritiiformis (Karsten) Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trachycarpus fortunei (Hook.) Wendl. and 15

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Washingtonia robusta Wendl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, PKalamnus amaryllifolius Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, PKalamnus canaranus Warb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, PKalamnus odoratissimus L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, PKalamnus tectorius Parkinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, PKalamnus thwaitesii Martelli and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Typha angustifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acorus calamus L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alocasia indica (Roxb.) Schott and 15 wasteland

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amorphophallus paeoniifolius (Dennst.) Nicolson var. campanulatus (Blume ex Decne) Sivadasan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amorphophallus sylvaticus (Roxb.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anaphyllum beddomei Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anaphyllum wightii Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anthurium spathiphyllum N. E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arisaema auriculatum Barnes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arisaema barnesii Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arisaema leschenaultii Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arisaema murrayi (Graham) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arisaema tortuosum (Wall.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arisaema translucens Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arisaema tuberculatum Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arisaema tylophorum Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arisaema wightii Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caladium bicolor (Ait.) Vent. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Colocasia esculenta (L.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cryptocoryne ciliata (Roxb.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cryptocoryne consobrina Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cryptocoryne retrospiralis (Roxb.) Kunth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cryptocoryne spiralis (Retz.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Epipremnum pinnatum cv aureum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lagenandra meeboldii (Engler) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lagenandra toxicaria Dalz. var. barnesii Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Monstera deliciosa Liebm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pistia stratiotes L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plesmonium margaritiferum (Roxb.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pothos armatus Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pothos scandens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pothos thomsonianus Schott. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Remusatia vivipara (Lodd.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhaphidophora pertusa (Roxb.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Theriophonum fischeri Sivadasan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Theriophonum minutum (Willd.) Baillon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Theriophonum sivaganganum (Ramam. &

Sebastine) Bogner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Xanthosoma sagittifolium (L.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zantedeschia aethiopica (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lemna gibba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lemna perpusilla Torrey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Spirodela polyrhiza (L.) Schleiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Wolffia globosa (Roxb.) Hartog & Vander Plas and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hyalisma janthina Champ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caldesia parnassiifolia (L.) Parl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Limnophyton obtusifolium (L.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sagittaria guayanensis H.B.K. subsp lappula (D Don) Bogin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sagittaria sagittifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Najas graminea Del. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Najas indica (Willd.) Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Najas malesiana Wilde and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Najas marina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Najas minor All. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ruppia maritima L. and 15 wasteland weeds

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aponogeton appendiculatus Bruggen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aponogeton echinatus Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aponogeton natans (L.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aponogeton undulatus Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cymodocea rotundata Ehrenb. & Hempr. ex Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cymodocea serrulata (R. Br.) Asch. & Magnus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Halodule pinifolia (Miki) Hartog and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Halodule uninervis (Forssk.) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Halodule wrightii Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Potamogeton crispus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Potamogeton nodosus Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Potamogeton pectinatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Potamogeton perfoliatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syringodium isoetifolium (Asch.) Dandy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eriocaulon brownianum Martius ex Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eriocaulon cinereum R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eriocaulon conica (Fyson) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eriocaulon elenorae Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eriocaulon ensiforme Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eriocaulon leucomelas Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eriocaulon longicuspis Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eriocaulon nairii Chandrabose & Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eriocaulon nepalense Prescott ex Bongard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eriocaulon odoratum Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eriocaulon panagudianum Ansari & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eriocaulon pectinatum Ruhl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eriocaulon quinquangulare L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eriocaulon ramnadense Ansari & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eriocaulon richardianum (Fyson) Ansari & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eriocaulon ritchieanum Ruchl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eriocaulon robusto-brownianum Ruhland and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eriocaulon robustum Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eriocaulon talbotii Ansari & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eriocaulon thwaitesii Koern. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eriocaulon truncatum Buch. - Ham. ex Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eriocaulon xeranthemum Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ascopholis gamblei Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bulbostylis barbata (Rottb.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bulbostylis densa (Wall.) Hand.-Mazz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bulbostylis puberula (Poir.) Kunth ex C. B. Clarke var. puberula and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bulbostylis puberula (Poir.) Kunth ex C. B. Clarke var. gracilis C. Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carex baccans Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carex breviculmis R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carex brunnea Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carex christii Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carex eluta Nelmes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carex foliosa D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carex filicina Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carex glaucina Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carex hebecarpa C. Meyer var. ligulata (Nees) Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carex lateralis Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carex lenta D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carex leucantha Arn. ex Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carex lindleyana Nees var. lindleyana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carex lindleyana Nees var. mercarensis (Hochst. ex Steud.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carex longicruris Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carex longipes D. Don var. longipes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carex longipes D. Don var. dissitiflora Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carex maculata Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carex myosurus Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carex nubigena D. Don and 15 wasteland weeds

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carex phacota Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carex pseudoaperta Boeckeler ex Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carex raphidocarpa Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carex rara Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carex speciosa Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carex vicinalis Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carex walkeri Arn. ex Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carex wallichiana Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carex wightiana Nees and 15 wasteland weeds

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus alopecuroides Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus alternifolius L. subsp. flabelliformis (Rottboell) Kukenth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus arenarius Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus articulatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus bulbosus Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus castaneus Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus cephalotes Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus conglomeratus Rottb. subsp. pachyrrhizus (Nees ex Boeck.) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus compressus L. and 15 wasteland weeds

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus corymbosus Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus curvibracteatus Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus cuspidatus Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus difformis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus diffusus Vahl. var. diffusus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus diffusus Vahl. var. macrostachyus Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus digitatus Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus distans L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus distans L. var. pseudonutans Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus elatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus esculentus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus exaltatus Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus halpan L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus imbricatus Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus iria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus laevigatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus latovaginata Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus lurida Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus michelianus (L.) Link. subsp. pygmaeus (Rottb.) Asch. & Graebn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus nutans Vahl var. nutans and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus natans Vahl var. eleusinoides (Kunth) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus pangorei Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus pilosus Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus platyphyllus Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus platystylis R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus plumbeonucea Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus polyanthelus Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus procerus Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus pygmaeus Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus rotundus L. subsp. rotundus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus rotundus L. subsp. tuberosus (Rottb.) Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus rubicundus Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus rubriglumosus Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus sesquifforus (Torr.) Mattf. & Kuek. var.cylindricus (Nees) Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus sphacelatus Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus stoloniferous Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus stricticulmis Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus sulcinux Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus tenuiculmis Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus tenuispica Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eleocharis acutangula (Roxb.) Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eleocharis atropurpurea (Retz.) Presl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eleocharis congesta D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eleocharis dulcis (Burm.f.) Henschel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eleocharis geniculata (L.) Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eleocharis retroflexa (Poir.) Urban subsp. chaetaria (Roem. & Schult.) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eleocharis spiralis (Rottb.) Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eleocharis tetraquetra Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis aestivalis (Retz.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis aggregata Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis amplocarpa Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis aphylla Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis argentea (Rottb.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis bisumbellata (Forssk.) Bubani and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis cinnamometorum (Vahl) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis complanata (Retz.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis consanguinea Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis contorta Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis crystallina Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis cymosa R. Br. subsp. spathacea (Roth) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis dichotoma (L.) Vahl subsp. dichotoma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis dichotoma (L.) Vahl subsp. podocarpa (Nees & Meyen) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis dichotoma (L.) Vahl subsp. glauca (Vahl) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis dipsacea (Rottb.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis eragrostis (Nees & Meyen ex Nees) Hance and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis falcata (Vahl.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis ferruginea (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis kingii Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis latiglumifera Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis latinucifera Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis longistigmata Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis miliacea (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis monospicula Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis monticola Hochst. ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis narayanii Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis nutans (Retz.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis ovata (Burm. F.) Kern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis paupercula Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis pentaptera (Nees) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis pierotii Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis polytrichoides (Retz.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis pustulosa Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis quinquangularis (Vahl) Kunth var. crassa C. B. Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis rectifolia Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis rigidiuscula Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis rugosa Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis salbundia (Nees) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis scabrisquama Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis schoenoides (Retz.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis semidisticha Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis sieberiana Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis squarrosa Vahl var. esquarrosa Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis strigosa Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis tenera Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis tetragona R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis tortifolia Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis triflora (L.) Schum. ex Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis tristachya R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis uliginosa Hochst. ex Steud and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis woodrowii Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fuirena ciliaris (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fuirena pubescens (Lam.) Kunth var. pergamentacea Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fuirena trilobites Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fuirena umbellata Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fuirena unicinata (Willd.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fuirena wallichiana Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hypolytrum nemorum (Vahl) Spreng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kylinga brevifolius Rottboell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kylinga bulbosa P. Beavu. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kylinga hyalina (Vahl) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kyllingia nemoralis (J. R. & G. Forst.) Dandy ex Hutchinson & Dalziel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kyllingia malanosperma Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lipocarpha chinensis (Osbeck.) Kern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lipocarpha raynaleana Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lipocarpha sphacelata (Vahl.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mariscus clarkei (Cooke) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mariscus compactus (Retz.) Bolding and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mariscus cyperinus (Retz.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mariscus dubius (Rottboell) Kukenth ex C.E.C. Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mariscus paniceus (Rottboell.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mariscus squarrosus (L.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mariscus sumaterensis (Retz.) A. Raynal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pycreus flavescens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pycreus flavidus (Retz.) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pycreus polystachyos (Rottboell) Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pycreus pumilus (L.) Nees ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pycreus puncticulatus (Vahl) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pycreus sanguinolentus (Vahl) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pycreus stramineus (Nees) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pycreus unioloides (R. Br.) Urb. var. angulatus (Nees) Domin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhynchospora corymbosa (L.) Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhynchospora gracillima Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhynchospora rubra (Lour.) Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhynchospora rugosa (Vahl.) Gale and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rikliella squarrous (L.) Raynal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Schoenoplectus articulatus (L.) Palla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Schoenoplectus grossus (L. f.) Palla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Schoenoplectus juncoides (Roxb) Palla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Schoenoplectus littoralis (Schrad.) Palla subsp. subulatus (Vahl) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Schoenoplectus mucronatus (L.) Palla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Schoenoplectus senegalensis (Steud.) Palla ex Raynal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Schoenoplectus supinus (L.) Palla subsp. lateriflorus (Gmel.) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scirpus fluitans L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scirpus maritimus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scirpus subcapitatus Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scleria caricnia (R. Br.) Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scleria corymbosa Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scleria lithosperma (L.) Sw. var. lithosperma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scleria lithosperma (L.) Sw. var. linearis Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scleria lithosperma (L.) Sw. var. multispiculata Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scleria levis Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scleria mikawana Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scleria parvula Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scleria terrestris (L.) Fassett and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acrachne henrardiana (Bor) Phillips and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acrachne racemosa (Heyne ex Roth) Ohwi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acrachne sundararajii Umamahesw. et al and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aeluropus lagopoides (L.) Trin ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Agrostis micrantha Stue. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Agrostis peninsularis Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Agrostis pilosula Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Agrostis schmidii (Hook. f.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Agrostis stolonifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Agrostis zenkeri Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alloteropsis cimicina (L.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andropogon hallii Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andropogon lividus Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andropogon longipes Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andropogon polyptychus Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andropogon pumilus Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anthoxanthum borii Jain & Pal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anthoxanthum odoratum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Apluda mutica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Apocopis courtallumensis (Steud.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Apocopis vaginata Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aristida adscensionis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aristida funiculata Trin & Rupr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aristida hystrix L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aristida mutabilis Trin. & Rupr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aristida setacea Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arthraxon castratus (Griff.) Narayanaswami ex Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arthraxon depressus Stapf ex Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arthraxon lanceolatus (Roxb.) Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arthraxon micans (Nees) Hochst. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arthraxon prionodes (Steud.) Dandy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arthraxon quartinianus (A. Rich) Nash and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arundinaria walkeriana Munro and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arundinaria wightiana Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arundinella ciliata (Roxb.) Nees ex Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arundinella hookeri Munro ex Keng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arundinella leptochloa (Nees ex Steud.) Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arundinella mesophylla Nees ex Steud and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arundinella nepalensis Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arundinella nervosa (Roxb.) Nees ex Hook. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arundinella pumila (Hochst. ex A. Rich) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arundinella purpurea Hochst. ex Steud var. purpurea and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arundinella purpurea Hochst. ex Steud. var. laxa Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arundinella setosa Trin. var. setosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arundinella setosa Trin. var. nilagiriana Subbarao & Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arundinella vaginata Bor and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arundo conspicua Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arundo donax L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Avena byzantina K. Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Avena fatua L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Avena sativa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Avena sterilis L. var. ludoviciana (Durieu) Gill & Magne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Axonopus compressus (Sw.) P. Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bambusa bambos Voss and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bothriochloa bladhii (Retz.) S. T. Blake and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bothriochloa foulkesii (Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bothriochloa insculpta (Hochst. ex A. Rich.) A. camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bothriochloa kuntzeana (Hack.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bothriochloa pertusa (L.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bothriochloa pseudoischaemum (Nees ex Steud.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brachiaria distachya (L.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brachiaria eruciformis (J. E. Smith) Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brachiaria kurzii (Hook. f.) A. Camus and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brachiaria miliiformis (J. S. Presl) Chase and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brachiaria munae Basappa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brachiaria mutica (Forssk.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brachiaria nilagirica Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brachiaria ramosa (L.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brachiaria remota (Retz.) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brachiaria reptans (L.) Gard. & Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brachiaria Semiundulata (Hochst. ex A. Rich) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brachiaria Semiverticillata (Rottl.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brachiaria setigera (Retz.) Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brachypodium distachyon (L.) P. Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brachypodium sylvaticum (Huds.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Briza maxima L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Briza media L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Briza minor L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bromus arvensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bromus catharticus Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bromus diandrus Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bromus ramosus Huds. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Capillipedium filiculme (Hook. f.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Capillipedium huegelii (Hack.) Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Capillipedium parviflorum (R. Br.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cenchrus biflorus Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cenchrus ciliaris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cenchrus glaucus Mudaliar & Sundararaj and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cenchrus pennisetiformis Hochst. & Steud. ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cenchrus setigerus Vahl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Centotheca lappacea (L.) Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chionachne koenigii (Spreng.) THw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chionachne Semiteres (Benth. ex Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chloris barbata Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chloris bournei Rang. & Tadl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chloris dolichostachya Lagasca and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chloris gayana Kunth ex Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chloris montana Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chloris pycnothrix Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chloris roxburghiana Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chloris virgata Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chloris wightiana Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chrysopogon aciculatus (Retz.) Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chrysopogon asper (Heyne ex Hook. f.) Blatter & Mc Can and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chrysopogon copei Mohanan et Ravi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chrysopogon fulvus (Spreng) Choiv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chrysopogon hackelii (Hook.f.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chrysopogon orientalis (Desv.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chrysopogon zeylanicus (Nees ex Steud.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coelachne perpusilla (Arn. ex Steud.) Thw. var. perpusilla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coelachne perpusilla (Arn. ex Steud.) Thw. var. nilagirica Ved Prakash & Jain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coelachne simpliciuscula (Wight & Arn. ex Steud) Munro ex Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coelachyropsis lagopoides (Burm.f.) Bor and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coix aquatica Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coix gigantea Koen. ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coix lacryma-jobi L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cortaderia selloana (Schultes) Asch. & Graebn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cymbopogon caesius (Nees ex Hook. & Arn.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cymbopogon citratus (DC.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cymbopogon coloratus (Hook. f.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cymbopogon flexuosus (Nees ex Steud.) Wats var. flexuosus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cymbopogon flexuosus (Nees ex Steud) Wats var. coimbatorensis Gupta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cymbopogon gidarba (Ham. ex Steud.) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cymbopogon jwarancusa (Jones) Schultes subsp. olivieri (Boiss.) Soenarko and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cymbopoogon martinii (Roxb.) Wats. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cymbopogon nardus (L.) Rendle var. nardus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cymbopogon nardus (L.) Rendle var. confertiflorus (Steud.) Stapf ex Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cymbopogon polyneuros (Steud.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cymbopogon travancorensis Bor and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cynodon arcuatus J. S. Presl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cynodon barberi Rang & Tad. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cynodon dactylon (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cynodon plectostachyus (Schum ex Engler) Pilger and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyrtococcum deccanense Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyrtococcum longipes (Wight & Arn. ex Hook. f.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyrtococcum muricatum (Retz.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyrtococcum oxyphyllum (Steud.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyrtococcum patens (L.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyrtococcum sparsicomum (Nees ex Steud.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyrtococcum trigonum (Retz.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dactylis glomerata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dactyloctenium aegyptium (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dendrocalamus strictus (Roxb.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmostachya bipinnata (L.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dichanthium annulatum (Forssk.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dichanthium aristatum (Poir) Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dichanthium caricosum (L.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dichanthium foveolatum (Del.) Roberty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dichanthium oliganthum (Hochst.ex Steud.) Cope and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dichanthium pallidum (Hook. f.) Stapf ex Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dichaetaria wightii Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Digitaria abludens (Roem. & Schultes) Veldk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Digitaria bicornis (Lam.) Roem. & Schultes ex Loud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Digitaria ciliaris (Retz.) Koeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Digitaria duthieana Henr. ex Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Digitaria griffithii (Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Digitaria longiflora (Retz.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Digitaria microbachne (Presl) Henr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Digitaria radicosa (Presl) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Digitaria setigera Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Digitaria stricta Roth ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Digitaria ternata (A. Rich) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Digitaria tomentosa (Koen ex Willd.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Digitaria violascens Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Digitaria wallichiana (Wight & Arn. ex Steud.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dimeria acutipes Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dimeria avenacea (Retz.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dimeria balakrishnaniana K.Ravik., P.V. Sreek. & V. Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dimeria fuscescens Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dimeria kollimalayana Mohanan & Rao and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dimeria lehmanii (Nees ex Steud.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dimeria orissae Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dimeria ornithopoda Trin. var. ornithopoda and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dimeria ornithopoda Trin. var. khasiana Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dinebra retroflexa (Vahl) Panzer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diplachne malabarica (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Echinochloa colona (L.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Echinochloa crus - galli (L.) P. Beauv var. crus - galli and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Echinochloa crus - galli (L.) P. Beauv var. breviseta (Doll) Neilr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Echinochloa frumentacea Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Echinochloa oryzoides (Ard.) Fritsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Echinochloa picta (J. Koen) Michael and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Echinochloa stagnina (Retz.) P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ehrharta abyssinica Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eleusine coracana (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eleusine indica (L.) Gaertn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elytrophorus spicatus (Willd.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Enneapogon schimperanus (Hochst. Ex A. Rich) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Enteropogon coimbatorensis K K. N. Nair Jain & Nayar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Enteropogon monostachyos (Vahl) Schum ex Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eragrostiella bifaria (Vahl) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eragrostiella brachyphylla (Stapf.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eragrostis aspera (Jacq.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eragrostis atrovirens (Desf.) Trin. ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eragrostis cilianensis (Al.) Vign. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eragrostis ciliaris (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eragrostis ciliata (Roxb.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eragrostis coarctata Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eragrostis curvula (Schrader) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eragrostis dayanKalamnii P. Ravichandran S.Krishnan N.P. Samson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eragrostis deccanensis Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eragrostis gangetica (Roxb.) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eragrostis japonica (Thunb.) Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eragrostis kiwuelsis Jedwabn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eragrostis macilenta (A. Rich) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eragrostis maderaspatana Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eragrostis minor Host and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eragrostis nigra Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eragrostis nutans (Retz.) Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eragrostis pilosa P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eragrostis riparia (Willd.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eragrostis rottleri Stapf and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eragrostis schweinfurthii Chioe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eragrostis superba Peyr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eragrostis tef (Zucc.) Trotter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eragrostis tenella (L.) P. Beauv ex Roem. & Schultes var. tenella and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eragrostis tenella (L.) P. Beauv. ex Roem. & Schultes var. insularis Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eragrostis tenuifolia (A. Rich) Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eragrostis tremula (Lam.) Hochst ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eragrostis unioloides (Retz.) Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eragrostis viscosa (Retz.) Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eremochloa muricata (Retz.) Hack and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eremopogon foveolatus (Del.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eriochloa procera (Retz.) Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eriochrysis rangacharii Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euchlaena mexicana Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eulalia phaeothrix (Hack.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eulalia trispicata (Schultes) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eulalia wightii (Hook. f.) Bor and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eulaliopsis binata (Retz.) C.E. Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Festuca ovina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Festuca undata Stapf var. aristata Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Garnotia arundinacea Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Garnotia courtallensis (Arn. & Nees) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Garnotia elata (Arn. Ex Miq.) Janowski and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Garnotia exaristata Gould and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Garnotia fergusonii Trimen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Garnotia schmidii Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Garnotia tenella (Arn. ex Miq.) Janowski and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glyceria spicata Guss and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Halopyrum mucronatum (L.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Helictotrichon polyneurum (Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Helictotrichon schmidii (Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Helictotrichon virescens (Nees ex Steud.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hemarthria compressa(L.f.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heteropogon contortus (L.) P Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heteropogon fischerianus Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heteropogon polystachyos (Roxb.) Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Holcolemma canaliculatum (Nees ex Steud.) Stapf & Hunnard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hordeum vulgare L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hygroryza aristata (Retz.) Nees ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hymenachne acutigluma (Steud.) Gilliland and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ichnanthus vicinus (Bailey) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Imperata cylindrica (L.)Raeusch. var. major (Nees) Hubbard ex Hubbard & Vaughan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Isachne angladei Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Isachne bourneorum Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Isachne deccanensis Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Isachne dispar Trin. var. dispar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Isachne dispar Trin. var. villosa C.E.C. Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Isachne elegans Dalz ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Isachne globosa (Thunb.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Isachne kunthiana (Wight & Arn. ex Steud.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Isachne miliacea Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Isachne oreades (Domin) Bor. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Isachne pulchella Roth ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Isachne walkeri (Arn. ex Steud.) Wight & Arn. ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ischaemum commutatum Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ischaemum flumineum Bor. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ischaemum indicum (Houtt.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ischaemum koenigii (Hook. f.) Stapf ex Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ischaemum nilagiricum Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ischaemum pilosum (Klein ex Willd.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ischaemum rangacharianum Ficher and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ischaemum rugosum Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ischaemum tadulingamii Nair & Sreekumar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ischaemum timorense Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ischaemum zeylanicolum Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Iseilema anthephoroides Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Iseilema jainiana Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Iseilema laxum Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Iseilema prostratum (L.) Andersson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jansenella griffithiana (C. Muell.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leersia hexandra Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leptochloa chinensis (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leptochloa neesii (Thw.) Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leptochloa obtusiflora Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leptochloa panicea (Retz.) Ohwl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leptochloa uniflora Hochst ex A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lolium perenne L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lolium temulentum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lophatherum gracile Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lopholepis ornithocephala (Hook.) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lophopogon tridentatus (Roxb.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Manisuris myuros L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melanocenchris jacquemontii Jaub. & Spach and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melanocenchris monoica (Rottl.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melica scaberrima (Nees ex Steud.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Microchloa indica (L.f.) Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Microchloa kunthii Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Microchloa kunthii Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Microstegium ciliatum (Trin.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Microstegium nudum (Trin.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Miscanthus nepalensis (Trin.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mnesithea granularis (L.) de Koning & Sosef and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mnesithea laevis (Retz.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Myriostachya wightiana (Nees ex Steud.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oclandra beddomei Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ochlandra scriptoria (Dennst.) Fischer var. sivagiriana (Gamble) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ochlandra setigera Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ochlandra travancorica Benth ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ophiuros bombaiensis Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ophiuros exaltatus (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oplismenus burmannii (Retz.) P. Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oplismenus compositus (L.) P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oplismenus undulatifolius (Ard.) P. Beauv ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oropetium thomaeum (L.f.) Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oryza barthii A. Chevali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oryza meyeriana (Zoll. & Mor.) Baill. var. granulata (Nees & Arn. ex Wall) Duist. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oryza minuta J. S. Presl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oryza officinalis Wall ex Watt subsp malampuzhaensis (Krishnaswami & and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.Chandrasekaran) Tateoka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oryza rufipogon Griff. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oryza sativa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ottochloa nodosa (Kunth) Dandy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oxytenanthera monadelpha(Thw.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oxytenanthera ritcheyi (Munro) Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Panicum antidotale Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Panicum brevifolium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Panicum fischeri Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Panicum gardneri Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Panicum maximum Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Panicum miliaceum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Panicum notatum Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Panicum paludosum Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Panicum psilopodium Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Panicum repens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Panicum sparsicomum Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Panicum sumatrense Roth ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Panicum trypheron Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Paspalidium flavidum (Retz.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Paspalidium geminatum (Forssk.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Paspalidium punctatum (Burm.f.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Paspalum canarae (Steud.) Veldk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Paspalum conjugatum Berg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Paspalum dilatatum Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Paspalum distichum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Paspalum longifolium Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Paspalum scrobiculatum L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Paspalum vaginatum Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pennisetum americanum (L.) Leeke. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pennisetum clandestinum Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pennisetum hohenackeri Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pennisetum pedicellatum Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pennisetum polystachyon (L.) Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pennisetum purpureum Schum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pennisetum villosum R. Br. ex Fresen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Perotis indica (L.) Kuntze var. indica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Perotis indica (L.) Kuntze var. keelakaraiensis Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phalaris aquatica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phalaris arundinacea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phalaris minor Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phragmites karka (Retz.) Trin ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Poa annua L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Poa gamblei Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Poa trivialis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pogonatherum crinitum (Thunb.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pogonatherum paniceum (Lam.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polypogon fugax Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pommereulla cornucopiae L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pseudanthistiria heteroclita (Roxb.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pseudanthistiria umbellata (Hack.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pseudechinolaena polystachya (H.B.K.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pseudobrachiaria deflexa (Schum.) Launert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pseudoraphis spinescens (R. Br.) Veickery and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pseudosorghum fasciculare (Roxb.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhynchelytrum repens (Willd.) Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rottboellia cochinchinensis (Lour.) Clayton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saccharum arundinaceum Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saccharum narenga (Nees ex Steud.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saccharum officinarum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saccharum spontaneum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sacciolepis curvata (L.) Chase and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sacciolepis indica (L.) Chase and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sacciolepis interrupta (Willd.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sacciolepis myosuroides (R. Br.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Schizachyrium brevifolium (Sw.) Nees ex Buese and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sehima nervosum (Rottl.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sehima sulcatum (Hack.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Setaria homonyma (Steud.) Chiov. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Setaria intermedia Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Setaria italica (L.) P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Setaria palmifolia (Koen.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Setaria plicata (lam.) Cooke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Setaria poiretiana (Schultes) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Setaria pumila (Poir.) Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Setaria sphacelata (Schum.) Stapf & Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Setaria verticillata (L.) P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sinarundinaria wightiana (Nees) C.S.Chao & Renvoize and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sorghum arundinaceum (Desv.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sorghum bicolor (L.) Moench. Meth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sorghum cernuum Host var. orbiculatum Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sorghum cernuum Host var. truchmenorum (C.Koch) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sorghum conspicuum Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sorghum coriaceum Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sorghum dimidiatum Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sorghum dochna (Forssk.) Snowden var. irungu (Burkill ex Benson & Subbarao) Snowden and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sorghum dochna (Forssk.) Snowden var. obovatum (Hack.) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sorghum durra (Forssk.) Stapf var. coimbatoricum (Burkill ex Benson & Subbarao) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sorghum durra (Forssk.) Stapf var. mediocre (Burkill ex Benson & Subbarao) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sorghum guineense Stafp and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sorghum halepense (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sorghum laxiflorum F.M. Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sorghum nitidum (Vahl.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sorghum roxburghii Stapf var. hians Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sorghum subglabrescens (Steud.) Schweinf. & Asch. var. subglabrescens and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sorghum subglabrescens (Steud.) Schweinf. & Asch. var. compactum (Burkill) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sorghum subglabrescens (Steud.) Schweinf. & Asch. var. irungiforme (Burkill) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sorghum subglabrescens (Steud.) Schweinf. & Asch. var. oviforme Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sorghum subglabrescens (Steud.) Schweinf. & Asch. var. rubidum (Burkill) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sorghum versicolor Anderss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Spinifex littoreus (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Spodiopogon rhizophorus (Steud.) Pilger and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sporobolus capillaris Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sporobolus coromandelianus (Retz.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sporobolus hajrae Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sporobolus indicus (L.) R. Br. var. diander (Retz.) Jovet & Guedes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sporobolus indicus (L.) R. Br. var. fertilis (Steudd.) Jovet & Guedes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sporobolus maderaspatanus Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sporobolus piliferus (Trin.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sporobolus spicatus (Vahl.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sporobolus tenuissimus (Schrank) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sporobolus tremulus (Willd.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sporobolus virginicus (L.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sporobolus wallichii Munro ex Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stenotaphrum dimidiatum (L.) Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Teinostachyum wightii Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Themeda cymbaria Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Themeda quadrivalvis (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Themeda tremula (Nees ex Steud.) hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Themeda triandra Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thysanolaena maxima (Roxb.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trachys muricata (L.) Pers ex Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tragus roxburghii Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tripogon bromoides Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tripogon jacquemontii Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tripogon lisboae Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tripogon pungens Fischer and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tripogon wightii Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tripsacum laxum Nash and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Triticum aestivum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Triticum dicoccum Schubler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Urochloa panicoides P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vetiveria lawsonii (Hook. f.) Blatter & Mc Cann and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vetiveria zizanioides (L.) Nash and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vulpia bromoides (L.) Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vulpia megalura (Nutt.) Rydb. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vulpia myuros (L.) Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zea mays L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zenkeria elegans Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zenkeria sebastinei Henry & Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zenkeria stapfii Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zoysia matrella (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zoysia pungens Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andropogon schoenanthus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andropogon sorghum BROT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andropogon squarrosus L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Androsace rotundifolia HARDW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aneilema conspicuum KUNTH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aneilema lineolatum KUNTH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aneilema nudiflorum BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aneilema scapiflorum WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aneilema tuberosum HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anemarrhena asphodeloides BUNGE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anemone falconeri THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anemone narcissiflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anemone obtusiloba D.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anemone rivularis HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anemone rupicola CAMB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anemone tetrasepala ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anemone vitifolia HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aneseia martinicensis (JACQ.) CHOIS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anethum foeniculum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anethum graveolens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anethum sowa KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Angelica archangelica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Angelica archangelica L. himalayana (C.B.CLARKE)BADHWAR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Angelica glauca EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Angelica polymorpha MAXIM. SINENSIS OLIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Angelonia salicariaefolia HUMB. & BONPL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Angiopteris evecta (FORST.) HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aniseia martinicensis (JACQ.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anisochilus carnosus WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anisochilus carnosus WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anisochilus eriocephalus BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anisomeles indica (L.) O.KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anisomeles malabarica R.BR. EX SIMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anisomeles ovata R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anisonema multiflorum WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Annona cherimola MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Annona muricata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Annona reticulata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Annona squamosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anodendron paniculatum A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anoectochilus regalis BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anoectochilus roxburghii BL. REGALIS (BL.) PRADHAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anoectochilus setaceus (BLUME) LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anogeissus acuminata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anogeissus latifolia WALL. EX. GUILL. & PERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anogeissus pendula EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anotis foetida (DALZ.) BENTH.& HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anplectrum assamicum CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anthemis cotula L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anthemis gayana BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anthemis nobilis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anthemis odontostephana BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anthemis pyrethrum GOUAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anthocephalus cadamba MIQ.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anthocephalus chinensis (LAM.) A.RICH. EX WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anthocephalus indicus A. RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anthoxanthum odoratum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anthriscus cerefolium (L.) HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anthriscus sylvestris HOFFM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anthyrium filix-femina (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Antiaris innoxia BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Antiaris saccidora DALZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Antiaris toxicaria (PERS.) LESCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anticharis glandulosa ASCHERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Antidesma acidum RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Antidesma bunius (L.)SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Antidesma diandrum ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Antidesma ghaesembilla GAERTN. FRUCT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Antidesma menasu (TULASNE) MULL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Antidesma zeylanicum LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Antirrhinum cymbalaria GUELDENST EX LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Antirrhinum majus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Antirrhinum orantium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Apama siliquosa LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Apama tomentosa (BI.) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aphanamixis polystachya (WALL.) PARKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aphananthe cuspidata (BL.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Apium graveolens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Apium leptophyllum F.MUELL. EX.BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aplotaxis auriculata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Apluda mutica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Apluda varia HACK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Apocynum foetidum BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Apollonias arnottii NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aponogeton monostachyon L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aponogeton natans (L.) ENGL. & KRAUSE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aporusa dioica (ROXB.) MUELL.- ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aporusa lindleyana BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aporusa octandra (BUCH.- HAM. EX D. DON) VICK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aquilaria agallocha ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aquilaria malaccensis LAM., NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aquilaria ovata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aquilegia fragrans BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aquilegia vulgaris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arabidopsis thaliana (L.) HEYNH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arabidopsis wallichii (HOOK.F.&T.) N. BUSH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arabis chinensis ROTTLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arabis recta MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arabis tribetica HK. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arachis hypogaea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arachne cordifolia (DECNE) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aralia armata SEEM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aralia cachemirica DECNE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aralia pseudo-ginseng BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aralia quinquefolia DECNE. & PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aralia racemosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arbutus unedo L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arceuthobium minutissimum HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Archangelica himalaica EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Archangelica officinalis HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Archidendron clypearia (JACK) NIELSEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Archidendron monadelphum (ROXB.) NIELSEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arctium lappa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arctostaphylos uva ursi SPRENG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ardisia colorata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ardisia humilis VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ardisia odontophylla WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ardisia oxyphylla WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ardisia solanacea ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Areca catechu L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Areca concinna THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Areca nagensis GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Areca triandra ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arenaria serpyllifolia L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arenga obtusifolia MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arenga pinnata MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arenga saccharifera LABILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arenga wightii GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Argemone alba LESTIB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Argemone mexicana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Argyreia aggregata (ROXB.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Argyreia argentea ARN. EX CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Argyreia cuneata KER-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Argyreia daltonii CLARKE IN HOOK.F. FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Argyreia fulgens CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Argyreia imbricata (ROTH) SANT. & PATEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Argyreia involucrata C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Argyreia kleiniana (ROEM.&SCHULT.) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Argyreia malabarica CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Argyreia nervosa (BURM.F.) BOJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Argyreia petaloidea CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Argyreia pomacea (ROXB.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Argyreia sericea Dalz. & Gib. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Argyreia setosa (ROXB.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Argyreia speciosa SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aricennia officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arikuryroba schizophylla BECC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arisaema alba N. E. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arisaema curvatum KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arisaema decipiens SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arisaema flavum (FORSK.) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arisaema jacquemontii BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arisaema leschenaultii BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arisaema murrayi (GRAHAM) HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arisaema speciosum (WALL.) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arisaema tortuosum SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arisaema triphyllum SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arisaema wallichianum HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aristida adscenscionis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aristida depressa RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aristida humilis VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aristida setacea RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aristolochia bracteata RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aristolochia bracteolata LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aristolochia indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aristolochia labiosa KER.-GAWL.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aristolochia longa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aristolochia reticulata NUTTAL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aristolochia rotunda L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aristolochia roxburghiana KLOTZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aristolochia saccata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aristolochia serpentaria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aristolochia tagala CHAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Armoracia rusticana GAERTN. MEY. & SCHERB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arnebia benthamii (WALL. EX G.DON) JOHNSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arnebia euchroma (ROYLE) JOHN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arnebia guttata BUNGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arnica montana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Artabotrys hexapetalus (L.F.) BHKALAMRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Artabotrys odoratissimus R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Artabotrys suaveolens BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Artanema longifolia (L.) MERRILL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Artanema longifolium (L.) VATAKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Artanema sesamoides (VAHL) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Artemisia abrotanum SAVI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Artemisia absinthium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Artemisia annua L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Artemisia austriaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Artemisia biennis WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Artemisia brevifolia WALL. EX DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Artemisia capillaris THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Artemisia cina BERG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Artemisia dracunculus LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Artemisia gmelinii WEBER EX. STECHM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Artemisia indica WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Artemisia japonica THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Artemisia macrocephala JACQ. EX BESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Artemisia maderaspatana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Artemisia maritima L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Artemisia moorcroftiana WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Artemisia nilagirica (CLARKE) PAMP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Artemisia pallens WALL. EX. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Artemisia parviflora BUCH. HAM. EX ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Artemisia persica BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Artemisia roxburghiana BESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Artemisia sacrorum LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Artemisia scoparia WALDST.& KIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Artemisia sieversiana EHRH. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Artemisia vestita WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Artemisia vulgaris AUCT.NON L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arthraxon nudus (STEUD.) HOCHST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arthrocnemum indicum MOQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arthrophyllum blumeanum ZOLL. & MOR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Artocarpus chaplasha ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Artocarpus communis J. & G. FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Artocarpus gomezianus WALL. EX TREC. zeylanicus JANET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Artocarpus heterophyllus LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Artocarpus hirsutus LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Artocarpus integra (THUNB.) MERRILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Artocarpus integrifolia L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Artocarpus lakoocha ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arum campanulatum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arum colocasia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arum macrorhizon L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arum numphaeifolium ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aruncus dioicus (WALTER) FERNALD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arundina graminifolia (D.DON) HOCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arundinella nepalensis TRIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arundo donax L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arundo karka RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asagraea officinalis LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asarum europaeum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asclepias asthmatica WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asclepias curassavica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asclepias gigantea WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asclepias lactifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asclepias prolifera ROTTLER EX W. AINSLIE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asclepias volubilis L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asclepias vomitoria KOEN. EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asechynanthus gracilis PARISH EX CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aspalathus indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aspalathus linearis (BURM.F.) R. DAHLGR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asparagus adscendens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asparagus curillus BUCH .-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asparagus filicinus BUCH .-HAM. EX D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asparagus gonoclados BAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asparagus laevissimus STEND. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asparagus officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asparagus punjabensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asparagus racemosus WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asparagus rottleri BAKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asparagus sarmentosus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asperugo procumbens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asphodelus fistulosus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asphodelus tenuifolius CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aspidium polymorphum (WALL.); BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asplenium adiantoides (L.) C. CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asplenium adiantum-nigrum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asplenium alternans WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asplenium ceterach L. ceterach Khullar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asplenium dalhousiae HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asplenium falcatum LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asplenium furcatum THUMB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asplenium laciniatum D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asplenium nidus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asplenium parasiticum WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asplenium polyodon G. FORSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asplenium ruta-muraria L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asplenium septentrionale HOFFM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asplenium trichomanes L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asplenium viride HUDSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aster amellus LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aster asteroides (DC.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aster falconeri HUTCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aster indamellus GRIERSON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aster tibeticus HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aster trinervius ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asteracantha longifolia (L.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asteriastigma macrocarpa BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Astilbe rivularis BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Astraeus hygrometricus (PERS.) MORG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Astragalus aegacanthoides PARKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Astragalus candolleanus ROYLE EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Astragalus ciliolatus BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Astragalus graveolens BUCH.-HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Astragalus hamosus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Astragalus heratensis BUNGE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Astragalus himalayanus KLOTZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Astragalus jacquemontii BUNGE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Astragalus multiceps BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Astragalus munori BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Astragalus nivalis KAR. & KIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Astragalus polyacanthus ROYLE EX BENTH.

NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Astragalus psilocentrus FISCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Astragalus rhizanthus ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Astragalus sarcocola DYMOCK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Astragalus strobiliferus ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Astragalus tribuloides DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Astragalus verus OSKIN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asystasia coromandeliana NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asystasia dalzelliana SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asystasia gangetica (L.) T. ANDERSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asystasia violacea DALZ. EX CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Atalantia monophylla CORR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Atalantia racemosa WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Athyrium filix-femina (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Athyrium hohenackerianum BEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Athyrium puncticaule (BL.) MOORE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Athyrium schimperi (FEE) MOUG. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Atriplex hortensis LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Atropa acuminata ROYLE EX LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Atropa belladonna L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Atylosia barbata (BENTH.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Atylosia candollei WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Atylosia goensis DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Atylosia lineata WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Atylosia mollis BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Atylosia platycarpa BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Atylosia scarabeoides BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Atylosia volubilis GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Auricularia sambucina MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Avena fatua L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Avena sativa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Averrhoa acida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Averrhoa bilimbi L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Averrhoa carambola L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Avicennia alba BLUME and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Avicennia marina (FORSK.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Avicennia officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Avicennia tomentosa JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Azanza lampas (CAV.) ALEF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Azima tetracantha LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Baccaurea ramiflora LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Balanites aegyptiaca (L.) DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Balanites roxburghii PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Balanocarpus utilis BEDD. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Balanophora dioica R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Balanophora fungosa J.R. & G. FORST. indica (ARN.) Hans. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Balanophora involucrata Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Balanophora polyandra GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Baliospermum axillare BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Baliospermum calycinum MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Baliospermum montanum (WILLD.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Baliospermum sinuatum MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Baliospermum solanifolium (J.BURM.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Balsamodendron agallocha WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Balsamodendron kataf KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Balsamodendron mukul HOOK. EX STOCKS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Balsamodendron myrrha N.& E. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Balsamodendron stocksiana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bambusa arundinacea WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bambusa balcooa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bambusa bambos DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bambusa nana ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bambusa nutans WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bambusa oSkiniana GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bambusa tulda ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bambusa vulgaris SCHRAD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Barbarea vulgaris R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Barleria acanthoides VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Barleria acuminata NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Barleria buxifolia L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Barleria courtallica NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Barleria cristata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Barleria cuspidata HEYNE EX. NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Barleria dichotoma ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Barleria involucrata NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Barleria longiflora L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Barleria longifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Barleria lupulina LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Barleria montana NEES. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Barleria mysorensis ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Barleria noctiflora LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Barleria prattensis SANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Barleria prionitis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Barleria strigosa WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Barringtonia acutangula (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Barringtonia asiatica (L.) KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Barringtonia racemosa (L.) K.SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Barringtonia speciosa FORST. CHAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Basella alba L. rubra (L.) STEWART and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Basella alba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Basella cordifolia LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Basella rubra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Basilicum polystachyon (L.) MOENCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bassia butyracea ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bassia latifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bassia longifolia KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bassia malabarica BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bauhinia acuminata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bauhinia candida WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bauhinia diphylla BUCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bauhinia macrostachya WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bauhinia malabarica ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bauhinia phoenica WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bauhinia phoenicea HEYNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bauhinia purpurea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bauhinia racemosa LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bauhinia retusa HAM. EX. ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bauhinia roxburghiana VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bauhinia rufescens LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bauhinia scandens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bauhinia tenuiflora WATT EX CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bauhinia tomentosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bauhinia vahlii WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bauhinia variegata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bauhinia wallichii MACBRIDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Begonia cathcartii J.D. HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Begonia hatacoa BUCH.-HAM. EX D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Begonia inflata C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Begonia josephii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Begonia laciniata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Begonia luxurians SCHEIDW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Begonia malabarica LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Begonia palmata DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Begonia picta SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Begonia rex PUTZEYS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Begonia roxburghii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Begonia rubro-venia HK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Begonia thomsonii DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, NripatimcKalam chinensis (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Benincasa cerifera SAVI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Benincasa hispida (THUNB.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Benkara malabarica (LAM.) TIRVENGADUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bentinckia condapanna BERRY EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Berberis aristata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Berberis asiatica ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Berberis chitria EDWARDS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Berberis insignis HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Berberis jaeschkeana SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Berberis kashmiriana AHRENDT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Berberis kumaoensis SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Berberis lamberti PARKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Berberis lycium ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Berberis nepalensis SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Berberis pachyacantha JAFRI zabeliana JAFRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Berberis petiolaris WALL. EX G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Berberis pseudumbellata PARKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Berberis tinctoria LESCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Berberis ulicina HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Berberis umbellata WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Berberis vulgaris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Berberis wallichiana DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Berchemia lineata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bergenia ciliata (HOW.) STERN. fa ligulata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bergenia ciliata (HOW.) STERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bergenia ligulata SENSU BAILEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bergenia purpurascens (HOOK.F. & TH.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bergenia stracheyi (HOOK.F.& THOMS.) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bergera koenigii L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bergia capensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bergia odorata EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bergia suffruticosa (DEL.) FENZL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Beta benghalensis ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Beta maritima L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Beta vulgaris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Betula alnoides BUCH.-HAM. EX DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Betula bhojpattra WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Betula utilis DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bidens biternata (LOUR.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bidens cernua L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bidens pilosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bidens tripartita L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Biebersteinia odora STEPH. EX FISH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bignonia chelonoides L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bignonia indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bigonia longifolia (WILLD.) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Biophytum apodisciac TUREZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Biophytum candolleanum WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Biophytum nervifolium THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Biophytum petersianum KLOTZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Biophytum reinwardtii (ZUCC.) KLOTZSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Biophytum sensitivum (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bischofia javanica BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bistorta amplexicaulis GREENE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bixa orellana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blastania garcini COG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blechnum orientale L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blechnum spicant (L.) WITH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blepharis boerhaviifolia PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blepharis edulis PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blepharis linariaefolia PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blepharis maderaspatensis (L.) ROTH. maderaspatensis NAPPER maderaspatensis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blepharis persica (BURM.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blepharispermum subsessile DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blepharistemma serratum (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blighia sapida KOEN. & SIMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blumea aurita DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blumea balsamifera DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blumea densiflora DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blumea erientha DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blumea fistulosa (ROXB.) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blumea hieracifolia HOOK.F. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blumea lacera DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blumea laciniata (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blumea lanceolaria (ROXB.) DRUCE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blumea membranacea DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blumea mollis (D.DON) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blumea myriocephala DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blumea obliqua DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blumea oxyodonta DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blumea pubigeru (L.) MERR. NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blumea riparia (BLUME) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blumea sessiliflora DECNE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blumea wightiana DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blumeopsis falcata (D.DON) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blumeopsis flava (DC.) GAGNEP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blyxa octandra (ROXB.) PLANCH.EX.THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bocagea dalzellii HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Boehmeria macrophylla HORN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Boehmeria nivea (L.) GAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Boehmeria repens NEES & MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Boenninghauseni albiflora (HK.) REICHB. EX MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Boenninghausenia albiflora (HOOK. F.) REICHB. EX MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Boerhavia chinensis (L.) ASCH. & SCHW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Boerhavia diffusa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Boerhavia erecta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Boerhavia repKalam WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Boerhavia repens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Boerhavia verticillata ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Boesenbergia rotunda (L.) MANSF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bolbitis subcrenata (HOOK. & GREV.) CHING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Boletus crocatus BATSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bombax ceiba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bombax cibaricum DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bombax insigne WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bombax malabaricum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bombax pentandrum JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bongardia chrysogonum (L.) SPACH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bongardia rauwolfii C.A.MEY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bonnaya oppositifolia SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bonnaya reptans SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Borago officinalis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Borassus flabellifer L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Borassus flabelliformis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Borreria articularis (L.F.) WILLIAMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Borreria hispida (L.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Borreria pusilla (WALL) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bosea amherstiana HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Boswellia carteri BIRDW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Boswellia frereana BIRDW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Boswellia glabra ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Boswellia ovalifoliolata BAL & HENRY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Boswellia serrata ROXB. glabra (ROXB.) BENNETT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Boswellia serrata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Boswellia thurifera ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bothriochloa odorata (LISBOA) A. CAMUS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Botrychium lunaria (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Botrychium ternatum (THUNB.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Botrychium virginianum SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Boucerosia aucheriana DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bougainvillaea spectabilis WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brachiaria eruciformis (J.E.SMITH) GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brachiaria ramosa STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brachiaria reptans (L.) C.A. GARDNER & C.E. HUBBARD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brachyactis roylei WEND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bragantia tomentosa BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bragantia wallichii R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brasenia sachreberi J.F. GMEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brasenia schreberi J.F. GMEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brassaiopsis glomerulata BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brassica alba (L.) RABENH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brassica campestris L. dichotoma (ROXB.) WATT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brassica campestris L. glauca and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brassica campestris L. rapa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brassica campestris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brassica cernua (THUNB.) FORBES & HEMSLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brassica integrifolia (WEST) SCHULZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brassica juncea (L.) CZERN. integrifolia (WEST) SINSKAJA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brassica juncea (L.) CZERN. SSP. JUNCEA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brassica napus L. dichotoma (ROXB.) PRAIN

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brassica napus L. glauca (ROXB.) SCHULZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brassica nigera (L.) KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brassica nigra (L.) KOCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brassica oleracea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brassica oleracea L. capitata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brassica oleracea L. gongylodes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brassica rapa L. campestsris (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brassica tournefortii GOUAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Breea arvensis (L.) LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bremekampia verticillata (ROXB.) SREEMADHAVAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Breynia patens (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Breynia retusa (DENNST.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Breynia rhamnoides MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Breynia vitis-idaea (BURM.F.) FISCHER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bridelia crenulata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bridelia montana WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bridelia retusa SPR. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bridelia scandens (ROXB.) WIILLD, and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bridelia squamosa (LAM.) GEHRM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bridelia stipularis BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bridelia tomentosa BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bromelia ananas L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bromus unioloides H.B.N.NOV. GEN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Broussonetia papyrifera (L.) VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brucea javanica (L.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brucea mollis WALL. EX KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bruguiera cylindrica (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bruguiera gymnorrhiza (L.) SOVIGY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brunfelsia americana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brunfelsia calycina BENTH. MACRANTHA RAFFILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bruxanellia indica DENNST. EX KOSTEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bryonia epigoea ROTTL.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bryonia grandis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bryonia laciniosa L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bryonia rostrata ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bryonia scaber L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bryonia umbellata KLEIN EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bryonopsis laciniosa NAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bryophyllum calicynum SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bryophyllum pinnatum (LAM.) OKEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bryum bicolor DICKSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Buchanania angustifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Buchanania axillaris (DESR.) RAMAMOORTHY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Buchanania angustifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Buchanania latifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Buddleja asiatica LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Buddleja davidii FRANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Buddleja macrostachys BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Buddleja neemda HAM. EX ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Buettneria herbacea ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bulbophyllum congestum HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bulbophyllum neilgherrense WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bulbophyllum sterile (LAM.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bulbostylis barbata (ROTTB.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bunium persicum (BOISS.) FEDT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bupleurum falcatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bupleurum jucundum KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bupleurum lanceolatum WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bupleurum longicaule WALL. EX DC. himalayense (KI.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bupleurum setaceum FENZL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bupleurum thompsoni CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bursera serrata COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Butea buteiformis (VOIGT) GRIERSON & LONG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Butea frondosa ROXB. ET KOEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Butea monosperma (LAM.) TAUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Butea parviflora ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Butea superba ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Butia yatay (MART.) BECC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Buxus sempervirens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Buxus wallichiana BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bytineria Kalammanensis KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Byttneria herbacea ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Byttneria pilosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cacalia kleinia HERB. MADR. EX. C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cacalia pentaloba HAND.-MAZZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cacalia sonchifolia L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caccinia crassifolia O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cachrys pabularia (LINDL.) HERRNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cactus ficus-indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cadaba farinosa FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cadaba fruticosa (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cadaba indica LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cadaba trifoliata WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caesalpinia bonduc (L.) ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caesalpinia bonducella (L.) FLEMING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caesalpinia coriaria WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caesalpinia crista L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caesalpinia cuculata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caesalpinia decapetala (ROTH) ALSTON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caesalpinia digyna ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caesalpinia jayabo NAZA. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caesalpinia mimosoides LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caesalpinia nuga AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caesalpinia paniculata DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caesalpinia pulcherrima (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caesalpinia sappan L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caesalpinia sepiaria ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caesalpinia spicata DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caesulia axillaris ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cajanus bicolor DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cajanus cajan (L.) MILLSP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cajanus indicus SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calacanthus grandiflorus (DALZ.) RADLK.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caladium bicolor VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caladium sagittaefolium SUBER. EX ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calamintha clinopodium BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calamintha umbrosa FISH. & MEY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calamus draco WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calamus erectus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calamus extensus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calamus huegelianus MART, and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calamus latifolius ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calamus rheedei GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calamus rotang L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calamus tenuis ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calamus thwaitesii BECC. canaranus Becc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calamus travancoricus BEDD. EX HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calamus viminalis WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calanthe masuca (D.DON) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calanthe sylvatica (THOU.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calanthe triplicata (WILLEM.) AMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calanthe veratrifolia (WILLD.) KER.-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calendula arvensis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calendula officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Callicarpa arborea ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Callicarpa cana L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Callicarpa lanata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Callicarpa longifolia LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Callicarpa macrophylla VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Callicarpa psilocalyx CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Callicarpa rubella LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Callicarpa tomentosa (L.) MURRAY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calligonum polygonoides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Callistemon lanceolatus DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Callitris inophyllum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calonyction bona-nox BOJER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calonyction muricatum G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calophyllum apetalum WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calophyllum calaba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calophyllum elatum BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calophyllum inophyllum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calosanthes indica BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calotropis gigantea (L,) R.BR. alba and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calotropis gigantea (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calotropis procera R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caltha alba CAMB. NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caltha palustris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calvatia cyathiformis (BOSC.) MORGAN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calycopteris floribunda LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calyptranthes caryophyllifolia WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calyptranthes jambolana MOON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Camellia kissi WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Camellia sinensis (L.) O.KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Camellia thea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Campanula colorata WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Camphora officinarum NEES. EX WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Campsis grandiflora (THUNB.)SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Campsis radicans (LINN.) SEEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cananga odorata HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Canangium odoratum BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Canarium bengalense ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Canarium commune L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Canarium euphyllum KURZ NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Canarium resiniferum BRUCE EX KING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Canarium strictum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Canarium vulgare LEENH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Canavalia ensiformis SENSU BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Canavalia gladiata (JACQ.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Canavalia lineata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Canavalia rosea (SW.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Canavalia virosa (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Canella alba Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Canella winterana (L.) GAERTNER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Canna coccinea MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Canna indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Canna orientalis ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cannabis indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cannabis sativa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Canscora andrographioides GRIFF. EX C. B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Canscora decussata SCHULTES & SCHULTES.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Canscora diffusa (VAHL) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Canscora perfoliata LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cansjera rheedi J.F. GMELIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Canthium angustifolium ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Canthium coromandelicum (N.BURM.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Canthium dicoccum (GAERTN.) TEIJSM. & BINN. dicoccum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Canthium parviflorum LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Canthium rheedei DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Canthium umbellatum WIGHT and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caoxylon indicum (BL.) HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Capparis aphylla ROTH. NOV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Capparis assamica HK. F. & TH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Capparis bisperma ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Capparis corundas and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Capparis decidua (FORSK.) EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Capparis diffusa RIDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Capparis divaricata LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Capparis grandis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Capparis heyneana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Capparis horrida L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Capparis micrantha DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Capparis moonii WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Capparis olacifolia HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Capparis pedunculosa WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Capparis rheedii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Capparis roxburghii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Capparis sepiaria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Capparis spinosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Capparis zeylanica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Capsella bursa-pastoris MEDIC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Capsella thomsoni HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Capsicum annuum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Capsicum festigiatum BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Capsicum frutescens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Capsicum grossum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Capsicum minimum ROXB. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caragana crassicaulis BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caragana cuneata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caragana pygmaea DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carallia brachiata (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carallia integerrima DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caralluma adscendens (ROXB.) HAW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caralluma attenuata WT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caralluma edulis BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caralluma tuberculata BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caralluma umbellata HAW. SYN. PL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carapa granatum (KOENIG) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carapa gromatum (KOENIG) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carapa moluccensis LAM. EXCYCL. METH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carapa obovata BL. BIJDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cardamine impatiens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cardamine loxostemonoides O.E. SCHULZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cardamine pratensis L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cardamine scutata THUNB. flexuosa (WITH.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cardanthera uliginosa BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cardaria draba (L.) DESV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cardiocrinum giganteum (WALL.) MAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cardiospermum canescens WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cardiospermum halicacabum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carduus edelbergii RECH.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carduus gigas UCRIA NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carduus nutans L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carex atrata L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carex cernua BOOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carex nivalis BOOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carex notha KUNTH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carex nubigena D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Careya arborea ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Careya herbacea ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carica cKalammarcensis HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carica papaya L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carissa carKalams L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carissa congesta WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carissa opaca STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carissa paucinervia A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carissa spinarum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carmona microphylla (LAM.) G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carmona retusa (VAHL) MASAMUNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carpesium abrotanoides L. NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carpesium cernuum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carpopogon pruriens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carthamus lanatus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carthamus oxyacantha BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carthamus tinctorius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carum bulbocastanum Auct. Non Koch:C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carum carvi L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carum copticum BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carum roxburghianum KURZ. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carum strictocarpum C.B.CLARK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caryophyllus aromaticus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caryopteris odorata ROBIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caryota mitis LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caryota urens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, CascaNripati thevetia (L.) LIPPOLD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Casearia elliptica WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Casearia esculenta ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Casearia esculentta ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Casearia graveolens DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Casearia grewiaefolia VENT. deglabrata KOORD. & VAL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Casearia ovata (LAM.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Casearia tomentosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Casearia vareca ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Casearia zeylanica (GAERTN.) RHW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cassia absus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cassia acutifolia DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cassia alata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cassia angustifolia VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cassia arborea MACFAD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cassia auriculata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cassia didymobotrya FRESEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cassia elongata LEMAIRE - LIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cassia fistula L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cassia fistula L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cassia glauca LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cassia hirsuta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cassia italica (MILL.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cassia javanica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cassia kleinii WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cassia laevigata WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cassia lanceolata COLLAD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cassia marginata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cassia mimosoides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cassia montana HEYNE EX. ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cassia obovata COLLOD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cassia obtusifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cassia occidentalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cassia pumila LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cassia roxburghii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cassia senna L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cassia siamea LAMK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cassia sophera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cassia surattensis BRUN. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cassia tora L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cassia uniflora Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cassine glauca (ROTTB.) O.KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cassiope fastigiata DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cassytha filiformis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Castanea sativa MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Castanopsis indica DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Castanopsis tribuloides A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Castanospermum australe A. CUNN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Casuarina equisetifolia FORST. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Catha edulis FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Catharanthus pusillus (MURR.) G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Catharanthus roseus (L.) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Catimbium malaccense (BURM.F.) HOLTTUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Catimbium speciosum (WENDL.) HOLTTUM NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Catunaregam rugulosa (THW.) TIRUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Catunaregam uliginosa (RETZ.) SIVARAJAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Catunaregum spinosa (THUNB.) TIRVENGADUM and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caulophyllum thalictroides MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cayratia auriculata (ROXB.)GAMBLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cayratia carnosa (WALL.) GAGNEP. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cayratia mollissima (WALL.) GAGNEP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cayratia pedata (LAM.) JUSS. EX GAGNEP. glabra GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cayratia pedata JUSS. EX GAGNEPAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cayratia trifolia (L.) DOMIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cedrela serrata ROYLE NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cedrela toona ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cedrus deodara (ROXB.) LOUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cedrus libani BARREL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cedrus libani BARREL deodara HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ceiba pentandra (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Celastrus paniculatus WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Celosia argentea L. cristata (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Celosia argentea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Celosia cristata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Celosia cristeata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Celsia coromandeliana VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Celtis australis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Celtis cinnamomea LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Celtis orientalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Celtis philippensis BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Celtis tetrandra ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Celtis timorensis SPAN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Celtis wightii PLANCH. NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cenchrus barbatus SCHUM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cenchrus biflorus ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cenchrus ciliaris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Centaurea behen L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Centaurea calcitrapa L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Centaurea cyanus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Centaurea iberica TREV. EX SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Centaurea picris PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Centaurea solstitialis ASSO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Centaurium centaurioides (ROXB.) ROLLA RAO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Centaurium roxburghii (G.DON) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Centella asiatica (L.) URBAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Centipeda minima (L.) A.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Centipeda orbicularis LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Centranthera grandiflora BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Centranthera indica (L.) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Centratherum anthelminticum (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Centrosema pubescens BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Centrostachys aquatica (R.BR.) WALL.EX MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cepa alba RENAULT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cepa flava MOENCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cephaelis ipecacuanha RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cephalandra indica NAUDIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cephalanthera ensifolia RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cephalanthera longifolia (L.) FRITZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cephalostachyum capitatum MUNRO NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cephalostachyum pergracile MUNRO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cephalotaxus griffithi Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cerastium cerastoides (L.) BRITH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cerastium fontanum BAUMG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cerastium glomeratum THUILL.FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cerastium indicum THUILL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cerastium thomsoni HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cerastium vulgatum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cerasus hexagonus MILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ceratocephalus falcatus (L.) PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ceratonia siliqua L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ceratophyllum demersum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ceratopteris siliquosa COPELAND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ceratopteris thalictroides (L.) BRONGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cerbera manghas L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cerbera odollam GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cereus grandiflorus MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ceriops candolleana ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ceriops roxburghiana ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ceriops tagal C.B. ROBINSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ceriscoides turgida (ROXB.) TIRUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ceropegia bulbosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ceropegia candelabrum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ceropegia hirsuta Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ceropegia juncea ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ceropegia tuberosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cestrum diurnum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cestrum nocturnum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cestrum parqui L'HERIT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ceterach officinarum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chaerophyllum acuminatum LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chaerophyllum villosum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chamaemelum nobile (L.) ALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chamaerops ritchieana GRIFF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Champereia griffithii PLANCH. EX KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Champereia manillana (BL.) MORR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chasallia chartacea CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chassalia chartacea CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chassalia chartacea CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chassalia curviflora (WALL. EX KURZ) THW. ophioxyloides (WALL.) DEB & KRISHNA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chassalia ophioxyloides (WALL.) CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chavica betle MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chavica roxburghii MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cheilanthes albomarginata C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cheilanthes farinosa (FORST.) KAULF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cheilanthes fragrans (L.F.) SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cheilanthes rufa D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cheilanthes tenuifolia (N.BURM.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cheiranthus cheiri L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chenopodium album L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chenopodium ambrosioides BERT. EX STEUD.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chenopodium blitum HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chenopodium botrys L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chenopodium murale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chesneya nubigena (D.DON)ALI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chrysanthemum segetum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cichorium endivia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cichorium intybus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cirsium wallichii DC. var. wightii (Hook.f.) Vivek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cissampelopsis ansteadii (Tad. & Jacob) C. Jeffrey & Y.L. Chen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cissampelopsis corymbose (DC.) C. Jeffrey & Y. L. Chen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cissampelopsis walkeri (Arn.) C. Jeffrey & Y. L. Chen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Conyza aegyptiaca (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Conyza bonariensis (L.) Cronquist and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Conyza japonica (Thunb.) Less. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Conyza leucantha (D.Don) Ludlow & Raven and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Conyza stricta Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coreopsis grandiflora Nutt. ex Chapm. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coreopsis tinctoria Nutt var. tinctoria and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coreopsis tinctoria Nutt var. atkinsoniana (Douglas) H. M. Parker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cosmos caudatus Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cosmos sulphureus Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cotula australis (Sieb. ex Spreng.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crassocephalum crepidioides (Benth.) S. Moore and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyathocline purpurea (Ham. ex D.Don) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dahlia coccinea Cav. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dahlia imperialis Roezel ex E. Ortgies and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dendranthema x grandiflorum (Ramat.) Kitam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dichrocephala chrysanthemifolia (Blume) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dichrocephala integrifolia (L.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dicoma tomentosa Cass. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Echinops echinatus Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eclipta prostrata (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elephantopus scaber L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Emilia coccinea (Sims) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Emilia javanica (Burm.f.) C. Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Emilia ramulosa Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Emilia scabra DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Emilia sonchifolia (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Emilia zeylanica Clarke var. zeylanica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Emilia zeylanica Clarke var. paludosa Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Epaltes divaricata (L.) Cass. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Epaltes pygmaea DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erigeron alpinus L. var. wightii (DC.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erigeron canadensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erigeron karvinskianus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erigeron multiradiatus (DC.) C. B. Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erigeron sublyratus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eupatorium ianthinum Hemsl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eupatorium repandum Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Filago arvensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Flaveria contrayerba Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Flaveria trinervia (Spreng.) C. Mohr and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gaillardia pulchella Foug. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Galinsoga parviflora Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Galinsoga quadriradiata Ruiz. & Pavon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gamochaeta coarctata (Willd.) M. Kerguelen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gamochaeta pensylvanica (Willd.) Cavrera and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gamochaeta purpurea (L.) Cavrera and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gazania linearis (Thunb.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gerbera jamesonii Bolus ex Hook.f. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glossocardia bosvallea (L.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glossogyne bidens (Retz.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gnaphalium hypoleucum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gnaphalium luteo-album L. subsp. luteo-album and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gnaphalium luteo-album L. subsp. affine (D. Don.) Koster and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gnaphalium polycaulon Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Goniocaulon indicum (Klein ex Willd.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grangea maderaspatana (L.) Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Guizotia abyssinica (L.f.) Cass. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gynura aurantiaca (Blume) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gynura bicolor (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gynura lycopersicifolia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gynura nitida DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gynura pseudo-china (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gynura travancorica W.W. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Helianthus annus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Helianthus debilis Nutt. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Helianthus tuberosus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Helichrysum buddleioides DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Helichrysum perlanigerum Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Helichrysum wightii Clarke ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Helipterum citrinum Harv. & Sond. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Helipterum roseum Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hypochoeris glabra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hypochoeris radicata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kleinia grandiflora (Wall. ex DC.) Rani and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lactuca hastata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lactuca sativa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lagascea mollis Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Laggera crispata (Vahl) Hepper & Wood and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Launaea acaulis (Roxb.) Babc. ex Kerr and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Launaea intybacea (Jacq.) Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Launaea procumbens (Roxb.) Ramayya & Rajagopal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Launaea sarmentosa (Willd.) Sch.-Bip. ex Kuntze

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucanthemum x superbum (J.W. Ingram) D. H. Kent and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Montanoa bipinnatifida C. Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Moonia heterophylla Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Myriactis wightii DC. var. wightii and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Myriactis wightii DC. var. bellidioides Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Notonia shevaroyensis Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Notonia walkeri (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Olearia cassiniae F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oligochaeta ramosa (Roxb.) Wagenitz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Osteospermum ecklonis (DC.) Norl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Osteospermum moniliferum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Parthenium hysterophorus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pentanema cernuum (Dalzell) Ling and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pentanema indicun (L.) Ling and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllocephalum courtallense (Wight) Narayana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllocephalum indicum (Less.) Kirkman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllocephalum phyllolaenum (DC.) Narayana

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllocephalum rangacharii (Gamble) Narayana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllocephalum scabridum (DC.) Kirkman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllocephalum sengaltherianum (Narayana) Narayana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Picris hieracioides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pluchea tomentosa DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Proustia pyrifolia Lagasca and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psiadia ceylanica (Arn.) Grierson var. ceylanica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psiadia ceylanica (Arn.) Grierson var. beddomei (Gamble) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pulicaria angustifolia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pulicaria wightiana (DC.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rudbeckia maxima Nutt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Santolina chamaecyparissus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sclerocarpus africanus Jacq.ex Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Senecio ansteadi Tad. & Jacob and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Senecio articulatus (Haw.) Sch.-Bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Senecio calcadensis Ramaswami and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Senecio candicans DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Senecio cineraria DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Senecio confusus Elmer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Senecio edgeworthii Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Senecio hohenackeri Hook.f. var. hohenackeri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Senecio hohenackeri Hook.f. var. rupestris (Wight) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Senecio intermedius Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Senecio kundaicus Fishcher and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Senecio lavandulaefolius DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Senecio lawsonii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Senecio lessingianus (Wight & Arn.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Senecio ludens Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Senecio neelgherryanus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Senecio polycephalus (DC.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Senecio tenuifolius Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Senecio vulgaris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Senecio wightii (DC.) Benth. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Senecio zeylanicus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sigesbeckia orientalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Silybum marianum (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solidago canadensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solidago gigantea Aiton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solidago microglossa Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solidago nemoralis Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solidago virga-aurea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sonchus asper (L.) Hill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sonchus jainii Chandrabose, Chandrasekaran & Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sonchus oleraceus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sonchus wightianus DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sphaeranthus africanus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sphaeranthus amaranthoides Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sphaeranthus indicus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Spilanthes calva DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Spilanthes radicans Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Spilanthes uliginosa Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stokesia laevis (Hill) Greene and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Struchium sparganophorum (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Synedrella nodiflora (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tagetus erecta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tagetus lucida Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tagetus minuta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tagetus patula L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tanacetum parthenium (L.) Sch. bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Taraxacum javanicum Soest and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Taraxacum officinale Weber and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tanacetum cinerariaefolium Sch.Bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tithonia diversifolia (Hemsl.) A. Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tricholepis radicans (Roxb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tridax procumbens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Verbesina encelioides (Cav.) Benth. & Hook.f. ex A. Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vernonia albicans Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vernonia anamallica Bedd. ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vernonia anthelmintica (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vernonia arborea Buch.-Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vernonia bourdillonii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vernonia bourneana W.W. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vernonia cinerascens Sch.-Bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vernonia cinerea (L.) Less. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vernonia comorinensis W.W.Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vernonia conyzoides DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vernonia dalzelliana Drumm. & Hutchinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vernonia divergens (Roxb.) Edgew. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vernonia elaeagnifolia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vernonia fysonii Calder and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vernonia gossypina Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vernonia heynei Bedd. ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vernonia indica Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vernonia malabarica Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vernonia membranacea Bedd. ex S. Moore and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vernonia monosis Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vernonia pectiniformis DC. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vernonia peninsularis (Clarke) Clarke ex Hook.f. var. peninsularis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vernonia peninsularis (Clarke) Clarke ex Hook.f. var. kodayarensis Henry & Gopalan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vernonia pothigaiana Chelladurai & Gopalan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vernonia ramaswamii Hutchinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vernonia recurva Bedd. ex S. Moore and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vernonia saligna DC. var. nilghirensis Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vernonia salvifolia Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vernonia setigera Arn. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vernonia shevaroyensis Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vernonia travancorica Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vittadinia australis (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Wedelia chinensis (Osbeck) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Wedelia trilobata (L.)A. Hitchi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Wedelia urticaefolia (Blume) DC. var. urticaefolia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Wedelia urticaefolia (Blume) DC. var. wightii DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Xanthium indicum Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Youngia fuscipappa Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Youngia japonica (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Youngia nilgiriensis Babc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zinnia elegans Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scaevola plumieri (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scaevola sericea Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asyneuma fulgens (Wall.) Briq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Campanula alphonsii Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Campanula benthamii Wall. ex Kitam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Campanula drabifolia Sibth. & Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Campanula latifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Campanula medium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Campanula ramulosa Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Campanula rapunculoides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Campanula wightii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Laurentia longiflora (L.) Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Wahlenbergia erecta (Roth ex Schultes) Tuyn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Wahlenbergia flexuosa (Hook.f. & Thoms.) Thulin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Wahlenbergia marginata (Thunb.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lobelia alsinoides Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lobelia angulata Forst.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lobelia chinensis Lour and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lobelia courtallensis K.K.N.Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lobelia heyneana Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lobelia leschenaultiana (Presl) Skottsb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lobelia nicotianifolia Roth ex Schultes var. nicotianifolia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lobelia nicotianifolia Roth ex Schultes var. trichandra (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sphenoclea zeylanica Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vaccinium leschenaultii Wight var. leschenaultii and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vaccinium leschenaultii Wight var. pubescens S.M. Rajendran, S.C. Agarwal & H.N. Verma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vaccinium leschenaultii Wight var. rotundifolia (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vaccinium leschenaultii Wight var. zeylanica Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vaccinium neilgherrense Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arbutus unedo L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calluna vulgaris (L.) Hull and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erica arborea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erica vagans L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gaultheria fragrantissima Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhododendron arboreum J.E. Smith subsp. nilagirium (Zenk.) Tagg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhododendron indicum (L.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhododendron mucronatum G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhododendron ponticum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhododendron simsii Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clethra arborea Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Limonium sinuatum (L.) Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plumbago auriculata Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plumbago indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plumbago zeylanica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anagallis arvensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anagallis pumila Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lysimachia candida Lindl. subsp. obovata (Buch.-Ham.ex Hook.f.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lysimachia leschenaultii Duby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lysimachia procumbens Baudo and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aegiceras corniculatus (L.) Blanco and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Antistrophe serratifolia (Bedd.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ardisia amplexicaulis Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ardisia blatteri Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ardisia littoralis Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ardisia missionis Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ardisia paniculata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ardisia pauciflora Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ardisia rhomboidea Wight and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ardisia solanacea Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ardisia sonchifolia Mez and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Embelia adnata Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Embelia basaal (Roem. & Schultes) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Embelia gardneriana Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Embelia ribes Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Embelia tsjeriam-cottam (Roem. & Schultes) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Maesa indica (Roxb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Myrsine wightiana Wall. ex. A. DC. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rapanea capitellata (Wall.) Mez var. capitellata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rapanea capitellata (Wall.) Mez var. sessilis Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rapanea daphnoides Mez and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rapanea thwaitesii Mez and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jacquinia barbasco (Loefl.) Mez and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jacquinia aculeata Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chrysophyllum cainito L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chrysophyllum roxburghii G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Isonandra lanceolata Wight forma lanceolata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Isonandra lanceolata Wight forma anfractuosa (Clarke) Jeuken and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Isonandra montana (Thw.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Isonandra perrottetiana A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Isonandra stocksii Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Madhuca indica J. F. Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Madhuca longifolia (Koen.) Macbr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Madhuca neriifolia (Moon) H.J. Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Manilkara hexandra (Roxb.) Dubard and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Manilkara roxburghiana (Wight) Dubard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Manilkara zapota (L.) P. Royen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mimusops elengi L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Palaquium bourdillonii Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Palaquium ellipticum (Dalz.) Baillon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Xantolis tomentosa (Roxb.) Rafin. var. tomentosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Xantolis tomentosa (Roxb.) Rafin. var. elengioides (A.DC.) Vajravelu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diospyros affinis Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diospyros assimilis Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diospyros barberi Ramaswami and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diospyros bourdillonii Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diospyros buxifolia (Blume) Hiern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diospyros candolleana Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diospyros chloroxylon Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diospyros cordifolia Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diospyros ebenum Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diospyros ferrea (Willd.) Bakh. var. buxifolia (Rottb.) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diospyros ferrea (Willd.) Bakh. var. neilgherrensis (Wight) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diospyros foliolosa Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diospyros humilis Bourd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diospyros insignis Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diospyros malabarica (Desr.) Kostel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diospyros melanoxylon Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diospyros montana Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diospyros nigresens Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diospyros nilgirica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diospyros oocarpa Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diospyros ovalifolia Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diospyros paniculata Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diospyros pruriens Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diospyros racemosa Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diospyros sylvatica Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diospyros walkeri (Wight) Guerke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Symplocos anamallayana Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Symplocos authilingomii Henry & Gopalan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Symplocos cochinchinensis (Lour.) Moore subsp. laurina (Retz.) Nooteb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Symplocos foliosa Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Symplocos macrocarpa Wight ex Clarke subsp. macrocarpa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Symplocos macrocarpa Wight ex Clarke subsp. kanarana (Talbot) Nooteb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Symplocos macrophylla Wall. ex A.DC. subsp. macrophylla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Symplocos macrophylla Wall. ex A.DC. subsp. microphylla (Wight) Nooteb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Symplocos macrophylla Wall. ex A.DC. subsp. rosea (Bedd.) Nooteb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Symplocos monantha Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Symplocos nairii Henry, Gopalan & Swamin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Symplocos obtusa Wall. ex G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Symplocos oligandra Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Symplocos pendula Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Symplocos pulchra Wight subsp. pulchra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Symplocos pulchra Wight subsp. coriacea Gopalan & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Symplocos racemosa Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Symplocos wynadense (Kuntze) Nooteb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chionanthus leprocarpa Thw. var. courtallensis

(Bedd.) K.K.N. Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chionanthus linocieroides (Wight) Bennet & Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chionanthus macrophylla Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chionanthus mala-elengi (Dennst.) P.S. Green and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chionanthus ramiflorus Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chionanthus zeylanica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jasminum angustifolium (L.) Willd. var. angustifolium and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jasminum angustifolium (L.) Willd. var. sessiliflorum (Vahl) P.S. Green and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jasminum arborescens Roxb. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jasminum auriculatum Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jasminum azoricum L. var. azoricum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jasminum azoricum L. var. travancorense (Gamble) Mohanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jasminum bignoniaceum Wall. ex G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jasminum brevilobum A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jasminum calophyllum Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jasminum cordifolium Wall. ex G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jasminum cuspidatum Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jasminum grandiflorum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jasminum malabaricum Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jasminum mesnyi Hance and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jasminum multiflorum (Burm.f.) Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jasminum officinale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jasminum polyanthum Franch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jasminum ritchiei Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jasminum rottlerianum Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jasminum sambac (L.) Ait. var. sambac and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jasminum sambac (L.) Ait.var. heyneanum Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jasminum scandens Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jasminum trichotomum Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jasminum wightii Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ligustrum decaisnei Clarke var. decaisnei and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ligustrum decaisnei Clarke var. microphylla Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ligustrum gamblei Ramam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ligustrum lucidum Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ligustrum perrottetii DC. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ligustrum robustrum (Roxb.) Blume subsp. walkeri (Decne.) P.S. Green and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ligustrum travancoricum Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Myxopyrum serratulum A.W. Hill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Olea dioica Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Olea paniculata R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Olea polygama Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Schrebera swietenioides Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nyctanthes arbor-tristis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Azima tetracantha Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salvadora persica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Adenium obesum Roem & Schult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aganosma cymosa (Roxb.) G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aganosma dichotoma (Roth) K. Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, AllamKalam cathartica L. var. nobilis Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, AllamKalam violacea Gardn. & Field and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alstonia scholaris (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alstonia venenata R.Br. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anodendron paniculatum A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Beaumontia grandiflora Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Beaumontia jerdoniana Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carissa carKalams L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carissa congesta Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carissa grandiflora A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carissa hirsuta Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carissa inermis Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carissa paucinervia A.DC. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carissa salicina Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carissa spinarum L. var. spinarum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Catharanthus pusillus (Murr.) G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Catharanthus roseus (L.) G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cerbera odollam Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chonemorpha fragrans (Moon) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ellertonia rheedii Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Funtumia africana (Benth.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Holarrhena pubescens (Buch. - Ham) Wall. ex G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hunteria zeylanica (Retz.) Gard. ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ichnocarpus frutescens (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kopsia fruticosa (Ker-Gawl.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mandevilla laxa (Ruiz & Pavon) Woodson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nerium oleander L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Parsonsia alboflavescens (Dennst.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plumeria obtusa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plumeria rubra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rauvolfia hookeri Srinivasan & Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rauvolfia micrantha Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rauvolfia serpentina (L.) Benth. ex Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rauvolfia tetraphylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rauvolfia verticillata (Lour.) Baill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strophanthus wightianus Wall. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tabernaemontana divaricata (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tabernaemontana gamblei Subram. & Henry and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tabernaemontana heyneana Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thevetia peruviana K.Schum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vallaris solanacea (Roth) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vinca major L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Voacanga grandiflora (Miq.) Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Wrightia arborea (Dennst.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Wrightia indica Ngan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Wrightia tinctoria (Roxb.) R.Br. var. tinctoria and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Wrightia tinctoria (Roxb.) R.Br. var. rothii (G.Don) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asclepias curassavica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brachystelma bourneae Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brachystelma brevitubulatum (Bedd.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brachystelma maculatum Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brachystelma rangacharii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calotropis gigantea (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calotropis procera (Ait.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caralluma adscendens (Roxb.) Haw. var. adscendens and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caralluma adscendens (Roxb.) Haw. var. attenuata (Wight) Grav. & Mayuranathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caralluma bhupinderana Sarkaria and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caralluma diffusa (Wight) N.E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caralluma indica (Wight & Arn.) N.E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caralluma nilagiriana Kumari & Subba Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caralluma pauciflora (Wight) N.E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caralluma procumbens Grav. & Mayuranathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caralluma stalagmifera Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caralluma umbellata Haw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ceropegia barnesii Bruce & Chatterjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ceropegia bulbosa Roxb. var. bulbosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ceropegia bulbosa Roxb. var. lushii (Graham) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ceropegia candelabrum L. var. candelabrum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ceropegia candelabrum L. var. biflora (L.) M.Y. Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ceropegia ciliata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ceropegia decaisneana Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ceropegia elegans Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ceropegia ensifolia Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ceropegia fimbriifera Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ceropegia hirsuta Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ceropegia intermedia Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ceropegia juncea Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ceropegia maculata Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ceropegia mannarana Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ceropegia metziana Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ceropegia oculata Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ceropegia omissa Huber and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ceropegia pusilla Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ceropegia spiralis Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ceropegia thwaitesii Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cosmostigma racemosum (Roxb.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cynanchum alatum Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cynanchum callialatum Buch.-Ham. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cynanchum tunicatum (Retz.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gomphocarpus fruticosus (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gomphocarpus physocarpus E. Meyer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gymnema alterniflorum (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gymnema elegans Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gymnema hirsutum Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gymnema lactiferum (L.) R. Br. ex. Schult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gymnema montanum (Roxb.) Hook.f. var.

montanum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gymnema montanum (Roxb.) Hook.f. var. beddomei Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gymnema montanum (Roxb.) Hook.f. var. pubiflora Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gymnema sylvestre (Retz.) R.Br. ex Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gymnema tingens (Roxb.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heterostemma tanjorense Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Holastemma ada-kodien Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hoya alexicaca (Jacq.) Moon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hoya kanyakumariana Henry & Swamin. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hoya ovalifolia Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hoya pauciflora Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hoya wightii Hook.f.subsp. wightii and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hoya wightii Hook.f. subsp. palniensis K.T. Mathew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leptadenia reticulata (Retz.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Marsdenia brunoniana Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Marsdenia tenacissima (Roxb.) Moon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Marsdenia tirunelvelica Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pentatropis capensis (L.f.) Bullock and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pergularia daemia (Forrsk.) Chiov. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Raphionacme purpurea Harv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sarcostemma acidum (Roxb.) Voigt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sarcostemma brunonianum Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sarcostemma intermedium Decne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sarcostemma secamone (L.) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Secamone emetica (Retz.) R.Br. ex Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stapelia gigantea N.E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stapelia grandiflora Masson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Telosma minor (Andr.) Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Telosma pallida (Roxb.) Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Toxocarpus beddomei Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Toxocarpus kleinii Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Toxocarpus palghatensis Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tylophora capparidifolia Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tylophora fasciculata Buch.-Ham. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tylophora indica (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tylophora macrantha Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tylophora mollissima Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tylophora multiflora (Wight & Arn.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tylophora pauciflora Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tylophora rotundifolia Buch.-Ham. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tylophora subramanii Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tylophora tertrapetala (Dennst.) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tylophora zeylanica Decne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Wattakaka volubilis (L.f.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bacolepis nervosa (Wight & Arn.) Decne. ex Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cryptolepis buchananii Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cryptolepis grandiflora Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cryptostegia grandiflora R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Decalepis hamiltonii Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hemidesmus indicus (L.) R.Br. var. indicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hemidesmus indicus (L.) R.Br. var. pubescens (Wight & Arn.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Decalepis arayalpathra Joseph & Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Utleria salicifolia Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fagraea ceilanica Thub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gardneria ovata Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mitrasacme indica Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Spigelia anthelmia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strychnos lenticellata Hill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strychnos minor Dennst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strychnos nux-vomica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strychnos potatorum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strychnos vanprukii Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strychnos wallichiana Steud. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Buddleja asiatica Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Buddleja davidii Franch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Buddleja madagascariensis Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Buddleja volubilis Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Canscora decurrens Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Canscora decussata (Roxb.) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Canscora diffusa (Vahl) R.Br. ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Canscora heteroclita (L.) Gilg and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Canscora perfoliata Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Canscora roxburghii Arn. ex Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Enicostema axillare (Lam.) Raynal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Exacum anamallayanam Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Exacum atropurpureum Bedd. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Exacum courtallense Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Exacum grande Klack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Exacum lawii Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Exacum pedunculatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Exacum petiolare Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Exacum pumilum Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Exacum sessile L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Exacum tetragonum Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Exacum travancoricum Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Exacum wightianum Arn. var. wightianum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Exacum wightianum Arn. var. uniflorum Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gentiana pedicellata Griseb.var. wightii Kusnezov and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gentiana quadrifaria Blume var. zeylanica (Griseb.) Kusnezov and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Halenia perrottetii Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hoppea dichotoma Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hoppea fastigiata (Griseb.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Swertia angustifolia Buch.-Ham. var. pulchella (Buch.-Ham.ex D.Don) Burkill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Swertia beddomei Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Swertia corymbosa (Griseb.) Wight ex Clarke var. corymbosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Swertia corymbosa (Griseb.) Wight ex Clarke var. grisebachiana (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Swertia densifolia (Griseb.) Kashyapa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Swertia minor (Griseb.) Knobl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Swertia trichotoma (Wight & Arn. ex Wight) Wall. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nymphoides aurantiacum (Dalz.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nymphoides hydrophylla (Lour.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nymphoides indicum (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hydrolea zeylanica (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Wigandia canacasana H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phlox drummondii Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carmona retusa (Vahl) Masamune and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coldenia procumbens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cordia alba Roem. & Schult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cordia diffusa Jacob and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cordia domestica Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cordia evolutior (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cordia gharaf (Forssk.) Ehrenb. ex Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cordia macleodii (Griff.) Hook.f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cordia monoica Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cordia obliqua Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cordia wallichii G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cordia sebestena L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cordia subcordata Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cynoglossum zeylanicum (Vahl ex Hornem.) Thunb. ex Lehm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Echium vulgare L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ehretia aspera Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ehretia canarensis (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ehretia laevis Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ehretia ovalifolia Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ehretia pubescens Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ehretia wightiana Wall. ex G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heliotropium arborescens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heliotropium bracteatum R. Br. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heliotropium curassavicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heliotropium indicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heliotropium marifolium Retz. subsp. marifolium and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heliotropium marifolium Retz. subsp. wallichii (Clarke) Kazmi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heliotropium ovalifolium Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heliotropium peruvianum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heliotropium rottleri Lehm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heliotropium strigosum Willd. subsp. brevifolium (Wall.) Kazmi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heliotropium subulatum (Hochst.ex DC.) Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heliotropium supinum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heliotropium zeylanicum (Burm.f.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rotula aquatica Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Symphytum officinale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tournefortia argentea L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tournefortia heyneana Wall. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tournefortia reticosa Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tournefortia wightii Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trichodesma indicum (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trichodesma inaequale Edgew. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trichodesma zeylanicum (Burm.f.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aniseia martinicensis (Jacq.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Argyreia argentea Choisy var. venusta (Choisy) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Argyreia coonoorensis W.W. Smith & Ramaswami and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Argyreia cuneata (Willd.) Ker-Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Argyreia cymosa (Roxb.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Argyreia daltonii Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Argyreia elliptica (Roth) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Argyreia fulgens Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Argyreia hirsuta Wight & Arn. var. hirsuta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Argyreia imbricata (Roth) Sant. & Patel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Argyreia involucrata Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Argyreia kleiniana (Roem. & Schultes) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Argyreia nellygherya Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Argyreia nervosa (Burm.f.) Boj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Argyreia osyrensis (Roth) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Argyreia pilosa Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Argyreia pomacea (Roxb.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Argyreia populifolia Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Argyreia sericea Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Argyreia setosa (Roxb.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bonamia evolvuloides (Choisy) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bonamia Semidigyna (Roxb.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Convolvulus arvensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Convolvulus flavus Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Convolvulus rottlerianus Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cressa cretica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cuscuta campestris Decne. ex Engelm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cuscuta chinensis Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cuscuta hyalina Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cuscuta reflexa Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erycibe paniculata Roxb. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Evolvulus alsinoides (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Evolvulus nummularius (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hewittia sublobata (L.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea alba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea aquatica Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea asarifolia (Desr.) Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea barlerioides (Choisy) Benth.ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea batatus (L.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea cairica (L.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea campanulata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea carnea Jacq. subsp. carnea and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea carnea Jacq. subsp. fistulosa (Mart. ex Choisy) D.F. Austin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea coptica (L.) Roth ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea deccana Austin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea dichroa Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea diversifolia R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea eriocarpa R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea hederifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea indica (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea involucrata Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea marginata (Desr.) Verdc . and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea mauritiana Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea nil (L.) Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea obscura (L.) Ker-Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea pes-caprae (L.) R.Br. var. pes-caprae and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea pes-caprae (L.) R. Br. var. perunkulamensis Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea pes-tigridis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea pileata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea purpurea (L.) Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea quamoclit L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea rumicifolia Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea sepiaria Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea sinensis (Desr.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea staphylina Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea tuberculata Ker - Gawl and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea turbinata Lag. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea violacea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea wightii (Wall.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jacquemontia caerulea Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jacquemontia paniculata (Burm.f.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jacquemontia pentantha (Jacq.) D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lepistemon leiocalyx Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Merremia aegyptia (L.) Urban and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Merremia dissecta (Jacq.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Merremia emarginata (Burm.f.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Merremia hederacea (Burm.f.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Merremia quinata (R.Br.) Ooststr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Merremia quinquefolia (L.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Merremia tridentata (L.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Merremia umbellata (L.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Merremia umbellata (L.) Hall.f. subsp. Orientalis Hall.f. Ooststr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Merremia vitifolia (Burm.f.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Operculina turpethum (L.) Silva Manso and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Porana paniculata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Porana racemosa Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rivea hypocrateriformis (Desr.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rivea ornata (Roxb.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stictocardia tiliifolia (Desr.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Browallia americana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Browallia speciosa Hook. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Browallia viscosa Kunth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brugmansia arborea (L.) Lagerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brugmansia suaveolens (Humb. & Bonpl. ex Willd.) Bercht. & Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brugmansia versicolor Lagerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brunfelsia undulata Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Capsicum annuum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Capsicum frutescens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cestrum aurantiacum Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cestrum corymbosum Schlecht. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cestrum diurnum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cestrum elegens Schlecht. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cestrum fasciculatum Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cestrum nocturnum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cestrum parqui L'Herit. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyphomandra betacea (Cav.) Sendtner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Datura cornigera Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Datura innoxia Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Datura metal L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Datura ferox L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Datura sanguinea Ruiz & Pavon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Datura stramonium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Iochroma coccinea Scheid. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lycium barbatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lycianthes laevis (Dunal) Bitter subsp. laevis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lycianthes laevis (Dunal) Bitter subsp. bigeminata (Nees) Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lycianthes laevis (Dunal) Bitter subsp. kaitisis (Dunal) Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lycianthes laevis (Dunal) Bitter subsp. kaitisis (Dunal) Deb var. gouakai (Dunal) Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lycopersicon esculentum Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nicandra physalodes (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nicotiana alata Link & Otto and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nicotiana glauca Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nicotiana glutiniosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nicotiana plumbaginifolia Viv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nicotiana repKalam Willd. ex Lehm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nicotiana tabacum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nierembergia gracilis Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Petunia axillaris (Lam.) Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Petunia x hybrida Vilm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Physalis ixocarpa Brot. ex Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Physalis angulata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Physalis lagascae Roem. & Schult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Physalis pruinosas L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Physalis peruviana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Schizanthus pinnatus Ruiz & Pav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Schizanthus wisetonensis Hort. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solandra grandiflora Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum americanum Mill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum anguivi Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum ariculari G. Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum barbisetum Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum capsicastrum Link & Schau. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum capsicoides Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum clavatum Rusby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum convolvulus Sendtner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum elaeagnifolium Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum erianthum D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum giganteum Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum grandiflorum Ruiz & Pavon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum hispidum Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum jasminoides Paxt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum kurzii Brace ex Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum macrocarpon L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum macrophyllum Dunal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum marginatum L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum mauritianum Scop. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum melongena L. var. melongena and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum insanum J.B.Fisch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum lasiocarpum Dunal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum pseudo-capsicum L.var. pseudo-capsicum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum pseudo-capsicum L. difflorum (Vell.) Bitter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum pubescens Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum robustum H. Wendl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum seaforthianum Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum sisymbrifolium Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum stramoniifolium Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum torvum Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum trilobatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum tuberosum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum vagum Heyne ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum viarum Dunal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum violaceum Ortega Subsp. violaceum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum violaceum Ortega Subsp. multiflorum (C. B. Clarke) K. M. Matthew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum virginianum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum wendlandii Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum wrightii Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Streptosolon jamesonii (Benth.) Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Withania somnifera (L.) Dunal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Adenosma indianum (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Angelonia biflora Benth. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Antirrhinum majus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Antirrhinum orontium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Antirrhinum purpureum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Artanema longifolia (L.) Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bacopa floribunda (R.Br.) Wettst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bacopa hamiltoniana (Benth.) Wettst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bacopa monnieri (L.) Pennell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Buchnera hispida Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calceolaria gracilis Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Celsia arcturus Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Centranthera indica (L.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Centranthera tranquebarica (Spreng.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cymbalaria muralis Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Digitalis purpurea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dopatrium junceum (Roxb.) Buch.-Ham. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dopatrium lobelioides (Retz.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dopatrium nudicaule (Willd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glossostigma diandrum (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hebe speciosa (A.Cunn) Andersen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hebe andersonii Cockayne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kickxia ramosissima (Wall.) Janchen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Limnophila aromatica (Lam.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Limnophila chinensis (Osbeck) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Limnophila connata (Buch.-Ham. ex D.Don) Handb.-Mazz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Limnophila heterophylla (Roxb.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Limnophila indica (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Limnophila polystachya Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Limnophila repens (Benth.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Limnophila rugosa (Roth) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lindenbergia indica (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lindernia anagallis (Burm.f.) Pennell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lindernia antipoda (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lindernia caespitosa (Blume) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lindernia ciliata (Colsm.) Pennell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lindernia crustacea (L.) F.v.Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lindernia hyssopioides (L.) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lindernia minima (Benth.) Mukerjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lindernia nummulariifolia (D.Don) Wettst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lindernia oppositifolia (Retz.) Mukerjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lindernia parviflora (Roxb.) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lindernia procumbens (Krock.) Philcox and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lindernia rotundifolia (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lindernia ruellioides (Colsm.) Pennell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lindernia srilankana Cramer & Philcox and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lindernia sessiliflora (Benth.) Wettst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lindernia tenuifolia (Colsm.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lindernia viscosa (Hornem.) Boldingh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Maurandya barclaiana Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Maurandya erubescens (D.Don) Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Maurandya lophospermum Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Maurandya semperflorens Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mazus pumilus (Burm.f.) Steenis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mecardonia procumbens (Mill.) Small and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Micrargeria wightii Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Microcarpaea minima (Koen.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Paulownia tomentosa (Thunb.) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pedicularis perrottetti Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pedicularis zeylanica Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Penstemon azureus Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Penstemon campanulatus (Cav.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Peplidium maritimum (L.f.) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Russelia equisetiformis Schlecht. & Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scoparia dulcis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sopubia delphiniifolia (L.) G.Don var. delphiniifolia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sopubia delphiniifolia (L.) G.Don var. parviflora Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sopubia stricta G.Don and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sopubia trifida Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stemodia viscosa Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Striga angustifolia (D.Don) Saldanha and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Striga asiatica (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Striga densiflora (Benth.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Striga gesnerioides (Willd.) Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Striga masuria Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sutera dissecta (Del.) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Torenia bicolor Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Torenia cordifolia Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Torenia courtallensis Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Torenia fournieri Linden ex Fourn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Torenia hirsuta Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Torenia travancorica Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Torenia vagans Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Verbascum chinense (L.) Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Verbascum thapsus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Verbascum virgatum Stokes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Veronica arvensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Veronica javanica Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Veronica polita Fries and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Veronica speciosa R.Cunn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Veronica persica Poir.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aeginetia indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aeginetia pedunculata Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Christisonia bicolor Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Christisonia neilgherrica Gard. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Christisonia saulierei Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Christisonia subacaulis Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Christisonia tubulosa (Wight) Benth. ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Orobanche cernua Loefl. var. nepalensis Reut. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Utricularia aurea Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Utricularia australis R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Utricularia bifida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Utricularia caerulea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Utricularia exoleta R.Br. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Utricularia graminifolia Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Utricularia hirta Klein ex Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Utricularia minutissima Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Utricularia nayarii Jana. & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Utricularia polygaloides Edgew. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Utricularia reticulata J.E.Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Utricularia roseo-purpurea Stapf ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Utricularia scandens Benj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Utricularia smithiana Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Utricularia stellaris L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Utricularia striatula J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Utricularia uliginosa Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Utricularia wightiana Taylor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aeschynanthus ceylanica Gard. var. pinguis Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aeschynanthus perrottetii A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Didymocarpus fischeri Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Didymocarpus gambleanus Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Didymocarpus humboldtianus Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Didymocarpus innominatus Burtt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Didymocarpus lyrata Wight var. lyrata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Didymocarpus lyrata Wight var. prostrata Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Didymocarpus meeboldii W.W. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Didymocarpus missionis Wall. ex R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Didymocarpus ovalifolia Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Didymocarpus repens Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Didymocarpus tomentosus Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Didymocarpus wightii (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Epithema carnosum (G.Don) Benth. var. hispida Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gesneria cardinalis Lehm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jerdonia indica Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhynchoglossum notonianum (Wall) Burtt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhynchoglossum obliquum Blume var. parviflora Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhynchotechum permolle (Nees) Burtt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arrabidaea magnifica Sprague ex SteenisBull and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bignonia megapotamica Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Campsis radicans (L.) Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Catalpa bignonioides Walter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clytostoma callistegioides (Cham.) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clytostoma purpureum (Lodd. ex Sweet) Rehder and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Parmentiera alata Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crescentia cujeta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dolichandrone arcuata (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dolichandrone atrovirens (Heyne ex Roth) Sprague and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dolichandrone falcata (Wall.ex DC.) Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Haplophragma adenophyllum (DC.) Dop and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, JacarKalam mimosifolia D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kigelia africana (Lam.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Macfadynea unguis-cati (L.) A. Gentry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Markhamia stipulata Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Millingtonia hortensis L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nyctocalos cuspidata (Blume) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oroxylum indicum (L.) Benth. ex Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pandorea jasminoides (Lindl.) K. Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phaedranthus buccinatorius (DC.) Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllarthron bojerianum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pleonotoma jasminifolia (H.B.K.) Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Podranea ricasoliana (Tranf.) Sprague and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pyrostegia venusta (Ker-Gawl.) Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Radermachera xylocarpa (Roxb.) K.Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Spathodea campanulata Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stereospermum colais (Buch.-Ham. ex Dillw.) Mabberley var. colais and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stereospermum colais (Buch.-Ham. ex Dillw.) Mabberley var. angustifolium (Haines) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tabebuia rosea (Bertol.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tabebuia arjentea Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tabebuia pallida Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tabebuia palmeri Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tecoma stans (L.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tecomaria capensis (Thunb.) Spach and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cobaea scandens Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pedalium murex L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sesamum alatum Thonn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sesamum indicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sesamum laciniatum Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sesamum prostratum Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sesamum radiatum Schumach. & Thonn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Martynia annua L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acanthus ilicifolius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acanthus mollis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andrographis affinis Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andrographis alata (Vahl) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andrographis atropurpurea (Dennst.) A. Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andrographis ceylanica Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andrographis echioides Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andrographis elongata (Vahl) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andrographis explicata (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andrographis lawsonii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andrographis lineata Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andrographis lobelioides Wight var. lobelioides and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andrographis lobelioides Wight var. composita Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andrographis longipedunculata (Sreemadh.) L.H. Cramer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andrographis macrobotrys Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andrographis neesiana Wight var. neesiana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andrographis neesiana Wight var. producta Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andrographis neesiana Wight var. rotundifolia Sreemadh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andrographis ovata (T. And. ex Bedd.) Benth. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andrographis paniculata (Burm.f.) Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andrographis rothii Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andrographis serpyllifolia (Rottl. ex Vahl) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andrographis stellulata Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andrographis stenophylla Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Andrographis viscosula Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aphelandra deppeana Schlecht. & Cham. and 15

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asystasia chelonoides Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asystasia crispata Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asystasia dalzelliana Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asystasia gangetica (L.) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Asystasia travancorica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Barleria acuminata Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Barleria buxifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Barleria courtallica Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Barleria cristata L. and 15 wasteland weeds based

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Barleria cuspidata Heyne ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Barleria gibsonii Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Barleria involucrata Nees var. elata (Dalz.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Barleria longiflora L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Barleria montana Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Barleria mysorensis Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Barleria nitida Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Barleria noctiflora L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Barleria paniculata Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Barleria pilosa Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Barleria prattensis Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Barleria prionitis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Barleria strigosa Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Barleria tomentosa Roth var. tomentosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Barleria tomentosa Roth var. glandulosa Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Barleria vestita T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blepharis maderaspatensis (L.) Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blepharis repens (Vahl) Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clinacanthus nutans (Burm.f.) Lindau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crossandra infundibuliformis (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dicliptera cuneata Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dicliptera foetida (Forssk.) Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dicliptera verticillata (Forssk.) Christensen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diotacanthus albiflorus (Bedd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diotacanthus grandis (Bedd.) Benth. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dipteracanthus beddomei (C. B. Clarke) Santapau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dipteracanthus patulus (Jacq.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dipteracanthus prostratus (Poir.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dyschoriste madurensis (Burm.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dyschoriste nagchana (Nees) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dyschoriste vagans (Wight) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ecbolium ligustrinum (Vahl) Vollesen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ecbolium viride (Forssk.) Alston var. viride and

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ecbolium viride (Forssk.) Alston var. dentata (Klein ex Link) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ecbolium viride (Forssk.) Alston var. rotundifolia (Nees) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elytraria acaulis (L.f.) Lindau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eranthemum capense L. var. capense and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eranthemum capense L. var. concanensis (T.And.ex Clarke) Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eranthemum nervosum (Vahl) R.Br. ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eranthemum purpurascens Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eranthemum roseum (Vahl) R.Br. and 15

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Graptophyllum hortense Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gymnostachyum canescens (Nees) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gymnostachyum ceylanicum Arn. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gymnostachyum latifolium (Dalz.) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Haplanthodes neilgherryensis (Wight) Majumdar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Haplanthodes verticillatus (Roxb.) Majumdar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hemigraphis latebrosa (Heyne ex Roth) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hygrophila balsamica (L.f.) Rafin and 15

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hygrophila heinei Sreemadh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hygrophila quadrivalvis (Buch.-Ham.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hygrophila salicifolia (Vahl) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hygrophila schulli (Hamilt.) M.R.Almeida & S.M. Almeida and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jacobinia carnea (Lindl.) G. Nicholson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Justicia adhatoda L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Justicia beddomei (Clarke) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Justicia betonica L. and 15 wasteland weeds

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Justicia diffusa Willd. var. diffusa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Justicia diffusa Willd. var. hedyotidifolia (Nees) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Justicia diffusa Willd. var. orbiculata (Wall. ex T.And.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Justicia gendarussa Burm.f and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Justicia glabra Koen.ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Justicia glauca Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Justicia japonicaThunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Justicia latispica (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Justicia neesii Ramam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Justicia nilgherrensis (Nees) Wall. ex T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Justicia procumbens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Justicia prostrata (Roxb. ex Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Justicia salsoloides T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Justicia santapaui Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Justicia simplex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Justicia tranquebariensis L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Justicia trinervia Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Justicia vahlii Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Justicia wynaadensis (Nees) Heyne ex T.And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lepidagathis barberi Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lepidagathis cristata Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lepidagathis cuspidata Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lepidagathis diffusa Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lepidagathis fasciculata (Retz.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lepidagathis incurva Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lepidagathis mitis Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lepidagathis pungens Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lepidagathis scariosa Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lepidagathis spinosa Wight ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lepidagathis subarmata (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leptostachya wallichii Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Meyenia hawtayneana (Wall.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Monothecium aristatum (Wall. ex Nees) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Neuracanthus neesianus Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Peristrophe montana Nees and 15 wasteland

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Peristrophe paniculata (Forssk.) Brummitt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Petalidium barlerioides (Roth) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phaulopsis imbricata (Forssk.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pseuderanthemum malabaricum (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhinacanthus nasutus (L.) Kurz var. nasutus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhinacanthus nasutus (L.) Kurz var. montana (Clarke) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ruellia colorata Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ruellia tuberosa L. and 15 wasteland weeds

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rungia apiculata Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rungia crenata T.And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rungia laeta Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rungia latior Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rungia parviflora (Retz.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rungia pectinata (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rungia repens (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rungia sisparensis T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rungia wightiana Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sanchezia nobilis Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sanchezia parvibracteata Spraque & Hutchinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Santapaua madurensis Balakr. & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Staurogyne glauca (Nees) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Staurogyne zeylanica (Nees) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stenosiphonium confertum Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stenosiphonium cordifolium (Vahl) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stenosiphonium parviflorum T.And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stenosiphonium russellianum Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stenosiphonium wightii Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthes asperrimus Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthes amabilis Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthes anamallaica J. R. I. Wood and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthus andersonii Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthes barbatus Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthus bolampattiana Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthes ciliatus Nees and 15 wasteland

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthes consanguineaus (Nees) T. Anders. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthes cuspidatus (Benth.) Anders. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthes decurrens Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthes foliosus (Wight) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthes gracilis Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthes heyneanus Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthes hamiltoniana (Steud.) Bosser & Heine and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthes heteromallus T. Anderson ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthes homotropus Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthes humilis (Nees) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthes isophylla (Nees) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthes ixiocephala Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthes kunthianum (Nees) Anders. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthes lanatus Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthes lawsonii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthes lupulinus Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthus luridus Wight and 15 wasteland

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthus matthewiana R. W. Scotland and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthus micranthes Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthes microstachya Benth. ex Hohen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthes neoasper Venu & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthes neilgherrensis Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthes papillosus T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthes perrottetianus Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthes pulneyensis C. B.Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthes rubicundus (Nees) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthes sessilis Nees var. sessilis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthes sessilis Nees var. sessiloides (Wight) Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthus sexennis Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthes tristis (Wight) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthes urceolaris Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthes violaceus Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthes walkeri Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthes wightianus Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthes walkeri Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthes wightianus Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthus zenkerianus (Nees) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thunbergia alata Boj. ex Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thunbergia bicolor (Wight) Lindau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thunbergia erecta (Benth.) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thunbergia fragrans Roxb. var. fragrans and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thunbergia fragrans Roxb. var. vestita Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thunbergia grandiflora (Roxb. ex Rottl.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thunbergia mysorensis (Wight) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thunbergia tomentosa Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aloysia triphylla (L'Herit.) Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bouchea hyderabadense Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Callicarpa arborea Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Callicarpa tomentosa (L.) Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Citharexylum fruticosum L. forma subserratum (Sw.) Moldenke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clerodendrum aculeatum Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clerodendrum cordatum D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clerodendrum indicum (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clerodendrum inerme (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clerodendrum infortunatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clerodendrum neriifolium Wall.ex Schauer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clerodendrum paniculatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clerodendrum philippinum Schauer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chionachne koenigii (SPRENG.) THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chionanthus macrophylla BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chionanthus mala-elengi (DENNST.) GREEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chlondrus crispus LYNGBYE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chloranthus elatior LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chloranthus glaber (THUNB.) MAKINO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chloranthus inconspicuus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chloranthus officinalis BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chloris barbata SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chloris virgata SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chlorophora excelsa BENTH. & HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chlorophytum arundinaceum BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chlorophytum attenuatum BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chlorophytum laxum R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chlorophytum tuberosum BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chloroxylon dupada BUCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chloroxylon swietenia DC. and 15 wasteland

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chondrus crispus STACKH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chonemorpha fragrans (MOON) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chonemorpha macrophylla (ROXB.) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chorchorus trilocularis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Christella arida (DON) HOLT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Christella contiguum (ROSENT) HOLTTUM F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Christella crinipes HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Christella parasitica (L.) LEV. and 15 wasteland

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Christella subpubescens (BL.) HOLTTUM NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chromolaena odorata (L.) R.M. KING & H. ROBINSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chrozophora plicata A.JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chrozophora prostrata DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chrozophora rottleri (GEIS.) A.JUSS. EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chrozophora tinctoria A.JUSS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chrysanthellum americanum (L.) VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chrysanthellum indicum DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chrysanthemum cinerariifolium (TREV.) VIS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chrysanthemum coccineum WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chrysanthemum coronarium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chrysanthemum indicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chrysanthemum purethroides (KAR. & KIR.) FEDT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chrysanthemum roxburghii DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chrysobalanus icaco L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chrysophyllum cainito L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chrysophyllum roxburghii DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chrysopogon aciculatus TRIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chrysopogon fulvus (SPRENG.) CHIOV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chukrasia tabularis A.JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cibotium barometz LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cicca acida MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cicca disticha L.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cicer arietinum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cicer microphyllum BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cichorium endivia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cichorium intybus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cichorium noeanum BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cicuta virosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cimicifuga foetida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cimicifuga racemosa NUTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cinchona calisaya WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cinchona calisaya WEDD. ledgeriana HOWARD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cinchona excelsa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cinchona ledgeriana MOENS EX TRIMEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cinchona officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cinchona robusta HOWARD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cinchona succirubra PAV. EX KLOTZSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cinnamomum aromaticum NEES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cinnamomum bejolghota (BUCH.-HAM.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cinnamomum camphora (L.) PRESL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cinnamomum cassia BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cinnamomum cecidodaphne MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cinnamomum glanduliferum MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cinnamomum glaucescens (NEES) HAND-MEZZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cinnamomum impressinervium MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cinnamomum iners REINW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cinnamomum javanicum BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cinnamomum macrocarpum HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cinnamomum malabathrum BATKA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cinnamomum obtusifolium NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cinnamomum parthenoxylon MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cinnamomum pauciflorum NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cinnamomum sulphuratum NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cinnamomum tamala NEES & EBERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cinnamomum travancoricum GAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cinnamomum verum PRESL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cinnamomum wightii C.F.W.MEISSN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cinnamomum zeylanicum BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cipadessa baccifera (ROTH.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Circaea alpina L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Circaea cordata ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cirrhopetalum sutepense (ROLFE) SEIDENF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cirsium argyracanthum DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cirsium arvense (L.) SCOP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cirsium sinense CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cirsium verutum (DON) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cirsium wallichii DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cissampelos pareira L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cissus acida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cissus adnata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cissus discolor BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cissus javanica DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cissus lanceolata MALME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cissus latifolia LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cissus pallida (WIGHT & ARN.) PLANCHON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cissus pedata LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cissus quadrangularis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cissus repKalam VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cissus repens LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cissus setosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cissus trilobata LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cissus vitiginea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cistanche tubulosa WGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cistus creticus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Citharexylum subserratum SW. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Citrullus colocynthis (L.) SCHRADER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Citrullus lanatus (THUNB.) MATSUMARA & NAKAI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Citrullus lanatus (THUNB.) MATSUMURA & NAKAI fistulosus (STOCKS) CHAKRAVARTHY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Citrullus vulgaris SCHRAD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Citrullus vulgaris SCHRAD. fistulosus STOCKS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Citrus acida PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Citrus aurantifolia (CHRISTM.) SWINGLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Citrus aurantium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Citrus aurantium L. bergamia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Citrus bergamia RISSO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Citrus bigaradia LOISEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Citrus decumana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Citrus grandis (L.) OSBECK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Citrus hystrix DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Citrus jambhiri LUSH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Citrus karna RAFIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Citrus latipes (SWINGLE) TANAKA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Citrus limetta RISSO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Citrus limon (L.) BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Citrus limonum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Citrus macroptera Montr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Citrus madurensis LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Citrus maxima MERILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Citrus medica L. medica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Citrus medica L. limetta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Citrus medica L. limonum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Citrus medica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Citrus paradisi MACF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Citrus pyxidata (LINN.) FR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Citrus reticulata BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Citrus sinensis (L.) OSBECK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cladonia alpestris (L.) RABH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Claoxylon indicum HASSK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Claoxylon polot (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clausena dentata (WILLD.) ROEM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clausena excavata BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clausena heptaphylla WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clausena lansium (LOUR.) SKEELS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clausena pentaphylla (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clausena wampi BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clausena willdenowii WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Claviceps purpurea (FR.) TUL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Claxylon indicum (BL.) HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cleidion nitidum KURZ and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cleisostoma tenuifolium (L.) GARAY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cleisostoma williamsonii (RCHB.F.) GARAY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cleistanthus collinus (ROXB.) BENTH. & HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clematis barbellata EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clematis buchananiana DC. vitifolia WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clematis connata DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clematis gouriana ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clematis grata WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clematis graveolens LINDL. IN JOURN. HORT. SOC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clematis hedysarifolia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clematis montana DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clematis napaulensis DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clematis orientalis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clematis smilacifolia WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clematis triloba HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clematis wightiana WALL. EX WT. & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cleome brachycarpa VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cleome burmanni WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cleome chelidonii L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cleome felina L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cleome gynandra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cleome heptaphylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cleome icosandra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cleome monophylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cleome pentaphylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cleome vahliana FAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cleome viscosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clerodendrum colebrookianum WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clerodendrum indicum (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clerodendrum inerme (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clerodendrum infortunatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clerodendrum kaempferi (JACQ.) SIEB. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clerodendrum multiflorum (Burm.f.)Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clerodendrum nutans WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clerodendrum paniculatum L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clerodendrum philippinum SCHAU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clerodendrum phlomides L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clerodendrum serratum (L.) MOON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clerodendrum siphonanthus R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clerodendrum splendens G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clerodendrum viscosum H.W. MOLDENKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clerodendrum wallichii MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clinogyne dichotoma SALISB. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clinogyne grandis BENTH. HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clinopodium umbrossum (BIEB.) KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clinopodium vulgare L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clitoria mariana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clitoria ternatea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coccinia cordifolia COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coccinia glauca and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coccinia grandis (L.) VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coccinia indica WIGHT & ARN. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coccoloba uvifera L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cocculus cordifolius (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cocculus hirsutus (L.) DIELS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cocculus laurifolius DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cocculus leaeba DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cocculus macrocarpus W. & A. PRODR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cocculus pendulus (JR. & G. FORST) DIELS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cocculus suberosus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cocculus villosus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cochlearia armoracia L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cochlearia cochlearioides (ROTH) SANTAPAU & MAHESHWARI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cochlospermum gossypium DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cochlospermum religiosum (L.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cocos nucifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cocos nucifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cocos schizophylla MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Codiaeum variegatum (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Codonacanthus pauciflorus NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Codonopsis clematidea (SCHR.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Codonopsis ovata BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coelodepas calycinum BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coelogyne cristata LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coelogyne ovalis LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coelogyne punctulata LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coelogyne stricta (DON) SCHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coffea arabica L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coffea bengalensis HEYNE EX ROEM. & SCHULT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coffea travancorensis WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coix gigantea KOENIG EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coix lachryma L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coix lacryma-jobi L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cola nitida (VENT.) SCHOTT & ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Colchicum autumnale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Colchicum luteum BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Colchicum variegatum BIVONA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coldenia procumbens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Colebrookea oppositifolia SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coleus ambonicus LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coleus aromaticus BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coleus barbatus (ANDR.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coleus forskohlii (POIR.) BRIQ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coleus osmirrhizon W.ELLIOT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coleus rotundifolius (POIR.) A. CHEV. & PERROT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coleus scutellarioides (L.) BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coleus vettiveroides K.C. JACOB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coleus zeylanicus (BENTH.) CRAMEV and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Colocasia antiquorum SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Colocasia esculenta (L.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Colocasia macrorrhiza SCHOTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Colocasia virosa KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Colophospermum mopane KIRK EX LEON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Colubrina asiatica (L.) BRONG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Colutea arborescens L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Colutea nepalensis SIMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Combretum acuminatum (ROXB.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Combretum decandrum ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Combretum extensum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Combretum latifolium BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Combretum nanum DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Combretum pilosum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Combretum roxburghii SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Commelina benghalensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Commelina communis EUGELM. EX KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Commelina diffusa BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Commelina longifolia LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Commelina nudiflora (L.) BRENAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Commelina obliqua BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Commelina paludosa BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Commelina salcifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Commelina suffruticosa BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Commicarpus chinensis (L.) HEIMERL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Commicarpus helenae (J.A.SCHULTES) MEIKLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Commicarpus verticillatus STANDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Commiphora abyssinica ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Commiphora agallocha ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Commiphora berryi (ARN.) ENGLR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Commiphora caudata (WIGHT & ARN.)

ENGLER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Commiphora molmol ENGL. EX. TSCHIRAH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Commiphora mukul (HOOK. EX. STOCKS) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Commiphora myrrha ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Commiphora opobalsamum (L.) ENGL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Commiphora playfairii HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Commiphora roxburghii ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Commiphora schimperi ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Commiphora stocksiana ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Commiphora wightii (A.) BHKALAMRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Conium maculatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Connarus monocarpus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Conocarpus latifolia ROXB. EX. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Conocephalus suaveolens BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Consolida ajacis (L.) SCHUR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Consolida ambigua (L.) BALL. & HEYWOOD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Consolida regalis S.F. GRAY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Convallaria majalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Convolvulus arvensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Convolvulus auricomus (A. RICH.) BHKALAMRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Convolvulus gemellus BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Convolvulus grandiflorus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Convolvulus malabaricus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Convolvulus microphyllus SIEB.EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Convolvulus nil L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Convolvulus paniculatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Convolvulus pluricaulis CHOIS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Convolvulus prostratus FORSSK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Convolvulus scammonia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Convolvulus speciosus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Convolvulus spinosus BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Convolvulus turpethum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Conyza bonariensis (L.) CRONQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Conyza cinerea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Conyza japonica (THUNB.) LESS. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Conyza stricta WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Copernicia cerifera MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coptis teeta WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Corallocarpus epigaea HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Corallocarpus epigaeus BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Corbichonia decumbens EXELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Corchorus acutangulus AUCT.NON FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Corchorus aestuans L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Corchorus antichorus ROEUSCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Corchorus capsularis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Corchorus depressus STOCKS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Corchorus fascicularis LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Corchorus olitorius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Corchorus trilocularis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Corchorus urticifolius WIGHT & ARM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cordia dichotoma FORST. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cordia gharaf (FORSK.) EHRENB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cordia grandis ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cordia latifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cordia macleodii HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cordia monoica ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cordia myxa SENU CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cordia obliqua WILLD. wallichii (G.DON) CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cordia obliqua WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cordia rothii ROEM.& SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cordia sebestena L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cordia vestita HOOK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cordia wallichii G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cordyceps sinensis (BERK.)SAAC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cordyline fruticosa GOEPPERT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cordyline terminalis (L.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coriandrum sativum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coriaria nepalensis WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coronilla picta WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coronopus didymus (L.) SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cortia depressa (DON) NORM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Corydalis adiantifolia HK.F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Corydalis flabellata EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Corydalis govaniana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Corydalis meifolia WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Corydalis ramosa WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Corydalis rutifolia (SMITH) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Corydalis vaginans ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Corylus avellana L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Corylus colurna L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Corylus jacquemonti DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Corymbis veratrifolia RCHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Corymborkis veratrifolia (REINW.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Corypha umbraculifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coscinium fenestratum (GAERTN.) COLEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cosmostigma racemosa WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Costus arabicus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Costus speciosus (KOEN. EX RETZ.) SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cotinus coggygria SCOP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cotinus racemiflora (DESF.) C. KOCH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cotoneaster bacillaris WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cotoneaster buxifolia WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cotoneaster microphylla WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cotoneaster microphyllus WALL. EX LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cotoneaster nummularia FISCH. & MEY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cotula anthemoides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cotula aurea Loefl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cousinia thomsonii CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crambe cordifolia STEVEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crassocephalum crepidioides (BTH.) MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crataegus laevigata (POIR.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crataegus oxyacantha L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crataegus songarica KOCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crataeva adansonii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crataeva magna (LOUR.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crataeva marmelos L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crataeva nurvala SENSU KANJ. & DAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crataeva religiosa FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crataeva tapia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cratoxylum cochinchinense (LOUR.) BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cratoxylum neriifolium KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cremanthodium arnicoides DC. GOOD trigida and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cremanthodium decaisnei CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cremanthodium plantagineum MAX. maximowiczii GOOD and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cremastra appendiculata (D.DON) MAKINO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cremastra wallichiana LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crepidium acuminatum (D.DON) SZLAC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crepis flexuosa (DC) BETH. & HK.F. EX CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crepis japonica BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crescentia cujete VELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cressa cretica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crinum amoenum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crinum asiaticum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crinum defixum KER.-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crinum latifolium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crinum powellii HORT. album HORT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crinum pratense HERB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crinum revolutum HERB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crinum viviparum (LAM.) HEMADRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crocus sativus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crossandra infundobuliformis (L.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crossandra undulaefolia SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria alata BUCH.-HAM. EX D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria albida HEYNE EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria anagyroides H.B. & K. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria angulosa LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria benghalensis LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria bialata SCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria biflora LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria burhia BUCH-HAM. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria calycina SHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria juncea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria laburnifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria linifolia L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria medicaginea LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria mucronata DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria mysorensis ROTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria pallida DRY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria paniculata WILLD. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria prostrata ROTTL. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria pulchra ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria quinquefolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria ramosissima ROXB. FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria retusa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria saltiana ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria sericea RETZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria spectabilis ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria striata DC. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria trifoliastrum WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria verrucosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Croton argyratus BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Croton aromaticus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Croton bonplandianum BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Croton caudatus GEISEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Croton joufra ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Croton malabaricus BEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Croton oblongifolius ROXB. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Croton plicatum VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Croton polyandrum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Croton reticulatus HEYNE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Croton roxburghii BALAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Croton sebiferum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Croton sparsiflorus MORONG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Croton tiglium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Croton zeylanicus MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cryptocarya wightiana THW. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cryptocoryne spiralis FISCH. EX WYDLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cryptolepis buchananii ROEMER & SCHULTES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cryptolepis elegans WALL. EX G. DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cryptolepis grandiflora WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cryptostegia grandiflora R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ctenitis apiciflora (WALL. & METT) CHING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ctenolepis cerasiformis NAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ctenolepis garcinii BENTH. & HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cubeba officinalis RAFIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cucubalus baccifer L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cucumis acutangulus DESCOURT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cucumis agrestis NAUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cucumis anguinus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cucumis callosus (ROTTL.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cucumis colocynthis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cucumis hardwickii ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cucumis lagenarius DUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cucumis madraspatanus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cucumis melo L. utilissimus DUTHIE & FULLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cucumis melo L. momordica DUTHIE & FULLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cucumis melo L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cucumis momordica ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cucumis myriocarpus NAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cucumis prophetarum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cucumis pseudo-colocynthi ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cucumis pubescens WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cucumis sativus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cucumis trigonus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cucumis utilissimus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cucurbita citrullus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cucurbita lagenaria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cucurbita maxima DUCHESNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cucurbita moschata (LAM.) DUCHESNE EX POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cucurbita pepo L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cudrania javanensis TREC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cullenia exarillata ROBYNS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cuminum cyminum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cupressus sempervirens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Curanga amara JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Curanga fel-terrae MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Curculigo capitulata (LOUR) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Curculigo crassifolia GEARTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Curculigo orchioides GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Curculigo prainiana (DEB.) BENNET & RAIZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Curculigo recurvata DRYAND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Curcuma amada ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Curcuma angustifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Curcuma aromatica SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Curcuma caesia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Curcuma domestica (MEDIK) VALH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Curcuma inodora BLAT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Curcuma leucorhiza ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Curcuma longa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Curcuma montana ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Curcuma pseudomontana GRAHAM NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Curcuma rubescens ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Curcuma zedoaria (CHRIST.) ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Curcuma zerumbet ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cuscuta capitata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cuscuta chinensis LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cuscuta europaea BOVE & ENGELM. indica ENGELM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cuscuta hyalina ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cuscuta reflexa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyamopsis psoralioides (LAM). DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyamopsis tetragonoloba (L.) TAUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyamopsis tetragonolobus (L.) TAUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyanotis axillaris (L.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyanotis concanensis HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyanotis cristata (L.) DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyanotis papilionaceae (L.) SCHULT. & SCHULT. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyanotis tuberosa (ROXB.) SCHULT. AND SCHULT.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyathea albo-setacea (BEDD.) COPEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyathea gigantea (WALL. EX HOOK.) HOLTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyathea spinulosa WALL. EX HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyathocline purpurea (DON) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyathostemma micranthum J.SINCLAIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyathula prostrata BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyathula tomentosa MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyathus limbatus TULSANE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyathus stercoreus (SCHW.) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cycas beddomei DYER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cycas circinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cycas revoluta THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cycas rumphii MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyclamen europaeum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyclamen persicum MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyclea arnotii MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyclea bicristata GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyclea burmanni (DC.) HOOK.F. TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyclea fissicalyx DUNN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyclea peltata (LAM.) HOOK. F. & THOMSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyclosorus dentatus (FORSK.) CHING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyclosorus gongylodes (SCH.) LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyclosorus parasiticus (L.) FOREWELL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cydonia oblonga MILL. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cydonia vulgaris PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cylista scariosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cymbalaria muralis G.M. SCHREB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cymbidium aloifolium (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cymbidium aloifolium (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cymbidium grandiflorum RCHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cymbidium hookerianum RCHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cymbidium pendulum (ROXB.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cymbopogon caesius STAPH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cymbopogon citratus (DC.) STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cymbopogon coloratus STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cymbopogon flexuosus WATS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cymbopogon jwarancusa (JONES) SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cymbopogon jwarancusa (JONES) SCHULT. olivieri (BOISS.) SOENARKO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cymbopogon martini (ROXB.) WATS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cymbopogon nardus (L.) RENDLE and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cymbopogon schoenanthus (L.) SPRENG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cynanchum arnottianum WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cynanchum extensum JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cynanchum heydei HOOK.F.CYNAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cynanchum vincetoxicum (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cynanthus lobatus WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cynara scolymus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cynodon dactylon (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cynodon linearis WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cynoglossum denticulatum A. DC. zeylanicum HORNEM. CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cynoglossum glochidiatum WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cynoglossum lanceolatum FORSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cynoglossum micranthum DESF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cynoglossum wallichii G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cynoglossum zeylanicum THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cynometra cauliflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cynometra iripa KOSTEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cynometra mimosoides WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cynometra ramiflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cynometra ramiflora Linn. bijuga (Span.) Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cynosurus coracanus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus alopecuroides ROTTL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus amabilis VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus articulatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus brevifolius (ROTTB.) HASSK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus bulbosus VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus compactus RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus compressus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus corymbosus ROTTLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus cyperoides (LINN.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus denticulatus SCHRAD EX SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus diffusus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus distans L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus esculentus L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus exaltatus RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus haspan BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus inundatus ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus iria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus jeminicus HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus juncifolius ROTTLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus kyllingia ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus laevigatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus longus L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus malaccensis LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus michelianus (L,) LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus nutans VAHL. eleusinoides (KUNTH) HAINES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus pangorei ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus pedunculatus (R.BR.) KERN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus pertenius BOJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus pilosus VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus platyphyllus ROEM. & SCHULT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus platystylis R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus rohita and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus rotundus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus scariosus R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus stoloniferus RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus triceps (ROTTB.) ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus tuberosus ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyperus undulatus KUKENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyphostemma setosum (ROXB.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyrtomium caryotideum (WALL.) PRESL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyrtomium falcatum (L. F.) BERNH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyrtophyllum peregrinum BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cythocline purpurea (DON.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cytisus scoparius (L.) LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dactylis glomerata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dactyloctenium aegyptium BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dactyloctenium sindicum BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dactylorhiza hatagirea (DON.) SOO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Daedalacanthus roseus T. ANDERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Daemia cordata R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Daemia extensa R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Daemonorops draco BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dahlia rosea CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dalbergia arborea HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dalbergia candenatensis (DENNST.) PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dalbergia emarginata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dalbergia horrida (DENNST.) MABB. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dalbergia lanceolaria L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dalbergia latifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dalbergia oogeinensis ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dalbergia paniculata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dalbergia pinnata PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dalbergia sissoides GRAHAM EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dalbergia sissoo ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dalbergia spinosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dalbergia stipulacea ROXB. NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dalbergia sympathetica NIMMO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dalbergia tamarindifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dalbergia volubilis ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dalbergla spinosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dalechampia indica WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dalhousiea bracteata BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Daphne cannabina WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Daphne oleo SCHRAB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Daphne oleoides SCHREB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Daphne papyracea WILLD. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Daphniphyllum himalayense MUELL.- ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Daphniphyllum neilgherrense ROSENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Datisca cannabina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Datura alba NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Datura fastuosa L. alba (NEES) C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Datura fastuosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Datura innoxia MILL. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Datura metel L. alba and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Datura metel L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Datura nilhummatu DUN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Datura stramonium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Datura tatula L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Daucus carota L. sativa DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Daucus carota L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Davallia tenuifolia WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Davallia trichomanoides BI. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Debregeasia longifolia (BURM.F.) WEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Decalepis hamiltonii WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Decaspermum fruticosum FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Deeringia amaranthoides (LAMK.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Delima scandens (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Delonix elata (L.) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Delonix regia (L.) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Delphaenium denudatum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Delphaenium elatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Delphinium altissimum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Delphinium bruonianum ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Delphinium caeruleum JACQ. EX CAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Delphinium cashmirianum ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Delphinium denudatum WALL. EX HOOK. F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Delphinium elatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Delphinium glaciale HOOK.F. & THOMSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Delphinium kashmirianum ROYLE. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Delphinium kohatense (BRUHL.) MUNZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Delphinium paciflorum ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Delphinium roylei MUNZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Delphinium saniculifolium AUCT NON BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Delphinium semibarbatum BLENERT EX BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Delphinium speciosum JANKA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Delphinium vestitum WALL. EX ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Delphinium viscosum HK. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Delphinium zalil AITCH & HEMSL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dendrobium aduncum LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dendrobium aggregatum - JENKINSII K. & P. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dendrobium amoenum WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dendrobium chrysanthum LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dendrobium coerulescens LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dendrobium crumenatum SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dendrobium crumentum SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dendrobium densiflorum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dendrobium jenkinsii LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dendrobium macraei AUCT. NON LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dendrobium moschatum (BUCH.-HAM.) SW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dendrobium nobile LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dendrobium ovatum (L.) KRAENZL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dendrobium paxtonii LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dendrocalamus hamiltonii NEES EX ARN. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dendrocalamus strictus NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dendrocnide sinuata (BL.) CHEW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dendrophthoe elastica (DESR.) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dendrophthoe falcata (L.F) ETTING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dendrophthoe pentandra (L.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dentella repens (L.) J.R. & G. FORSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Derris elliptica BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Derris ferruginea (ROXB.) BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Derris indica (LAM.) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Derris malaccensis PRAIN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Derris robusta BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Derris scandens (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Derris trifoliata LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Derris uliginosa BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Descurainia sophia (L.) WEBB. EX PRANTL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmanthus cinereus WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmanthus virgatus WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmochaeta atropurpurea DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmodium biarticulatum (L.) F.V.MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmodium dichotomum (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmodium elegans BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmodium gangeticum (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmodium gyrans DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmodium gyroides DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmodium heterocarpon - strigosum VAN MEEWUEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmodium heterocarpon (LINN.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmodium heterophyllum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmodium lasiocarpum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmodium latifolium DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmodium laxiflorum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmodium microphyllum (THUNB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmodium motorium (HOUTT.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmodium oojeinense (ROXB.) OHASHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmodium polycarpum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmodium pseudotriquetrum DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmodium pulchellum BENTH.EX. BAKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmodium retroflexum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmodium styracifolium (OSB.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmodium tiliaefolium G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmodium triangulare (RETZ.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmodium triflorum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmodium triquetrum (L.) DC. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmodium umbellatum (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmodium velutinum (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmos chinensis LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmos cochinchinensis LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmos dumosa (ROXB.) SAFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmos longiflorus (ROXB.) SAFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmostachya bipinnata STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmotrichum fimbriatum BL. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Deutzia scrabra THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dianthus anatolicus BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dianthus caryophyllus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dianthus chinensis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dicaelospermum ritchiei CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dicentra chrysantha WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dicentra thalictrifolia HF.& T. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dichanthium caricosum (L.) A. CAMUS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dichanthium pertusum CLYTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dichopsis ellipticum BENTH & HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dichroa febrifuga LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dichrocephala bicolor (ROTH) SCHLECHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dichrocephala integrifolia (L.F.) KTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dichrocephala latifolia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dichrostachys cinerea WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dicliptera bupleuroides NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dicliptera cuneata NEES and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dicliptera micranthus NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dicliptera roxburghiana NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dicliptera verticillata (FORSK.) CHRISTENS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dicoma tomentosa CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dicranopteris linearis (BURM.F.) UNDERW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dictamnus albus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Didymocarpus aromaticus WALL. EX D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Didymocarpus pedicellata R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dieffenbachia seguine (L.) SCHOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dienia muscifera LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Digera arvensis FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Digera muricata (L.) MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Digitalis lanata EHRH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Digitalis purpurea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dillenia aurea SIM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dillenia bracteata WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dillenia indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dillenia pentagyna ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dimocarpus longan LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dimorphocalyx glabellus THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dinebra arabica JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dinebra retroflexa (VAHL) PANZER retroflexa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dinochloa Kalammanica KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dionysia diapensiaefolia BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dioscorea aculeata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dioscorea alata L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dioscorea belophylla VOIGT EX HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dioscorea bulbifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dioscorea composita HEMSL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dioscorea crispata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dioscorea daemona ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dioscorea deltoidea WALL. EX KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dioscorea esculanta (LOUR.) BURKILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dioscorea glabra AUCT. NON ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dioscorea globosa ROXB. ET. PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dioscorea hamiltonii HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dioscorea hirsuta DENNST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dioscorea hispida DENNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dioscorea oppositifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dioscorea pentaphylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dioscorea prazeri PRAIN & BURKILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dioscorea puber BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dioscorea purpurea ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dioscorea rubella L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dioscorea sativa AUCT. NON L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dioscorea tomentosa KOEN. EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dioscorea triphylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dioscorea wallichii HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diospyros bourdilloni BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diospyros buxifolia (BLUME) HIERN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diospyros candolleana WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diospyros chloroxylon ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diospyros cordifolia ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diospyros ebenum KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diospyros embryopteris PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diospyros exsculpta BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diospyros ferrea (WILLD.) BATCH. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diospyros glutinosa KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diospyros insignis THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diospyros kaki L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diospyros lancaefolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diospyros lotus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diospyros malabarica (DESR.) KOSTEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diospyros melanoxylon ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diospyros montana ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diospyros oocarpa THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diospyros paniculata DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diospyros peregrina (GAERTN.) GURKE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diospyros quaesita THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diospyros racemosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diospyros sylvatica ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diospyros tomentosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diospyros toposia BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dipcadi erythraeum WEBB & BERTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diplazium esculentum (RETZ.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diplazium stoliczkae BEDD. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diploclisia glaucescens (BL.) DIELS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diplocyclos palmatus (L.) JAFFREY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diploknema butyraceae (ROXB.) H.J. LAMK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diplospora singularis KORTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diplospora sphaerocarpa HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dipsacus fullonum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dipsacus inermis WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dipsacus mitis D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dipteracanthus patulus (JACQ.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dipteracanthus prostratus (POIR.) NEES and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dipteracanthus suffruticosus (ROXB.) VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dipterocarpus alatus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dipterocarpus bourdilloni BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dipterocarpus gracilis BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dipterocarpus indicus BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dipterocarpus laevis HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dipterocarpus pilosus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dipterocarpus tuberculatus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dipterocarpus turbinatus GAERTN. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dischidia rafflesiana WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Disporum cantoniense (LOUR.)MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Distemon indicum WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dittelasma raraka (DC.) HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dodonaea angustifolia (L.F.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dodonaea burmanniana DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dodonaea viscosa (L.) JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dodonaea viscosa JACQ. angustifolia (L.F.)

BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dolichandrone arcuata C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dolichandrone atrovirens (HEYNE EX. ROTH) SPRAGUE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dolichandrone falcata SEEMANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dolichandrone spathacea (L.F.) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dolichandrone stipulata BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dolichos biflorus SENSU AUCT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dolichos bulbosus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dolichos catiang L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dolichos catjang L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dolichos cylindricus DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dolichos falcatus WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dolichos gladiatus JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dolichos lablab L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dolichos lablab L. typicus Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dolichos pruriens (L,) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dolichos sinensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dolichos trilobus (L.) AIT. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dolichos uniflorus LAMK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dolomaea macrocephala DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dombeya cayeuxii HORT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Donax connaeformis (FORST.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dopatrium junceum HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dopatrium lobelioides BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dopatrium nudicaule HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dorema ammoniacum D.DON and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dorema aureum STOCKS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Doronicum falconeri HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Doronicum hookeri C.B. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Doronicum pardalianches L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Doronicum roylei DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dorstenia indica WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dosma bracteatum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Douepia tortuosa CAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Draba muralis (L.) and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Draba setosa ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dracaena angustifolia (MEDIC.) ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dracaena cinnabari BALF NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dracaena petiolata HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dracaena terminalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dracaena terniflora ROXB. FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dracocephalum heterophyllum BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dracocephalum moldavica LINN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dracocephalum royleanum ROYLE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dracocephalum stamineum KAR. & KIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dracontium polyphyllum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dregea volubilis (L.F.) BENTH. EX.HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Drimia indica (ROXB.) J.P. JESSOP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Drimys winteri FORST. CHAR. GEN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Drosera burmannii VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Drosera indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Drosera lunata HAM. EX DC. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Drosera peltata SM.WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Drymaria cordata (L.) WILLD. EX R. & S. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Drymaria cordata WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Drymaria diandra BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Drymoglossum carnosum (WALL.)SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Drynaria quercifolia (L.) J.SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dryobalanops aromatica GAERTN. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dryopteris barbigera (MOORE) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dryopteris blanfordii (HOPE) C. CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dryopteris cochleata (DON) CHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dryopteris filix-mas (L.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dryopteris marginata (WALL.) CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dryopteris odontoloma (MOORE) C.CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dryopteris schimperiana (HOCHST.) C. CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dryopteris sparsa (DON)KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Drypetes confertiflora (HOOK. F.) PAX &

HOFFM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Drypetes macrophylla (BLUME) PAX & HOFFM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Drypetes roxburghii (WALL.) HURUSAWA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Drypetes zeylanica (MUELL.-ARG.) HURUSAWA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Duboisia myoporoides R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Duchesnea indica (ANDR.) FOCKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Duranta repens L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Durio zibethinus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dyschoriste madurensis (BURM.F.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dysophylla auricularia (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dysophylla rugosa HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dysophylla stelata BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dysophylla stellata BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dysoxylum alliarum (BUCH.-HAM.) BALAK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dysoxylum binectariferum HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dysoxylum hamiltonii HIERN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dysoxylum malabaricum BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dysoxylum procerum HIERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ebermaiera glutinosa CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ecbolium linneanum KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ecbolium viride (FORSK.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ecbolium virids (FORSSK.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Echeveria glauca BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Echinacea angustifolia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Echinochloa colona LINK. frumentacea BLATTER & MCCANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Echinochloa crusgalli (L.) P. BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Echinochloa frumentacea LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Echinochloa stagnina (RETZ.) BEAUV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Echinops cornigerous DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Echinops echinatus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Echioglossum williamsonii (RCHB.F.) SZLAC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Echites dichotoma ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eclipta alba HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eclipta erecta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eclipta parviflora WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eclipta prostrata (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Edgeworthia gardneri (WALL.) MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Edgeworthia tomentosa NAKAI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Edwardsia griffithii (STOCKS) PHILIP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ehretia acuminata BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ehretia aspera ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ehretia buxifolia ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ehretia canarensis MIQ. EX CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ehretia laevis ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ehretia laevis ROXB. pubescens and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ehretia microphylla LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ehretia obtusifolia HOCHST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eichhornia crassipes SOLMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Codariocalyx motorius (Houtt.) H. Ohashi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria acicularis Buch.-Ham. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria agatiflora Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria alata Buch.-Ham & Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria albida Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria anagyroides H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria angulata Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria barbata Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria berteroana DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria bidiei Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria bifaria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria bourneae Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria calycina Schrank and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria candicans Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria clarkei Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria clavata Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria conferta Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria digitata Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria dubia Graham ex benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria epunctata Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria evolvuloides Wight ex Wight & Arn. var. evolvuloides and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria evolvuloides Wight ex Wight & Arn. var. acutifolia Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria formosa Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria fysonii Dunn var. fysonii and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria fysonii Dunn var. glabra Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria globosa Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria grahamiana Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria hebecarpa (DC.) Rudd and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria heyneana Grahma ex Wight and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria hirta Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria humifusa Graham ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria juncea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria laburnifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria laevigata Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria beddomeana Thoth. & A. A. Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria spectabilis Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria linifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria longipes Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria lunulata Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria madurensis Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria medicaginea Lam. var. medicaginea and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria medicaginea Lam. var. neglecta (Wight & Arn.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria multiflora Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria mysorensis Roth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria nana Burn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria notonii Wight & Arn. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria obtecta Graham ex Wight & Arn. var. obtecta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria obtecta Graham ex Wight & Arn. var. glabrescens (Benth.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria orixensis Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria ovalifolia Wall. ex Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria pallida Dryand. var. pallida and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria pallida Dryand. var. obovata (G.Don) Polhill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria paniculata Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria peduncularis Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria priestleyoides Benth ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria prostrata Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria pulchra Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria pusilla Neyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria quinquefolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria ramosissima Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria retusa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria rigida Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria salicifolia Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria scabra Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria scabrella Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria semperflorens Vent. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria shevaroyensis Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria speciosa Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria subperfoliata Wight ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria tecta Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria trifoliastrum Willd. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria triquetra Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria umbellata Wight ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria verrucosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria walkeri Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria wightiana Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria willdenowiana DC. subsp. willdenowiana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crotalaria willdenowiana DC. subsp. glabrifoliolata Ellis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyamopsis tetragonoloba (L.) Taub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cytisus canariensis Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cytisus hirsutus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cytisus monspessulanus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cytisus multiflorus Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cytisus proliferus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cytisus scoparius (L.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cytisus supinus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dalbergia congesta Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dalbergia coromandeliana Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dalbergia gardneriana Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dalbergia horrida (Dennst.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dalbergia lanceolaria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dalbergia latifolia Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dalbergia malabarica Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dalbergia melanoxylon Guill. & Perr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dalbergia paniculata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dalbergia pinnata (Lour.) prain var. acaciaefolia (Dalz.) Thoth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dalbergia pseudo-siso Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dalbergia rubiginosa Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dalbergia sissoides Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dalbergia sissoo Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dalbergia spinosa Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dalbergia tinnevelliensis Thoth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dalbergia volubilis Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Derris benthamii (Thw.) Thw. var. benthamii and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Derris benthamii (Thw.) Thw. var. wightii (Baker) Thoth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Derris brevipes (Benth) Baker var. brevipes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Derris brevipes (Benth) Baker var. coriacea Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Derris canarensis (Dalz.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Derris scandens (Roxb.) Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Derris thothathrii Bennett and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Derris trifoliata Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmodium alysicarpoides Van Meeuwen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmodium barbatum (L.) Benth. subsp. sauliereri (Schind.) Ohashi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmodium dichotomum (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmodium dolabriforme Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmodium ferrugineum Wall ex Thw. subsp. ferrugineum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmodium ferrugineum Wall ex Thw. subsp. wynaadense (Bedd. ex Gamble) Ohashi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmodium gangeticum (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmodium heterocarpon (L) DC. var. heterocarpon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmodium heterocarpon (L.) DC. var. strigosum Van Meeuwen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmodium heterophyllum (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmodium laxiflorum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmodium laxum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmodium microphyllum (Thunb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmodium oojeinense (Roxb) Ohashi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmodium pryonii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmodium pulchellum (L.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmodium repandum (Vahl) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmodium styracifolium (Osbeck) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmodium tortuosum (Sw.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmodium triangulare (Retz.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmodium triflorum (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmodium triquetrum (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmodium velutinum (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmodium zonatum Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dicerma biarticulatum (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dolichos trilobus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dumasia villosa DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dunbaria ferruginea Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dunbaria heynei Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eleiotis monophylla (Burm.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erythrina crista-galli L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erythrina stricta Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erythrina suberosa Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erythrina subumbrans (Hassk.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erythrina variegata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Flemingia grahamiana Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Flemingia lineata (L.) Roxb. Ex Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Flemingia macrophylla (Willd.) Prain ex Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Flemingia nilgheriensis (Baker) Wight ex Cooke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Flemingia Semialata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Flemingia stricta Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Flemingia strobilifera (L.) R. Br. ex Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Flemingia tuberosa Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Flemingia wallichii Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Flemingia wightiana Grahams ex Wight & Arn.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Galactia longifolia Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Galactia tenuiflora (Klein ex Willd.) Wight & Arn var. lucida Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Galactia tenuiflora (Klein ex Willd.) Wight & Arn var. villosa (Wight & Arn.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Geissaspis cristata Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gliricidia sepium (Jacq.) Kunth ex Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glycine max (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hardenbergia comptoniana (Link) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera aspalathoides Vahl ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera astragalina DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera barberi Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera caerulea Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera cassioides Rottl. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera colutea (Buem. F.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera constricta (Thwaites) Trimen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera cordifolia Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera glabra L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera glandulosa Roxb. ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera hirsuta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera hochstetteri Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera karnatakana Sanjappa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera karuppiana Pallithanam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera linifolia (L.f.) Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera linnaei Ali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera longiracemosa Boiv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera mysorensis Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera nummularifolia (L.) Skina ex Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera oblongifolia Forsk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera parviflora Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera pedicellata Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera prostrata Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera spicata Forsk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera stachyodes Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera tinctoria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera tirunelvelica Sanjappa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera trifoliata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera trita L.f. var. trita and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera trita L. f. var. maffeii (Chiov.) Ali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera trita L. f. var. marginulata Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera uniflora Buch. - Ham. ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera vicioides Jaub. & Spach and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera wightii Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera zollingeriana Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lablab purpureus (L.) Sweet var. purpureus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lablab purpureus (L.) Sweet var. lignosus (Prain) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Laburnum anagyroides (L.) Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lathyrus aphaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lathyrus latifolius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lathyrus odoratus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lathyrus sativus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lens culinaris Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leptodesmia congesta (Wight) Benth. ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lespedeza cuneata (Dum. Cours.) G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lonchocarpus violaceus OSkin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lupinus angustifolius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lupinus luteus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lupinus pilosus Murray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Macroptilium atropurpureum (DC.) Urban and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Macroptilium lathyroides (L) Urban var. semierectum (L.) Urban and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Macrotyloma ciliatum (Willd.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Macrotyloma uniflorum (Lam.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Medicago sativa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melilotus alba Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Millettia racemosa (Wight & Arn.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Millettia rubiginosa Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Millettia splendens Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mucuna atropurpurea DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mucuna gigantea (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mucuna monosperma DC. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mucuna pruriens (L.) DC. var. pruriens and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mucuna pruriens (L.) DC. var. hirsuta (Wight & Arn.) Wilmot - Dear and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mundulea sericea (Willd.) A. Cheval and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Neonotonia wightii (Graham ex Wight & Arn.) Lackey var. wightii and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Neonotonia wightii (Wight & arn.) Lackey var. coimbatorensis (Ajita Sen) Karthik. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ormocarpum cochinchinense (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ormosia travancorica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ougeinia oojeinensis (Roxb.) Hochr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Paracalyx scariosa (Roxb.) Ali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Parochetus communis Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phaseolus coccineus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phaseolus lunatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phaseolus vulgarisL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllodium pulchellum (L.) Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pisum sativum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pongamia pinnata (L.) Pierre and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pseudarthria viscida (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psophocarpus tetragonolobus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psoralea corylifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psoralea pinnata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pterocarpus marsupium Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pterocarpus santalinus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pueraria triloba (Lour.) Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pueraria tuberosa DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pycnospora lutescens (Poir.) Schind. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhynchosia albiflora (Sims) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhynchosia aurea (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhynchosia cana DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhynchosia capitata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhynchosia densiflora (Roth) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhynchosia filipes Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhynchosia heynei Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhynchosia jacobii Chandrabose & Shetty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhynchosia minima (L.) DC. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhynchosia nummularia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhynchosia rothii Benth ex Aitch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhynchosia rufescens (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhynchosia suaveolens (L.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhynchosia velutina Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhynchosia viscosa (Roth) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Robinia pseudo-acacia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rothia indica (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sesbania bispinosa (Jacq.) W. F. Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sesbania grandiflora (L.) Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sesbania procumbens (Roxb.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sesbania sesban (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sesbania speciosa Taub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Shuteria involucrata (Wall.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Smithia bigemina Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Smithia blKalam Wall. ex Wight & Arn. var. blKalam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Smithia blKalam Wall. ex Wight & Arn. var. racemosa (Heyne ex Wight & Arn.) Baker and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Smithia capitata Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Smithia conferta Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Smithia gracilis Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Smithis hirsuta Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Smithia sensitiva Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Smithis setulosa Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sophora glauca Lesh.ex DC. Ann. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sophora interrupta Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sophora wightii Baker and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Spartium junceum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stylosanthes fruticosa (Retz.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stylosanthes sundaica Taub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tephrosia barberi Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tephrosia calophylla Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tephrosia candida DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tephrosia canarensis Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tephrosia fusca Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tephrosia hookeriana Wight & Arn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tephrosia maxima Pres. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tephrosia pulcherrima (Wight ex Baker) Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tephrosia pumila (Lam.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tephrosia purpurea (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tephrosia spinosa (L.f.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tephrosia strigosa (Dalz.) Sant. & Mahesh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tephrosia tinctoria Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tephrosia vegellii Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tephrosia villosa (L.) Pers. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Teramnus labialis (L.F.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Teramnus mollis Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trifolium alexandrium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trifolium cernuum Brot. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trifolium dubium Sibth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trifolium incarnatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trifolium pratense L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trifolium repens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trifolium subterraneum L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trigonella foenum-graecum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ulex europaeus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Uraria alopecuroides Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Uraria lagopodioides (L.) Desv. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Uraria rufescens (DC.) Schind. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vicia faba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vicia hirsuta (L.) S. F. Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vicia sativa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vicia villosa Roth. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vigna aconitifolia (Jacq.) Marechal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vigna adenantha (G. F. W. Meyer) Marechal, Mascherpa & Stainier and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vigna bourneae Ganble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vigna dalzelliana (Kuntze) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vigna grahamiana (Wight & Arn.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vigna hosei (Craib) Backer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vigna khKalamlensis (Sant.) Ragh. & Wadhwa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vigna mungo (L.) Hepper and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vigna radiata (L.) Wilczek var. radiata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vigna radiata (L.) Wilczek var. sublobata (Roxb.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vigna subramaniana (Raizada) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vigna trilobata (L.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vigna umbellata (Thunb.) Ohwi & Ohahsi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vigna unguiculata (L.) Walp. subsp. cylindrica (L.) Eselt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vigna vexillata (L.) A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vigna wightii Benth. ex Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Virgilia oroboides (Berg.) Salter and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Wisteria sinensis (Sims) Sweet. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zornia diphylla (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zornia gibbosa Span. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acrocarpus fraxinifolius Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amherstia nobilis Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bauhinia acuminata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bauhinia malabarica Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bauhinia phoenicea Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bauhinia purpurea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bauhinia racemosa Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bauhinia tomentosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bauhinia vahlii Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bauhinia variegata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brownea grandiceps Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brownea macrophylla Linden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caesalpinia bonduc (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caesalpinia coriaria (Jacq.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caesalpinia cucullata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caesalpinia decapetala (Roth) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caesalpinia mimosoides Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caesalpinia pulcherrima (L.) Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Caesalpinia sappan L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cassia fistula L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cassia grandis L. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cassia javanica L. var. javanica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cassia javanica L. var. nodosa Buch. - Ham. ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cassia javanica L. var. renigera Wall. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cassia montana Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cassia roxburghii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cassia siamea Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cassia spectabilis DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ceratonia siliqua L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chamaecrista absus (L.) H. Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chamaecrista auricoma (Graham ex Benth.) Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chamaecrista kleinii (Wight & Arn.) K. M. Matthew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chamaecrista lechenaultiana (DC.) O. Deg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chamaecrista mimosoides (L.) Green and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chamaecrista nigricans (Vahl) Greene and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chamaecrista pumilla (Lam.) K. Larsen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cynometra cauliflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cynometra travancorica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Delonix elata (L.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Delonix regia (Boj. ex Hook) Rafin. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hardwickia binata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Humboldtia bourdillonii Prian and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Humboldtia brunonis Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Humboldtia decurrense Bedd. ex OSkin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Humboldtia unijuga Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Humboldtia vahliana Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kingiodendron pinnatum (Roxb. ex DC.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Parkinsonia aculeata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Peltophorum africanum Sond. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Peltophorum pterocarpum (DC.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pterolobium hexapetalum (Roth.) Sant. & Wagh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saraca asoca (Roxb.) Wilde and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saraca thaipingensis Cantley ex.Prain. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Schizolobium parahybum (Vell.) S. F. Blake and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Senna alata (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Senna alexandrina Gars. ex Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Senna auriculata (L.) Roxb. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Senna didymobotrya (Fresn.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Senna hirsuta (L.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Senna intermedia (Sharma et al.) Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Senna italica Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Senna multiglandulosa (Jacq.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Senna occidentalis (L.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Senna pallida (Wall) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Senna septumtrionalis (Viv.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Senna sophera (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Senna surattensis (Burm.f) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Senna timoriensis (DC.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Senna tora (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tamarindus indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia armata R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia auriculiformis A. Cunn ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia baileyana F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia caesia (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia catechu (L.f.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia chundra (Roxb. ex Rottl.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia confusa Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia cultriformis A. Cunn. ex G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia concurrens Pedley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia dealbata Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia decora Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia decurrens (Wendl.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia eburnea (L.f.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia elata Cunn. Ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia farnesiana (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia ferruginea DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia grahamii Vajravelu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia hohenackeri Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia homalophylla A. Cunn. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia holosericea A.Cunn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia horrida (L.f.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia leucophloea (Roxb.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia longifolia Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia maidenii F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia mearnsii Wilde and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia melanoxylon R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia myrtifolia Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia neriifolia A. Cunn. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia nilotica (L.) Willd. ex Del. subsp. indica (Benth) Brenan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia pennata (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia planifrons Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia podalyriifolia A. Cunn ex G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia polyacantha Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia pruinescens Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia pruinosa A. Cunn ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia pulchella R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia pycnantha Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia retinodes Schlecht. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia saligna (Labill.) H. L. Wendl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia sinuata (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia tomentosa Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia torta (Roxb.) Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia verticillata Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acacia wightii Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Adenanthera pavonina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Albizia amara (Roxb.) Boivin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Albizia chinensis (Osbeck.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Albizia lathamii Hole and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Albizia lebbeck (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Albizia odoratissima (L.f.) Benth. var. odoratissima and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Albizia odoratissima (L.f.) Benth var. mollis Benth ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Albizia procera (Roxb.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Albizia Kalamn (Jacq.) F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Albizia thompsonii Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Archidendron clypearia (Jack) Nilson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Archidendron monadelphum (Roxb.)Nielsen var. monadelphum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Archidendron monadelphum (Roxb.)Nielson var. gracile (Bedd.) Sanj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calliandra brevipes Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calliandra calothyrsus Meisn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calliandra haematocephala Hassk and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calliandra inmeris (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cathormion umbellatum (Wall) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmanthus virgatus Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dichrostachys cinerea (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dichrostachys muelleri Benth. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dichrostachys santapaui Sebastine & Raman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Entada pursaetha DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Enterolobium cyclocarpum Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Haematoxylum campechianum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucaena leucocephala (L.) Gills and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mimosa intsia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mimosa hamata Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mimosa pudica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Neptunia prostrata (Lam.) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Neptunia plena (Willd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Neptunia triquetra (Willd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Paraserianthes falcataria (L.) I.C. Nielsen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Paraserianthes lophantha (Willd.) I.C. Nielsen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Parkia biglandulosa Wight Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pithecellobium dulce (Roxb.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Prosopis cineraria (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Prosopis juliflora (Sw.) Dc. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alchemilla indica Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chaenomeles speciosa (Sweet) Nakai and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cotoneaster bacillaris Wall ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cotoneaster buxifolia Wall ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cotoneaster microphyllus Wall ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cotoneaster transens G. Klotz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eriobotrya japonica (Thunb.) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fragaria chiloensis (L.) Duchesne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fragaria nilgerrensis Schlecht. ex Gay and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fragaria vesca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kerria japonica (L.) Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Malus baccata (L.) Borkh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Malus sylvestris (L.) Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Photinia integrifolia Lindl. var. sublanceolata Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Photinia serratifolia (Desf.) Kalkman var. serratifolia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Photinia serratifolia (Desf.) Kalkman var. tomentosa (Gamble) Vivek. & Shetty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Potentilla indica (Andr.) Wolf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Potentilla leschenaultiana Ser. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Potentilla sundaica (blume) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Prinsepia utilis Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Prunus armeniaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Prunus avium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Prunus cerasoides D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Prunus ceylanica (Wight) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Prunus domestica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Prunus laurocerasus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Prunus persica (L.) Batsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Prunus salicina Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Prunus serrulata Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pyrus communis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Quillaja saponaria Molina and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rosa banksiae R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rosa brunonii Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rosa x centifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rosa x damascena Mill. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rosa gigantea Collett ex Crop. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rosa indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rosa laevigata Michx. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rosa leschenaultiana Red. & Thory ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rosa multiflora Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rubus ellipticus Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rubus fairholmianus Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rubus glomeratus Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rubus idaeus L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rubus indicus Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rubus micropetalus Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rubus niveus Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rubus racemosus Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rubus rugosus Smith var. rugosus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rubus rugosus Smith var. thwaitesii Focke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Spiraea canescens D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Spiraea cantoniensis Lour. var. cantoniensis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Spiraea cantoniensis Lour var. florepleno Maxim. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Spiraea japonica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Spiraea nipponica Maxim. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Atuna indica (Bedd.) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Atuna travancorica (Bedd.) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chrysobalanus icaco L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saxifraga stolonifera Meerb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vahlia dichotoma (Murr.) Bullock and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vahlia digyna (Retz.) Bullock and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Parnassia mysorensis Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Parnassia wightiana Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Deutzia scabra Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hydrangea macrophylla (Thunb.) Ser. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Philadelphus coronarius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Escallonia rubra (Ruiz & Pav.) Pers. var. macrantha Hook. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Escallonia montevidensis DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aeonium arboreum (L.) Webb & Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bryophyllum fedtschenkoi (Raym.-Hamet &

H.Perrier ) C.Y.Cheng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crassula multicava Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crassula quadrifida Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kalanchoe bhidei Cooke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kalanchoe grandiflora Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kalanchoe lanceolata (Forsk.) Pers. var. lanceolata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kalanchoe lanceolata (Forsk.) Pers. var. glabra (Clarke) Srinivasan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kalanchoe lanceolata (Forsk.) Pers. var. glandulosa (Hochst. ex A. Rich.) Cufod. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kalanchoe olivacea Dalz. & Gibs. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kalanchoe pinnata (Lam.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kalanchoe schweinfurthii Penzig and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kalanchoe tubiflora Hamet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rochea coccinea (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sedum mexicanum Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tillaea pentandra Royle ex Edgew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Drosera burmannii Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Drosera indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Drosera peltata Sm. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Exbucklandia populnea (R.Br. Ex Griffith) R. W. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Liquidambar styraciflua L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Laurembergia coccinea (Blume) Kan. var. coccinea and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Laurembergia coccinea (Blume) Kan. var. zeylanica (Arn. ex Clarke) Meyden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Myriophyllum oliganthum (Wight & Arn.) F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Callitriche stagnalis Scop. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bruguiera cylindrica (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bruguiera gymnorrhiza (L.) Savigny and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carallia brachiata (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cassipourea ceylanica (Gard.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ceriops decandra (Griff.) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ceriops tagal (Perr.) Robins and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kandelia candel (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhizophora x annamalayana Kathir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhizophora apiculata Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhizophora mucronata Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anogeissus acuminata (Roxb. ex DC.) Guill. & Perr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anogeissus latifolia (Roxb. Ex DC.) Wall ex Guill. & Perr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calycopteris floribunda Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Combretum albidum G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Combretum coccineum (Sonner.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Combretum nanum Willd.Buch. - Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lumnitzera racemosa Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Quisqualis indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Quisqualis malabarica Bedd. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Terminalia bellirica (Gaertn.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Terminalia catappa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Terminalia chebula Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Terminalia cuneata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Terminalia elliptica Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Terminalia gella Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Terminalia pallida Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Terminalia paniculata Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Terminalia travancorensis Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acca sellowiana (Berg) Burret and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Agonis flexuosa Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Angophora costata (Gaertn.) Britt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Angophora intermedia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Angophora lanceolata Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Angophora subvelutina F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Baeckea virgata (Forst.) Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Callistemon brachyandrus Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Callistemon citrinus (Curtis) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Callistemon polandii Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Callistemon rigidus R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Callistemon salignus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Callistemon viminalis (Gaertn.) Don ex Loudon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus alpina Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus amygdalina Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus blakelyi Maiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus bosistoana F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus botryoides Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus bridgesiana R. T. Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus calophylla R. Br. ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus camaldulensis Dehnh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus cephalocarpa Blakely and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus citriodora Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus cladocalyx F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus crebra F. v. Muell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus cypellocarpa L.A.S. Johnson and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus elata Dehnh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus diversicolor F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus eugenioides Sieb. ex Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus ficifolia F. v. Muell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus globulus Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus grandis W.Hill ex Maiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus hemiphloia F. v. Muell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus leucadendron Reinz. ex DeVriese and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus leucoxylon F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus longifolia Link & Otto and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus macarthurii Deane & Maiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus maculata Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus megacornuta C. A. Gardener and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus microcorys F. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus melliodora A. Cunn ex Schau. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus nitida Hook. f. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus nova-anglica Deane & Maiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus obliqua L. Her. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus ovata Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus paniculata Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus pauciflora Sieb ex Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus pipertia Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus polyanthemos Schauer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus ptychocarpa F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus punctata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus radiata Sieb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus regnans F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus resinifera Sm and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus robusta Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus rossii R. T. Baker & H. G. Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus saligna Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus siderophloia Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus sideroxylon A. Cunn.ex.Woolls and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus staigeriana F. v. Muell. ex Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus tereticornis Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus torelliana F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus viminalis Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eugenia bracteata (Willd.) Roxb ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eugenia calcadensis Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eugenia continifolia Jacq.subsp. codyensis (Munro ex Wight) Ashton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eugenia discifera Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eugenia floccosa Bedd. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eugenia indica (Wight) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eugenia mabaeoides Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eugenia manickamia Murugan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eugenia rottleriana Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eugenia singampattiana Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eugenia thwaitesii Duthie and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eugenia uniflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leptospermum flavescens Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leptospermum scoparium Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leptospermum stellatum Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lophostemon confertus (R.Br.) Peter G.Wilson & J.T.Waterh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melaleuca armillaris Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melaleuca hypericifolia Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melaleuca leucadendron L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melaleuca nesophylla F.v. Muell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melaleuca quinquenervia S. T. Blake and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melaleuca styphelioides Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Meteoromyrtus wynaadensis (Bedd.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Myrtus communis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pimenta dioica (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psidium cattleyanum Sabine and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psidium guajava L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhodomyrtus tomentosa (Ait.) Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syncarpia glomerulifera (Sm.) Nied. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syncarpia laurifolia Tenore and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium alternifolium (Wight) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium aqueum (Burm. F.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium aromaticum (L.) Merr. & Perry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium beddomei (Duthie) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium benthamianum (Wight ex Duthie) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium bourdillonii (Gamble) Rathakr. & Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium calophyllifolium Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium caryophyllatum (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium chandrasekharanii Chandrabose &

Chandr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium courtallense (Gamble) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium cumini (L.) Skeels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium densiflorum Wall ex. Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium fergusonii (Trimen) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium gambleanum Rathakr. & Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium gardneri Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium hemisphericum (Wight) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium jambos (L.) Alston and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium laetum (Buch. - Ham.) Gandhi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium lanceolatum (Lam.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium malabaricum (Bedd.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium malaccensis (L.) Merr. & Perry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium megacarpum (Craib) Rathakr. & Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium mundagam (Bourd.) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium munronii (Wight) Chandr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium myhendrae (Bedd. ex Brandis) Gamble

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium rama - varmae (Bourd.) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium revolutum (Wight) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium rubicundum Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium scoparium Wallich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium spathulatum Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium sriganesanii Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium tamilnadensis Rathakr. & Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium travancoricum Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium venosum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium zeylanicum (L.) DC. var. zeylanicum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium zeylanicum (L.) DC. var. ellipticum Henry, Chandrabose and Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium zeylanicum (L.) DC. var. lineare (Duthie) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium zeylanicum (L.) DC. var. megamalayanum K. Ravik. & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Couroupita guianensis Aubl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gustavia superba Berg and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Barringtonia acutangula (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Barringtonia asiatica (L.) Kurz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Barringtonia racemosa (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Careya arborea Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kendrickia walkeri (Wight) Hook. f. ex Triana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Medinilla beddomei Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Medinilla fuchsioides Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Medinilla malabarica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melastoma malabathricum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Memecylon angustifolium Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Memecylon bremeri Viswanathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Memecylon depressum Benth ex Triana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Memecylon edule Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Memecylon flavescens Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Memecylon gracile Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Memecylon gracillimum Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Memecylon grande Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Memecylon heyneanum Benth ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Memecylon kollimalayana Viswanathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Memecylon lawsonii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Memecylon leucanthemum Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Memecylon lushingtonii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Memecylon manickamii C. Murugan V. Sundaresan & G.J. Jothi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Memecylon molestum (Clarke) Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Memecylon mundanthuraianum Viswanathan & ManikKalamn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Memecylon randerianum S.M. & M.R. Almeida and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Memecylon rivulare Bremer and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Memecylon rostratum Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Memecylon sisparense Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Memecylon subcordatum Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Memecylon subramanii Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Memecylon talbotianum Brandis & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Memecylon tirunelvelicum Murugan Manickam & Sundaresan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Memecylon umbellatum Burm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Memecylon variens Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Osbeckia aspera (L.) Blume var. aspera and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Osbeckia aspera (L.) Blume var. travancorica (Bedd. ex gamble) Hansen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Osbeckia aspera (L.) Blume var. wightiana (Benth ex Wight & Arn.) Trimen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Osbeckia brachystemon Naud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Osbeckia buxifolia Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Osbeckia gracilis Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Osbeckia leschenaultiana DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Osbeckia muralis Naud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Osbeckia reticulata Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Osbeckia rubicunda Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Osbeckia parvifolia Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Osbeckia stellata Buch. Ham. ex Ker-Gawl. var. hispidissima (Wight) Hansen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Osbeckia stellata Buch. Ham. ex Ker-Gawl. var. rostrata (D. Don) Hansen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Osbeckia tirunelvelica Manickam & Murugan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Osbeckia virgata D. Don ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Osbeckia wynaadensis Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Osbeckia zeylanica L f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sonerila brunonis Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sonerila clarkei Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sonerila devicolamensis Nayar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sonerila elegans Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sonerila grandiflora R. Br. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sonerila inaequalis Murugan et Manickam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sonerila kanyakumariana Gopalan & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sonerila longipetiolata Josephine Manickam Murugan Sundaresan & Jothi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sonerila parameswaranii Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sonerila pulneyensis Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sonerila rheedii Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sonerila rotundifolia Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sonerila sadasivanii Nayar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sonerila speciosa Zenk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sonerila tenera Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sonerila tinnevelliensis Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sonerila travancorica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sonerila versicolor Wight var. versicolor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sonerila versicolor Wight var. axillaris (Wight) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sonerila wallichii Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sonerila zeylanica Wifht & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tibouchina urvilleana (DC.) Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ammania baccifera L. subsp baccifera and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ammania baccifera L. subsp.aegyptiaca (Willd.) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ammania multiflora Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ammania octandra L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cuphea hyssopifolia Kunth and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cuphea ignea A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cuphea platycentra Lemaire and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lagerstroemia indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lagerstroemia microcarpa Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lagerstroemia parviflora Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lagerstroemia reginae Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lawsonia inermis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nesaea brevipes Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nesaea prostrata (Ham. ex Dillwyn) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pemphis acidula Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rotala densiflora (Roth ex Roem. & Schultes) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rotala fimbriata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rotala illecebroides (Arn. ex Clarke) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rotala indica (Willd.) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rotala macrKalam Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rotala rosea (Roiret.) C. Cook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rotala rotundifolia (Buch. Ham. Ex D. Don) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rotala verticillaris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sonneratia apetala Buch. -Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Punica granatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Circaea alpina L. subsp. imaicola (Asch. & Magn.) Kitamura and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fuchsia arborescens Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fuchsia boliviana Carr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fuchsia magellanica Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ludwigia adscendens (L.) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ludwigia hyssopifolia (G. Don) Exell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ludwigia octovalvis (Jacq.) Raven subsp. sessiliflora (Mich.) Raven and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ludwigia perennis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ludwigia peruviana (L.) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ludwigia prostrasta Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oenothera biennis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oenothera glazioviana Mich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oenothera nocturna Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oenothera odorata Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oenothera rosea Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oenothera stricta Ledeb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oenothera tetraptera Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trapa natans L. var. bispinosa (Roxb.) Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Turnera subulata Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Turnera ulmifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Adenia hondala (Gaertn.) Wilde and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Adenia wightiana (Wall. ex Wight & Arn.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Passiflora alba Link & Otto and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Passiflora antioquiensis Karsten and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Passiflora caerulea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Passiflora edulis Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Passiflora foetida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Passiflora holosericia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Passiflora laurifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Passiflora leschenaultii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Passiflora ligularis Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Passiflora mollissima (H. B. K.) Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Passiflora quadrangularis L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Passiflora suberosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Passiflora subpeltata Ortega and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carica papaya L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Benincasa hispida (Thunb.) Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Citrullus colocynthis (L.) Schrader and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Citrullus lanatus (Thunb.) Matsumura & Nakai and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coccinia grandis (L.) Voigt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Corallocarpus epigaeus (Rottl. & Willd.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ctenolepis garcinii (Burm.f.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cucumis melo L. var. melo and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cucumis melo L. var. utilissimus (Roxb.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cucumis prophetarum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cucumis sativus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cucumis trigonus Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cucurbita maxima Duchesne ex Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cucurbita moschata (Duchesene ex Lam.) Duchesne ex Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cucurbita pepo L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diplocyclos palmatus (L.) Jeffrey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gymnopetalum wightii Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gynostemma pentaphyllum (Thunb.) Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kedrostis courtallensis (Arn.) Jeffrey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kedrostis foetidissima (Jacq.) Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lagenaria siceraria (Molina) Standley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Luffa acutangula (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Luffa cylindrica (L.) M.Roem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Momordica charantia L. var. charantia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Momordica charantia L. var. muricata (Willd.) Chakravarty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Momordica cymbalaria Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Momordica dioica Roxb. ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Momordica subangulata Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mukia leiosperma (Wight & Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mukia maderaspatana (L.) M. Roem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sechium edule (Jacq.) Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solena amplexicaulis (Lam.) Gandhi and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solena angulata (Chakravarty) Babu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trichosanthes anaimalaiensis Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trichosanthes cucumerina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trichosanthes lobata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trichosanthes nervifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trichosanthes tricuspidata Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zehneria maysorensis (Wight & Arn.) Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zehneria scabra (L.f.) Sond. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zehneria thwaitesii (Schweinf.) Jeffrey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Begonia albo-coccinea Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Begonia aliciae Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Begonia anamalayana Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Begonia cordifolia (Wight) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Begonia floccifera Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Begonia integrifolia Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Begonia malabarica Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Begonia subpeltata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tetrameles nudiflora R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cereus pterogonus Lem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cylindropuntia ramosissima (Engler) Knuth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Epiphyllum oxypetalum (DC.) Haw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hylocereus undatus (Haw.) Britton & Rosc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nopalea cochenillifera (L.) Salm-Dyck and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Opuntia elatior Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Opuntia ficus - indica (L.) Miller and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Opuntia stricta (Haw.) Haw. var. dillenii (Ker

Gawl.)L. D. Benson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Opuntia vulgaris Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pereskia aculeata Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lampranthus spectabilis (Haw.) N. E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sesuvium portulacastrum (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trianthema portulacastrum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trianthema triquetra Rottl. var. triquetra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trianthema salsoloides Oliv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zaleya decandra (L.) Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Corbichonia decumbens (Forsk.) Exell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gisekia pharnaceoides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glinus lotoides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glinus oppositifolius (L.) A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mollugo cerviana (L.) Ser. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mollugo disticha Ser. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mollugo nudicaulis Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mollugo pentaphylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mollugo stricta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anethum graveolens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Apium graveolens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bupleurum distichophyllum Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bupleurum plantaginifolium Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bupleurum wightii Mukh. var. wightii and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bupleurum wightii Mukh. var. ramosissimum (Wight &Arn.) Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carum nothum Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Centella asiatica (L.) Urban and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coriandrum sativum L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cuminum cyminum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Daucus carota L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Foeniculum vulgare Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heracleum aquilegifolium Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heracleum candolleanum (Wight & Arn.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heracleum ceylanicum Gard. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heracleum courtallense Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heracleum hookerianum Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heracleum rigens Wall ex DC. var. rigens and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heracleum rigens Wall ex. DC. var. elongatum Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heracleum rigens Wall ex DC. var. multiradiatum Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heracleum sprengelianum Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hydrocotyle conferta Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hydrocotyle javanica Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hydrocotyle sibthorpioides Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pastinaca sativa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Petroselinum crispum (Mill.) Nyman ex auct.non.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Peucedanum anamallayense Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pimpinella candolleana Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pimpinella heyneana (Wall ex DC.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pimpinella leschenaultii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pimpinella pulneyensis Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pimpinella wallichiana (Miq.) Gandhi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sanicula elata Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trachyspermum ammi (L.) Sprague and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trachyspermum roxburghianum (DC.) Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vanasushava pedata (Wight) Mukh. & Constance and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aralia malabarica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedera australiana F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedera helix L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polyscias acuminata (Wight) Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polyscias fruticosa (L.)Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pentapanax leschenaultii (DC.) Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Schefflera capitata (Wight & Arn.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Schefflera clarkiana Craib. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Schefflera maduraiensis Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Schefflera racemosa (Wight) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Schefflera rostrata (Wight) Harms var. rostrata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Schefflera rostrata (Wight) Harms var. micrantha (Clarke) Mahesh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Schefflera roxburghii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Schefflera stellata (Gaertn.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Schefflera venulosa (Wgith & Arn.) Harms var. venulosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Schefflera venulosa (Wgith & Arn.) Harms var. obliquinervia Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Schefflera wallichiana (Wight & Arn.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tetrapanax papyrifer (Hook.) Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cornus capitata Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mastixia arborea (Wight) Bedd. subsp. arborea and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mastixia arborea (Wight) Bedd. subsp. meziana (Wang.) Matthew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alangium salvifolium (L.f.) Wang. subsp. salvifolium and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alangium salvifolium (L.f.) Wang. subsp. hexapetalum (Lam.) Wang and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diervilla florida Sieb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lonicera caprifolium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lonicera etrusca Santi. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lonicera japonica Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lonicera leschenaultii Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lonicera ligustrina Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lonicera periclymenum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lonicera sempervirens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Viburnum cylindricum Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Viburnum erubescens Wall. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Viburnum hebanthum Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Viburnum punctatum Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sambucus nigra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acranthera anamallica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acranthera grandiflora Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aidia gardneri (Thw.) Tirvengadum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Agrostemma courtallense Arn. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Agrostemma verticillatum Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Benkara malabarica (Lam.) Tirvengadum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Byrsophyllum tetrandrum (Bedd.) Hook.f. ex Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Canthium angustifolium Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Canthium ficiforme Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Canthium neilgherrense Wight var. neilgherrense and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Canthium neilgherrense Wight var. chartacea (Gamble) Swamin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Canthium coromandelicum (Burm. F.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Canthium rheedii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Canthium travancoricum (Bedd.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Catesbaea spinosa Linn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Catunaregam spinosa (Thunb.) Tirvengadum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ceriscoides turgida (Roxb.) Tirvengadum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chassalia curviflora (Wall. ex Kurz) Thw. var. ophioxyloides (Wall.) Deb & Krishna and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cinchona calisaya Wedd. var. calisaya and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cinchona calisaya Wedd. var. ledgeriana How. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cinchona officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cinchona succirubra Pav. ex Klotzsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coffea arabica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coffea canephora Pierre ex A. Froehner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coffea liberica Bull. ex Hiern var. dewevrei (De Wild. & T. Durand) Leburn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coffea travancorensis Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Deccania pubescens (Roth) Tirvengadum var. pubescens and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Deccania pubescens (Roth) Tirvengadum var. candolleana (Wight & Arn.) Tirvengadum and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dentella repens (L.) Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dentella serpyllifolia Wall. ex Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fergusonia tetracocca (Thw.) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Galium asperifolium Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Galium rotundifolium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gardenia angusta (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gardenia gummifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gardenia latifolia Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gardenia resinifera Roth and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Geophila repens (L.) I.M. Johnston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Guettarda speciosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Haldina cordifolia (Roxb.) Ridsdale and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hamelia patens Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis affinis Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis albo-nervia Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis anamalayana (Gamble) R. Rao & Hemadri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis articularis R.Br. ex Wight & Arn. subsp. articularis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis articularis R.Br. ex Wight & Arn. subsp. santapaui (Shetty & Vivek.) Deb & Dutta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis aspera Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis auricularia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis barberi (Gamble) Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis beddomei Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis biflora (L.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis brachiata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis buxifolia Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis caerulea Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis corymbosa (L.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis devicolamensis Deb & Dutta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis diffusa Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis erecta Manilal & Sivar. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis eualata (Gamble) Henry & Subram. var. eualata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis eualata (Gamble) Henry & Subram. var. agastyamalayana Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis gamblei Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis gracilis Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis graminifolia L.f. var. graminifolia and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis graminifolia L.f. var. shuteri (Hook. f.) Deb & Dutta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis herbacea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis hirsutissima Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis lessertiana Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis nitida Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis ovatifolia Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis pruinosa Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis pterita Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis puberula (G.Don) Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis pumila L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis purpurascens Hook.f. var. purpurascens and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis purpurascens Hook.f. var. pallida (Gamble) Mohanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis ramarowii (Gamble) R.Rao & Hemadri var. ramarowii and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis ramarowii (Gamble) R. Rao & Hemadri var. kannikattica Sundaresan, Manickam ,G.J. Jothi & Murugan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis shettyi Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis sisparensis Gage and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis leschenaultiana DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis swertioides Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis travancorica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis villosostipulata (Gamble) R.Rao & Hemadri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis viscida Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hydrophylax maritima L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hymenodictyon obovatum Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hymenodictyon orixense (Roxb.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ixora brachiata Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ixora coccinea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ixora cuneifolia Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ixora elongata Heyne ex G.Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ixora finlaysoniana Wall. ex G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ixora johnsoni Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ixora leucantha Heyne ex G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ixora malabarica (Dennst.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ixora monticola Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ixora nigricans R.Br. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ixora notoniana Wall.ex G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ixora pavetta Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Knoxia sumatrensis (Retz.) DC. var. sumatrensis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Knoxia sumatrensis (Retz.) DC. var. glaberrima Bhattacharjee & Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Knoxia sumatrensis (Retz.) DC. var. hookeriana Bhattacharjee & Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Knoxia sumatrensis (Retz.) DC. var. linearis (Gamble) Bhattacharjee & Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Knoxia wightiana Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lasianthus acuminatus Wight and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lasianthus blumeanus Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lasianthus capitulatus Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lasianthus ciliatus Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lasianthus cinereus Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lasianthus dichotomous Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lasianthus jackianus Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lasianthus oblongifolius Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lasianthus parvifolius Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lasianthus rostratus Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lasianthus strigillosus Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lasianthus truncatus Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lasianthus venulosus (Wight & Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Luculia grandifolia Ghose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Luculia gratissima Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Luculia pinceana Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mitracarpus villosus (Sw.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mitragyna parvifolia (Roxb.) Korth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mitragyna tubulosa (Arn.) Hav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Morinda citrifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Morinda pubescens J.E. Smith var. pubescens and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Morinda pubescens J.E. Smith var. tomentosa Rathna Kumari & Naras. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Morinda pubescens J.E. Smith var. stenophylla (Spreng.) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Morinda reticulata Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Morinda umbellata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mussaenda belilla Buch.-Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mussaenda frondosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mussaenda glabrata (Hook.f.) Hutchinson ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mussaenda hirsutissima (Hook.f.) Hutchinson ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mussaenda tomentosa Wight ex Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mycetia acuminata (Wight) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Neanotis decipiens (Hook.f.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Neanotis hutchinsonii Deb & R. Dutta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Neanotis indica (DC.) W.H. Lewis var. indica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Neanotis indica (DC.) W.H. Lewis var. affinis (Wall. ex Wight & Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Neanotis indica (DC.) W.H. Lewis var. deltoidea

(Wall. ex Wight & Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Neanotis monosperma (Wall. ex Wight & Arn.) W.H. Lewis var. monosperma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Neanotis monosperma (Wall. ex Wight & Arn.) W.H. Lewis var. tirunelvelica Henry & Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Neanotis nummularia (Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Neanotis rheedei (Wall. ex Wight & Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Neanotis richardiana (Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Neanotis tubulosa (G.Don) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Neanotis wightiana (Wall. ex Wight & Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Neolamarckia cadamba (Roxb.) Bosser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Neonauclea purpurea (Roxb.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Neurocalyx calycinus (R.Br. ex Benn.) Robins. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nostolachma crassifolia (Gamble) Deb & Lahiri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ochreinauclea missionis (Wall. ex G.Don) Ridsdale and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Octotropis travancorica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ophiorrhiza barberi Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ophiorrhiza brunonis Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ophiorrhiza eriantha Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ophiorrhiza grandiflora Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ophiorrhiza hirsutula Wight ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ophiorrhiza incarnata Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ophiorrhiza mungos L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ophiorrhiza pectinata Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ophiorrhiza pykarensis Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ophiorrhiza roxburghiana Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ophiorrhiza rugosa Wall. var. argentea (Hook.f.) Deb & Mondal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ophiorrhiza rugosa Wall. var. merguensis (Hook.f.) Deb & Mondal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ophiorrhiza rugosa Wall. var. prostrata (D.Don.) Deb & Mondal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ophiorrhiza tirunelvelica Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oxyceros rugulosus (Thw.) Tirvengadum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pavetta blKalam Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pavetta breviflora DC. var. breviflora and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pavetta breviflora DC. var. ciliolata Gamble ex Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pavetta breviflora DC. var. glaberrima Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pavetta breviflora DC. var. pubescens Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pavetta breviflora DC. var. subcoriacea Gamble. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pavetta brunonis Wall. ex G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pavetta calophylla Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pavetta hispidula Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pavetta hohenackeri Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pavetta indica L. var. indica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pavetta indica L. var. minor Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pavetta indica L. var. montana Thw. ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pavetta laeta Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pavetta oblanceolata Bremek and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pavetta praeterita Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pavetta thomsonii Bremek. var. puberula Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pavetta tomentosa Roxb. ex J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pavetta wightii Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pavetta zeylanica (Hook.f.) Gamble var. zeylanica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pavetta zeylanica (Hook.f.) Gamble var. puberula Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pentas lanceolata (Forssk.) Deflers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pentas zanzibarica (Klotzsch) Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pleiocraterium verticillare (Wight & Arn.) Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Portlandia grandiflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pseudaidia speciosa (Bedd.) Tirv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psilanthus wightianus (Wight & Arn.) J. Leroy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psychotria anamallayana Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psychotria barberi Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psychotria beddomei Deb & Gang. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psychotria bisulcata Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psychotria connata Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psychotria flavida Talbot and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psychotria fosbergii Sohmer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psychotria globicephala Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psychotria johnsonii Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psychotria macrocarpa Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psychotria nigra (Gaertn.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psychotria nilgiriensis Deb & Gang. var. nilgiriensis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psychotria nilgiriensis Deb & Gang. var. astephana (Hook.f.) Deb & Gang. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psychotria nudiflora Wight & Arn. var. nudiflora and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psychotria nudiflora Wight & Arn. var. latifolia Deb & Gang. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psychotria octosulcata Talbot and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psychotria sarmentosa Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psychotria subintegra (Wight & Arn.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psychotria truncata Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psydrax dicoccos Gaertn. var. dicoccos and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psydrax dicoccos Gaertn. var. lanceolatus (Arn.) Ridsd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psydrax ficiformis (Hook.f.) Bridson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psydrax umbellata (Wight) Bridson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Richardia brasiliensis Gomes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Richardia scabra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rubia cordifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saprosma corymbosum (Bedd.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saprosma foetens (Wight) K. Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saprosma fragrans (Bedd.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saprosma glomeratum (Gard.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Spermacoce articularis L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Spermacoce assurgens Ruiz et Pavon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Spermacoce hispida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Spermacoce latifolia Aubl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Spermacoce mauritiana Osea Gideon ex Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Spermacoce pusilla Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Spermacoce ramanii Sivarajan & Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Spermacoce ocymoides Burm.f. var. ocymoides and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Spermacoce ocymoides Burm.f. var. thekkumalensis (Sivarajan & Joseph) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tamilnadia ulginosa (Retz.) Tirvengadum & Sastre and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tarenna alpestris (Wight) Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tarenna asiatica (L.) Kuntze ex K. Schum. var. asiatica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tarenna asiatica (L.) Kuntze ex K. Schum. var. asiatica forma rigida (Wight) Raju and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tarenna asiatica (L.) Kuntze ex K. Schum. var. montana (Thw.) Raju and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tarenna canarica (Bedd.) Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tarenna monosperma (Wight & Arn.) Raju. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tarenna nilagirica (Bedd.) Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tricalysia apiocarpa (Dalz.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tricalysia sphaerocarpa (Dalz.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Urophyllum ceylanicum (Wight) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Wendlandia angustifolia Wight ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Wendlandia thyrsoidea (Schultes) Steud. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Valeriana arnottiana Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Valeriana hookeriana Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Valeriana leschenaultii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Valeriana moonii Arn.ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dipsacus leschenaultii Coult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scabiosa atropurpurea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acanthospermum hispidum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Achillea millefolium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acroclinium roseum Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Adenoon indicum Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Adenostemma lavenia (L.) Kuntze var. lavenia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Adenostemma lavenia (L.) Kuntze var. madurense (DC.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Adenostemma lavenia (L.) Kuntze var. reticulatum (DC.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Adenostemma lavenia (L.) Kuntze var. rugosum (DC.) Ram Lal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ageratina adenophora (Spreng.) R.King & H. Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ageratum conyzoides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ageratum houstonianum Mill. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Amberboa ramosa (Roxb.) Jafri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anaphalis aristata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anaphalis beddomei Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anaphalis bournei Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anaphalis brevifolia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anaphalis busua (Buch.-Ham.ex D.Don) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anaphalis elliptica DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anaphalis lawii (Hook.f.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anaphalis leptophylla (DC.) DC. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anaphalis marcescens (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anaphalis meeboldii W.W. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anaphalis neelgerryana (Sch. - Bip. ex DC.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anaphalis notoniana (DC.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anaphalis subdecurrens (DC.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anaphalis travancorica W.W.Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anaphalis wightiana (DC.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arctotis venusta Norl. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Argyranthemum frutescens Sch. Bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Artemisia nilagirica (Clarke) Pamp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Artemisia japonica Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Artemisia pallens Wall. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Artemisia sieversiana Ehrh. ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aster indamellus Grierson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aster laevis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aster cordifolius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aster rotundifolius Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bidens biternata (Lour.) Merr. & Sherff and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bidens pilosa L. var. pilosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bidens pilosa L. var. minor (Blume) Sherff and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bidens triplinervia H.B.K. var. macrantha (Wedd.) Sherff and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blainvillea acmella (L.) Philipson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blepharispermum petiolare DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blepharispermum subsessile DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blumea alata (D.Don) DC. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blumea aurita (L.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blumea barbata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blumea Nripatingeriana DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blumea bifoliata (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blumea clarkei Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blumea eriantha DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blumea fistulosa (Roxb.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blumea hieracifolia (D.Don) DC. var. hieracifolia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blumea hieracifolia (D.Don) DC. var. flexuosa (Clarke) Randeria and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blumea hieracifolia (D.Don) DC. var. hamiltonii (DC.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blumea hieracifolia (D.Don) DC. var. macrostachya (DC.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blumea lacera (Burm.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blumea lanceolaria (Roxb.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blumea malcolmii (Clarke) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blumea membranacea Wall. ex DC. var. membranacea and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blumea membranacea Wall. ex DC. var. jacquemontii (Hook.f.) Randeria and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blumea mollis (D.Don) Merr. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blumea obliqua (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blumea oxyodonta DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blumea virens Wall. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Blumea flava DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bracteantha bracteata (Vent.) Andr. & Haegi var. bracteata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bracteantha bracteata (Vent.) Andr. var. albidum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calendula officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Callistephus chinensis (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carpesium cernuum L. var. nilagiricum Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Carthamus tinctorius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Centaurea cyanus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Centrantherum punctatum Cass. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Centipeda minima (L.) A. Braun & Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chromolaena odorata (L.) King & Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chrysanthemum anethifolium Brouss. ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chrysanthemum coronarium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elaeagnus angustifolia L. NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elaeagnus caudata SCHLECHT. EX MOMIYAMA caudata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elaeagnus conferta ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elaeagnus hortensis M. BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elaeagnus indica SERV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elaeagnus kologa SCHLECHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elaeagnus latifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elaeagnus parvifolia WALL. EX ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elaeagnus pyriformis HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elaeagnus umbellata THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elaeocarpus floribundus BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elaeocarpus ganitrus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elaeocarpus lanceolatus BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elaeocarpus munronii (WIGHT.) MAST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elaeocarpus oblongus GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elaeocarpus serratus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elaeocarpus sphaericus (GAERTN.) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elaeocarpus tuberculatus ROXB. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elaeodendron glaucum PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elaeodendron roxburghii W. & A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elatostema lineolatum WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elatostema platyphyllum WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elatostema sessile FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eleocharis dulcis (BURM.F.) TRIN. EX HENSCHEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elephantopus scaber L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elettaria cardamomum MATON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elettaria cardamomum MATON major THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elettaria cardamomum MATON minor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elettaria cardamomum MATON miniscula and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elettaria repens BAILOL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eleusine aegyptiaca DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eleusine coracana (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eleusine indica GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eleutherococcus senticosus (RUPR. & MAXIM.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elsholtzia blKalam (BTH.) BTH. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elsholtzia ciliata (THUNB.) HYLAND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elsholtzia densa BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elsholtzia pilosa BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elsholtzia polystachya BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elsholtzia strobilifera BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elytraria acaulis (L.F.) LINDAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elytrophorus spicatus (WILLD.) CAMUS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Embelia acutipetalum (LAM.EX HASSK.) S.M.& M.R. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Embelia ribes BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Embelia robusta C.B.CLARK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Embelia subcoriacea (CL.) MEZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Embelia tsjeriam-cottam A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Emblica officinalis GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Embryopteris glutinifera ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Emilia javanica (BURM. F.) C. B. ROBINSON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Emilia sonchifolia (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Engelhardia polystachya RADLK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Engelhardtia roxburghiana WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Engelhardtia spicata LESCHEN EX. BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Enhydra fluctuans LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Enhydra fluctuns LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eniada scandens AUCT. NON BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Enicostemma axillare (LAM.) RAYNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Enicostemma hyssopifolium (WILLD.) VERDOORN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Enicostemma littorale BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Enicostemma verticillatum (L.) ENGL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Entada phaseoloides MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Entada pursaetha DC. pursaetha and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Entada rheedii SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Entada scandens BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Enteropogon dolichostachyus (LAGAS.) KENG EX LAZAR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Epaltes divaricata (L.) CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ephedra equisetina BUNGE and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ephedra gerardiana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ephedra intermedia SCHR. & MEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ephedra major HOST NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ephedra nevadensis WATS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ephedra peduncularis BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ephedra saxatilis STAPF sikkimensis STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ephedra sinica STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ephedra vulgaris HOOK.F. NON A.RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ephemerantha macraei (LINDL.) HUNT & SUMMERH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Epidendrum retusum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Epidendrum tenuifolium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Epilobium angustifolium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Epilobium hirsutum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Epilobium roseum SCHREB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Epilobium royleanum HOUSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Epimedium elatum MORR. & DECNE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Epipactis latifolia ALL. NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Equisetum arvense L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Equisetum debile ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Equisetum diffusum DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Equisetum ramosissimum DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eragrostis amabilis (L.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eragrostis ciliata NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eragrostis cynosuroides BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eragrostis gangetica (ROXB.) STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eragrostis nutans (RETZ.) NEES EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eragrostis tremula HOCHST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eragrostis viscosa TRIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eranthemum bicolor SCHRANK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eranthemum nervosum (VAHL) R. BR. EX ROEM & SCHULTES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eranthemum purpurascens NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eranthemum roseum R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erechtites valerianaefolia (WOLF.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eremostachys acanthocalyx BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eremostachys loasifolia BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eremostachys superba ROYLE EX BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eremostachys vicaryi BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eremurus himalaicus Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eria calamifolia HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eria pannea LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erianthus arundinaceus (RETZ.) JESWEIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erianthus munja JESW. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erigeron alpinus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erigeron asteroides ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erigeron bellidioides (DON) BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erigeron bonariensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erigeron canadensis TENORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erigeron floribundus (H.B. & K.) SCH.-BIP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erigeron multiradiatus (DC.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erigeron sublyratus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eriglossum rubiginosum BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eriobotrya japonica LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eriobotrya latifolia HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eriocaulon setaceum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eriocaulon sexangulare L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eriocaulon sieboldianum S. & Z. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eriodendron anfractuosum BC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erioglossum rubiginosum (ROXB.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eriolaena hookeriana WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eriolaena quinquelocularis WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eriosema chinense VOG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eriosema himalaicum OHASHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eritrichium canum (BTH.) KITAMURA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erodium cicutarium (L.) L'HERT EX AIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erodium moschatum L'HERIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erophila verna (L.) C.E. MEY. EX GARCKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eruca sativa GARS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eruca vesicaria (LINN.) CAV. sativa (mill.)thell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ervatamia coronaria (JACQ.) STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ervatamia dichotoma (ROXB.) BLATTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ervatamia heyneana T.COOKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ervatamia orientalis (R.BR.) TURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ervatmia divaricata (LINN.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erycibe paniculata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erygium caeruleum BEIB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erygium coeruleum BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eryngium biebersteinianum NEVSKI EX BABROV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eryngium billardieri DELAR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eryngium caeruleum BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eryngium foetidum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erysimum altaicum C.A. MEY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erysimum repandum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erysimum sisymbrioides C.A. MEY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erythraea roxburghii G.DON and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erythrina arborescens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erythrina corallodendron L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erythrina fusca LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erythrina indica LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erythrina resupinata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erythrina stricta ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erythrina suberosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erythrina variegata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erythrina variegata L. orientalis MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erythronium indicum ROTTL. EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erythropalum scandens BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erythroxylium coca LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erythroxylum areolatum WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erythroxylum lucidum MOON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erythroxylum monogyneum ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erythroxylum monogynum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erythroxylum monogynum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erythroxylum moonii HOCHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erythroxylum retusum BAUER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erythroxylum retusum BAUER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ethulia conyzoides L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus camaldulensis DENST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus citriodora HK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus globulus LABILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucalyptus resinifera HORT. ARG. EX MAIDEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euchresta horsfieldii (LESCH.) BENNETT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euchretia buxifolia ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eucomis undulata AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eugenia aromatica KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eugenia bracteata (WILD.)ROXB. EX. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eugenia caryophyllaea WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eugenia hemispherica WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eugenia jambolana LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eugenia jambos L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eugenia malaccensis BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eugenia munroii MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eugenia occidentalis BOURD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eugenia operculata SENSU DUTHIE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eugenia racemosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eugenia spicata LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eugenia uniflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eulaliopsis binata (RETZ.) C.E. HUBBARD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eulophia Kalammanensis REICHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eulophia campestris WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eulophia cullenii (WIGHT) BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eulophia dabia (D.DON) HOCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eulophia epidendraea (KOENIG) SCHLECHTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eulophia explanata LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eulophia herbacea LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eulophia nuda LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eulophia pratensis LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eulophia ramentacea WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eulophia spectabilis (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euodia lanu-ankenda (GAERTN.)MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euonymus atropurpureus JACQ.B.P. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euonymus crenulatus WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euonymus hamiltonianus WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euonymus indicus HEYNE EX. ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euonymus javanicus BL.BIJDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euonymus pendulus WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euonymus serratifolius BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euonymus theophrasti WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euonymus tingens WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eupatorium adenophorum SPRENG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eupatorium ayapana VENT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eupatorium birmanicum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eupatorium cannabinum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eupatorium glandulosum SCH. BIP. EX BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eupatorium odoratum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eupatorium perfoliatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eupatorium triplinerve VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia acaulis ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia antiquorum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia atoto G.FORSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia barnhartii CROIZAT, EUPHORB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia bombaiensis SANT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia caducifolia HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia chamaesyce L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia cognata BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia dracunculoides LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia fusiformis BUCHY.-HAM. EX D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia granulata FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia helioscopia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia hirta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia hispida BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia hypericifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia inaequilatera SOND. NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia laeta HEVNE EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia lathyris LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia ligularia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia longan STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia longifolia D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia microphylla HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia milii DESMOUL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia neriifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia nivulia BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia onicrophylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia orbiculata H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia pilosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia pilulifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia prostrata AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia pulcherrima WILLD. EX KLOT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia resinifera BERQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia rosea RETZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia rothiana SPR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia royleana BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia sanguinea HOCHST. & STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia splendens BOI EX HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia stracheyi BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia thomsoniana BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia thymifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia tibetica BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia tirucalli L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia tortilis ROTTLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia trigona HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia turcomanica BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia uniflora ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphorbia wallichii HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphoria longana LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphrasia himalaica WETTST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphrasia odontites LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphrasia officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euphrasia platyphylla PENNEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eurya acuminata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eurya japonica AUCT. NON THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eurya nitida KOTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euryale ferox SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euryangium sumbul KAUFFMAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eurycoma longifolia JACK. ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Evodia fraxinifolia HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Evodia lunu-ankenda MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Evodia meliaefolia BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Evodia roxburghiana BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Evodia rutaecarpa HOOK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Evodia trichotoma (LOUR.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Evolvulus alsinoides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Evolvulus emarginatus BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Evolvulus nummularius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Exacum bicolor ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Exacum lawii C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Exacum pedunculatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Exacum tetragonum ROXB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Excoecaria acerifolia F. DIDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Excoecaria agallocha L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Excoecaria crenulata WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Exogonium purga LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fabiana imbricata RUIZ & PAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fagonia arabica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fagonia bruguieri DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fagonia cretica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fagonia indica L. schweinfurthii HADIDI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fagopyrum cymosum MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fagopyrum dibotrys (DON) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fagopyrum esculentum MOENCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fagopyrum tataricum (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fagraea ceilanica THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fagraea imperialis MIQ. NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fagraea obovata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fagraea racemosa JACK, ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Farsetia aegyptiaca TURRA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Farsetia edgeworthii HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Farsetia hamiltonii ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Farsetia jacquemontii HOOK. F. & TH. jacquemontii and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Farsetia jacquemontii HOOK.F. TH. edgeworthii (HOOK. F. & TH.) JAFRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Feronia elephantum CORREA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Feronia limonia (l.) SWINGLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ferula alliacea BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ferula assa-foetida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ferula foetida REGEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ferula galbaniflua BOISS. & BUHSE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ferula jaeschkeana VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ferula narthex BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ferula orientalis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ferula persica WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ferula suaveolens AITCH. & HEMSEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ferula sumbul HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ferula thomsoni C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Festuca indica RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fibraurea chloroleuca Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fibraurea tinctoria LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus altissima BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus amplissima SMITH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus arnottiana (MIQ.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus asperrima ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus auriculata LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus bengalensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus benjamina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus callosa WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus carica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus cunia HAM. EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus dalhousiae MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus drupacea THUNB. pubescens (ROTH) CORNER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus elastica ROXB. EX. HORNEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus exasperata VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus fistulosa REINW. EX BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus fulva REINW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus gibbosa BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus glabella BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus glomerata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus heterophylla L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus hirta VAHL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus hispida L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus infectoria SENSU ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus lacor BUCH.- HAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus lacor BUCH.- HAM. infectoria and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus lacor BUCH.- HAM. lambertiana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus lacor BUCH.- HAM. wightiana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus lucescens BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus microcarpa L.F. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus mollis VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus oppositifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus palmata FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus racemosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus religiosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus retusa AUCT. NON L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus ribes REINW. EX BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus rumphii BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus scandens ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus semicordata BUCH. EX J. E. SMITH conglomerata (ROXB.) CORNER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus talboti G.KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus tinctorea FORST. F. parasitica parasitica (WILLD.) CORNER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus tinctoria FORST. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus tomentosa ROXB. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus tsiela ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus tsjakela BURM .F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus virens AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ficus wightiana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Filago arvensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Filicium decipiens (WIGHT & ARN.) THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis annua (ALL.) ROOM & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis argentea (ROTTB.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis bisumbellata (FORSK.) BUB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis diphylla VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis falcata (VAHL) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis junciformis KUNTH ENUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis miliacea L. & VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis ovata (BURM.F.) KERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis polytrichoides (RELZ.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fimbristylis sietiniana KUNTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fioria vitifolia (L.) MATTEI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Firmiana colorata (ROXB.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fissendocarpa linifolia (VAHL) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fissistigma polyanthum MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Flacourtia cataphracta ROXB. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Flacourtia indica (BURM.F.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Flacourtia jangomas (LOUR.) RAEUSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Flacourtia ramontchi L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Flacourtia sapida WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Flacourtia sepiaria ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Flagellaria indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Flaveria australasica HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Flemingia bracteata (ROXB.) WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Flemingia chappar BUCH.-HAM. EX BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Flemingia congesta ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Flemingia grahamiana WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Flemingia macrophylla (WILLD.) O.KTZE. EX MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Flemingia nana ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Flemingia paniculata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Flemingia procumbens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Flemingia semialata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Flemingia stricta ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Flemingia strobilifera (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Flemingia tuberosa DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Flemingia wightiana GRAHAM EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fleurya interrupta (L.) GAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Flickingeria fugax (RCHB.F.)SEODEMF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Flickingeria macraei (LINDL.) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Flickingeria nodosa (DALZ.) SEIDENF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Floscopa scandens LOUR. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fluegea leucopyrus WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Flueggea leucopyrus WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Flueggea microcarpa BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Flueggea virosa BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Foeniculum capillaceum GILB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Foeniculum vulgare GAERTN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Foeniculum vulgare GAERTN dulce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fomes officinalis (VIIL EX. FR.) LLOYD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fortunella japonica (THUNB.) SWINGLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fragaria indica ANDR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fragaria nilgherrensis SCHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Francoeria crispa CASS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Frankenia pulverulenta L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fraxinus excelsior L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fraxinus floribunda WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fraxinus hookeri WENZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fraxinus ornus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fritillaria cirrhosa D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fritillaria imperialis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fritillaria roylei HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fucus distichus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fucus nodosus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fucus vesiculosus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fumaria indica PUGSLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fumaria officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fumaria parviflora AUCT. NON. LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fumaria vaillantii LOISEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Furcraea foetida (L.) HAW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fynura bicolour (WILLD.)DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gaillonia aucheri JAUB. & SPACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Galega purpurea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Galega spinosa L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Galeopsis tetrahit L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Galidium cartilagineum (L.) GAILL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Galinsoga parviflora CAV. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Galium acutum EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Galium aparine L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Galium asperifolium WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Galium elegans BLOCKI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Galium mullugo L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Galium rotundifolium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Galium triflorum MICHX. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Galium verum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ganophyllum falcatum BLUME and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Garcinia atroviridis GRIFF. EX T. ANDER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Garcinia cambogia GAERTN. DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Garcinia cornea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Garcinia cowa ROXB. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Garcinia dulcis KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Garcinia echinocarpa THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Garcinia gummi-gutta (L.) ROBS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Garcinia hanburyi HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Garcinia heterandra WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Garcinia indica (DUP.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Garcinia kydia ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Garcinia mangostana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Garcinia morella (GAERTN.) DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Garcinia pedunculata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Garcinia pictoria ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Garcinia purpurea G.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Garcinia rubro-echinata KOSTERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Garcinia spicata (WIGHT & ARN.) HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Garcinia talbotii RAIZADA EX SANTAPAU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Garcinia tinctoria (DC.) W.F. WIGHT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Garcinia travancorica BEDDOME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Garcinia wightii T.ANDERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Garcinia xanthochymus HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gardenia augusta (L.) MERR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gardenia campanulata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gardenia dumetorum RETZ. and 15 wasteland

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gardenia floribunda ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gardenia florida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gardenia gummifera L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gardenia incida ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gardenia jasminoides ELLIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gardenia latifolia AITON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gardenia lucida ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gardenia nummularioides DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gardenia resinifera ROTH. and 15 wasteland

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gardenia turgida ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Garuga pinnata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gastrochilus longiflora WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gastrochilus pandurata RIDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gaultheria fragrantissima WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gaultheria nummularioides D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gaultheria procumbens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gaultheria trichiphylla ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gelidium cartilagineum GAILL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gelonium bifarium Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gelsemium elegans BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gelsemium semepervirens AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gemphostemma ovatum WALL. EX BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gendarussa vulgaris NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Geniosporum gracilo BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Geniosporum prostratum (L.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Geniosporum tenuiflorum (L.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gentiana algida PALLAS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gentiana argentea ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gentiana borealis GRISEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gentiana carinata GRISEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gentiana chirayta ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gentiana decumbens L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gentiana desonasa (ROTTB.) G. DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gentiana kurroo ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gentiana lutea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gentiana moorcroftiana WALL. EX. G. DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gentiana olivieri GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gentiana quadrifaria Bl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gentiana renella FRIES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gentiana stipitata EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gentiana tenella FRIES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gentiana thianschanica RUPR. EX KUSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gentianella moorcroftiana (WALL. EX GRISEB.) AIRY-SH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gentianella pedunculata (ROYLE) H. SM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gentianella tenella (ROTTB.) BORNER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gentianopsis detonsa (ROTTB.) MA. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Geodorum densiflorum (LAM.) SCHLECHTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Geodorum dilatatum R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Geophila herbacea KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Geophila reniformis D. DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Geophila repens (L.) I.M.JOHNSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Geranium himalayense KLOT. and 15 wasteland

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Geranium lucidum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Geranium mascatense BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Geranium molle L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Geranium nepalense SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Geranium ocellatum CAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Geranium pratense L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Geranium pusillum BURM.F.SPEC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Geranium rivulare VILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Geranium robertianum L. and 15 wasteland

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Geranium rotundifolium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Geranium sibiricum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Geranium wallichianum DON EX SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gerbera gossypina (ROYLE) BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gerbera lanuginosa BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gerbera piloselloides (L.) CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Geum alatum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Geum elatum WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Geum roylei WALL. EX BOLLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Geum urbanum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Giesekia pharnacoides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ginkgo biloba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Girardinia diversifolia (LINK) FRIES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Girardinia heterophylla DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Girardinia leschenaultiana DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Girardinia zeylanica DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gironniera cuspidata (BL.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gironniera reticulata THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gisekia pharnaceoides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Givotia rottleriformis GRIFF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gleditsia sinensis LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gleditsia triacanthos L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gleichenia longissima BURM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glinus dictamnoides BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glinus lotoides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glinus oppositifolius (L.) A.DC. and 15

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gliricidia maculata (H.B. & K.) STEUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Globba clarkeii BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Globba marantina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Globba multiflora WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Globba orixensis ROXB. ASIAT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Globba pauciflora KING EX BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glochidion calocarpem KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glochidion calocarpum KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glochidion ellipticum WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glochidion heyneanum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glochidion hohenackeri BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glochidion lanceolarium VOIGT. NON DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glochidion multiloculare MUELL.-ARG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glochidion oblatum HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glochidion sumatrana MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glochidion tomentosum DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glochidion zeylanicum A. JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gloriosa superba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glossocardia bosvallea DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glossocardia linearifolia CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glossogyne bidens (RETZ.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glossogyne pinnatifida DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glossonema varians BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gluta travancorica BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glycine labialis L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glycine max (L.) MERR. and 15 wasteland

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glycine pentaphylla DLAZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glycine soja SIEB. & ZUCC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glycosmis arborea (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glycosmis cochinchinensis PIERRE EX ENGLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glycosmis macrocarpa WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glycosmis mauritiana (LAMK.) TANAKA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glycosmis mauritiana (LAMK.) TANAKA Kalammanensis (NARAY.) TANAKA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glycosmis pentaphylla (RETZ.) DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glycyrrhiza glabra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glycyrrhiza glabra L. violace and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glycyrrhiza radix L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glycyrrhiza uralensis FISCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gmelina arborea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gmelina asiatica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gmelina elliptica SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gmelina parviflora PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gmelina philippensis CHAMP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gnaphalium indicum L. NULL and 15 wasteland

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gnaphalium luteo-album L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gnaphalium polycaulon PER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gnetum edule (WILLD.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gnetum gnemon L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gnetum montanum MARKGRAF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gnetum scandens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gnetum ula BRONGN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gnidia glauca STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Goldfussia thomsonii (NEES) BREMEK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gomphia angustifolia VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gomphia serrata (GAERTN.) KANIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gomphostemma crinitum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gomphostemma parviflora WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gomphostemma wallichii PRAIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gomphrena celosioides MART. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gomphrena globosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gonatanthus pumilus (DON) E. & KRAUSE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Goniothalamus sequipedalis HK.F.& TH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Goniothalamus waynaadensis BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Goniothalamus wightii HOOK.F. & THOMAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gonostegia hirta (BL.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gonystylus macrophyllus (MIQ.) AIRY SHAW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Goodyera repens (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Goodyera schlectKalamliana RCHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Goodyera secundiflora (GRIFF.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gordonia obtusa WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gossypium acuminatum ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gossypium arboreum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gossypium barbadense L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gossypium herbaceum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gossypium hirsutum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gossypium indicum TOD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gossypium obtusifolium ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gossypium purpurascens POIR and 15 wasteland

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gossypium religiosum WATT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gossypium stocksii MAST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gouania leptostachya DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gouania microcarpa DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gouania tiliaefolia LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Govania leptostachya DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gracilaria lichenoides GERV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grangea maderaspatana POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Graptophyllum hortense NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Graptophyllum pictum (L.) GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gratiola monnieria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grevillea robusta A. CUNN. EX R. BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grewia abutilifolia VENT. EX JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grewia asiatica L. vestita MASTERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grewia asiatica MAST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grewia carpinifolia JUSS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grewia elastica ROYLE and 15 wasteland weeds

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grewia helicterifolia WALL. EX G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grewia heterotricha MASTERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grewia hirsuta VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grewia microcos L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grewia obtusa WALL. EX GAMBLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grewia oppositifolia ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grewia optiva DRUMMOND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grewia orbiculata ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grewia paniculata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grewia polygama MAST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grewia populifolia VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grewia rhamnifolia HEYNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grewia rothii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grewia salvifolia HEYNE. EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grewia sapida ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grewia scabrophylla ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grewia sclerophylla ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grewia subinaequalis DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grewia tenax (FORSK.) FIORI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grewia tiliaefolia VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grewia umbellata AUCT.NON ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grewia villosa WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Guaiacum officinale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Guazuma tomentosa H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Guazuma ulmifolia LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Guettarda speciosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Guilandina bonducella L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Guizotia abyssinica CASS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gymnadenia himalayica SCHLTR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gymnadenia orchidis LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gymnema aurantiaca WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gymnema balsamicum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gymnema hirsutum WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gymnema khKalamlense SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gymnema lactiferum R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gymnema latifolium WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gymnema montanum (ROXB.) HOOK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gymnema spartium WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gymnema sylvestre R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gymnocladus assamicus Kanjilal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gymnopetalum cochinchinensis (LOUR.) KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gymnopetalum wightii WT. & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gymnosporia montana (ROTH.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gymnosporia royleana M.LAWS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gymnosporia spinosa MERILL & ROLFE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gymnostachyum febrifugum BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gynandropsis gynandra BRIQUET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gynandropsis pentaphylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gynocardia odorata R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gynostemma pentaphyllum (THUNB.) MAKINO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gynura angulosa DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gynura cusimbua (D.DON) MOORE and 15

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gynura hispida THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gynura pseudo-china DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gyrocarpus americanus JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Habenaria commelinifolia (ROXB.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Habenaria crinifera LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Habenaria diphylla DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Habenaria edgeworthii HOOK. F. EX COLLETT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Habenaria grandiflora LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Habenaria intermedia DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Habenaria longicorniculata GRAH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Habenaria orchidis (LINDL.) HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Habenaria ovalifolia WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Habenaria plantaginea LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Habenaria rariflora A.RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Habenaria rotundifolia LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Habenaria roxburghii (PERS.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hackelochloa granularis (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Haemanthus multiflorus MARTYN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Haematoxylon campechianum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hagenia abyssynica GMEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Haldina cordifolia (ROXB.) RIDSDALE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Halophila ovalis (R.BR.) HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Haloxylon multiflorum (MOQ.) BUNGE EX BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Haloxylon recurvum BUNGE EX BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Haloxylon salicornicum BUNGE EX BOISS. and

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hamamelis virginiana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hamelia patens JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hamiltonia suaveolens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Haplanthodes verticillata (ROXB.) MAJUMDAR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Haplanthus tentaculatus NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Haplanthus verticillata NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hardwickia binata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hardwickia pinnata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Harpagophytum procumbens DC. and 15

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Harpullia arborea (BLANCO) RADLK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hebanthe paniculata MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedeoma pulegioides (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedera helix C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedera nepalensis C. KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedgsonia macrocarpa (BI.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedychium acuminatum ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedychium coccineum HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedychium coronarium KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedychium ellipticum HAMILT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedychium gardnerianum SHEPPARD EX KER-GAWLER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedychium glaucum ROSC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedychium gracile ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedychium marginatum C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedychium spicatum BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedychium wardii C.E.C. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis articularis R.BR. EX WIGHT & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis auricularia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis auriculata (LINN.). AURICULARIA ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis biflora (L.) LAMK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis brachypoda (DC.) SIVAR. ET AL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis capitellata WALL. EX. G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis corymbosa (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis costata (ROXB.) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis diffusa WILLD. and 15 wasteland

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis glabra R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis gracilis WALL. O.GR. (WALL.) HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis herbacea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis hispida (BENTH.) RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis lineata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis pinifolia WALL. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis pruinosa WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis puberula R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis pumila L.F. O.PU(L.F.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis scandens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis tenelliflora BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis umbellata (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis uncinella HK. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis verticillata (L.) LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedyotis vestita R.BR. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedysarium sennoides WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedysarum alhagi L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedysarum gangeticum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedysarum purpureum ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedysarum sennoides WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedysarum triflorum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hedysarum tuberosum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Helianthus annuus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Helianthus tuberosus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Helicanthes elastica (DESR.) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Helicia excelsa BLUME. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Helicia robusta (ROXB.) R. BR. EX BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Helicteres isora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Helicteres isora L. glabrescens and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Helicteres isora L. tomentosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heliophylum indicum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heliotropium bacciferum FORSK. tuberculosum (BOISS.) KAZMI bacciferum NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heliotropium brevifolium WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heliotropium currassavicum L. NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heliotropium eichwaldi STEUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heliotropium ellipticum LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heliotropium indicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heliotropium keralense SIV. & MANL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heliotropium ophioglossum BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heliotropium ovalifolium FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heliotropium peruvianum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heliotropium rariflorum STOCKS and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heliotropium strigosum WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heliotropium subulatum HOCHST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heliotropium supinum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heliotropium tuberculosum BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heliotropium undulatum VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heliotropium zeylanicum HEYNE. EX C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Helixanthera wallichiana (SCHULT.) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Helleborus niger L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Helleborus viridis BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Helminthostachys zeylanicus (L.) HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heltropium ophioglossum STOCKS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hemarthria compressa (L.F.) BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hemerocallis fulva L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hemidesmus indicus (L.) SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hemidictyum ceterach L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hemigraphis latebrosa NESS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hemionitis arifolia (BURM.) MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heracleum cachemiricum C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heracleum candicans WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heracleum candolleanum (WT. & ARN.) GAMBLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heracleum canescens WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heracleum lanatum MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heracleum nepalense D.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heracleum pinda DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heracleum pinnatum C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heracleum rigens WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heracleum wallichii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heritiera littoralis AITON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heritiera minor LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heritiera papilio BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hermodactylus tuberosus (L.)MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hernandia ovigera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hernandia peltata MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Herniaria glabra L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Herniaria hirsuta L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Herniaria intermedia (BOISS.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Herpestis monniera (L.) H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hesperethusa alata (W. & A.) ALST and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hesperethusa crenulata (ROXB.) M. ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hetaeria obliqua Bl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heterophragma quadriloculare K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heterophragma roxburghii DC. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heteropogon contortus (L.) BEAUV. EX R. & S. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heterostemma piperifolium KING & GAMBLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heterostemma tanjorensis WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hevea brasiliensis (WILLD. EX. JUSS.) MUELL. - HRG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hewittia malabarica (L.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heylandia latebrosa D.C. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heynea sumatrana MIG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heynea trijuga ROXB. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hibiscus abelmoschus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hibiscus aculeatus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hibiscus cancellatus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hibiscus canescens HEYNE EX. WIGHT & ARNOLD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hibiscus cannabinus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hibiscus esculentus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hibiscus ficulneus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hibiscus furcatus ROXB. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hibiscus hirtus L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hibiscus hispidissimus GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hibiscus lampas CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hibiscus lunariifolius WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hibiscus manihot L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hibiscus micranthus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hibiscus mutabilis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hibiscus obtusifolius WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hibiscus ovalifolius (FORSK.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hibiscus platanifolius (WILLD.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hibiscus populneus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hibiscus rosa-sinensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hibiscus sabdariffa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hibiscus surattensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hibiscus syriacus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hibiscus tiliaceus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hibiscus trionum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hibiscus vitifolias L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hibiscus vitifolius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hieracium umbellatum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hieracium virosum PALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hieracium vulgatum (FR.) ALMQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hippocratea indica WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hippophae rhamnoides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hippophae rhamnoides L. saticifolia (D.DON) SARVETTAZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hippophae salicifolia DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hippophae tibetana SCHLECT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hiptage benghalensis (L.) KURZ and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hiptage madablota GAERTN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hitchenia caulina BAKER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hodgsonia macrocarpa (BI.) COGN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Holarrhena antidysenterica (ROTH.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Holarrhena mitis R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Holarrhena pubescens (BUCH.-HAM.) WALLICH EX DO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Holboellia latifolia WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Holigarna arnottiana HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Holigarna ferruginea MARCHAND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Holigarna grahamii (WGT.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Holigarna longifolia BUCH.-HAM. EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Holigarna nigra BOURD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Holmskioldia sanguinea RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Holoptelea integrifolia (ROXB.) PLANCHON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Holostemma ada-kodien SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Holostemma annulare (ROXB.) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Holostemma rheedianum SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Holostemma rheedii WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Holosteum umbellatum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Homalomena aromatica SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Homalomena rubescens KUNTH ENUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Homonoia retusa (GRAH. EX WT.) MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Homonoia riparia LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hopea glabra WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hopea odorata ROXB. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hopea parviflora BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hopea ponga (DENNST.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hopea wightiana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hoppea dichotoma WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hordeum vulgare L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hornstedtia costata (ROXB.) K. SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Horsfieldia glabra (BL.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Horsfieldia irya (GAERTN.) WARB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Horsfieldia kingii (HK.F.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Houttuynia cordata THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hovenia acerba LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hoya carnosa R. BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hoya globulosa HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hoya multiflora BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hoya ovalifolia WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hoya pendula WGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hoya viridiflora R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hoya wightii HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hugonia mystax L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Humboldtia unijuga BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Humboldtia vahliana WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Humulus lupulus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hunteria corymbosa ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hunteria legocii SKINA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hunteria zeylanica (RETZ.) GARDNER EX THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Huperzia phlegmaria and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hura crepitans L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hybanthus enneaspermus (L.F.) MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hyderangea macrophylla (THUNB.) SER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hydnocarpus alpina WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hydnocarpus anthelminthica PIERRE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hydnocarpus castanea HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hydnocarpus inebrians VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hydnocarpus kurzii (KING) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hydnocarpus laurifolia (DENNST.) STEUM. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hydnocarpus macrocarpa (BEDD.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hydnocarpus octandra THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hydnocarpus pentandra (BUCH.-HAM.) OKEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hydnocarpus venenata GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hydnocarpus wightiana BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hydnophytum Kalammanense BECC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hydnophytum formicarium JACK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hydrangea arborescens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hydrangea aspera BUCH.-HAM. EX D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hydrangea macrophylla (THUNB.) SER. stylosa (HK.F. & TH.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hydrangea paniculata SIEB. grandiflora SIEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hydrastis canandensis POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hydrilla verticillata (L.F.) ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hydrocharis dubia (BL.) BACKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hydrocotyle asiatica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hydrocotyle javanica THUNB. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hydrocotyle javanica THUNB. PODUNTHA MOLKENBOER EX C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hydrocotyle rotundifolia ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hydrocotyle sibthorpiodes LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hydrolea zeylanica VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hygrophila auriculata (SCHUMACH.) HEINE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hygrophila erecta (Burm.f.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hygrophila heinei SREEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hygrophila phlomoides NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hygrophila polysperma (ROXB.) AND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hygrophila quadrivalvis (BUCH.-HAM.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hygrophila ringens (L.) R.BR. EX STEUDEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hygrophila salicifolia NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hygrophila schulli (HAM.) M.R. & S.M. ALMEIDA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hygrophila spinosa T. ANDER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hygroryza aristata NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hymenaea courbaril L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hymenaea hornemannianum (HAYNE) D.

DIETR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hymenocrater sessilifolius BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hymenodictyon excelsum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hymenodictyon obovatum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hymenodictyon orixense (ROXB.) MABBERLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hyoscyamus albus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hyoscyamus muticus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hyoscyamus niger L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hyoscyamus pusillus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hyoscyamus reticulatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hyoscyamus squarrosus GRIFF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hypecoum leptocarpum HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hypecoum pendulum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hypecoum procumbens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hyperanthera moringa VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hypericum cernuum ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hypericum chinense L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hypericum elodeoides CHOIS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hypericum humifusum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hypericum japonicum THUNB. EX MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hypericum laxum (BL.) KOIDZUMI NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hypericum monanthemum HK. F. & TH. EX DYER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hypericum monogynum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hypericum mysurense HEYNE EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hypericum oblongifolium CHOISY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hypericum patulum THUNB. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hypericum perforatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hypericum sampsoni HANCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hypericum uralum BACH.-HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hypobathrum microcarpum (Bl.) Bakh.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hypochaeris glabra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hypodematium crenatum (FORSK.) KUHN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hypolepis punctata (THUNB.) METT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hypolytrum nemorum (VAHL) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hypoxis aurea LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hypoxis orchioides KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hyptis brevipes POIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hyptis capitata JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hyptis pectinata POIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hyptis suaveolens POIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hyssopus officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hyssopus parviflora BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ichnocarpus frutescens R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ilex denticulata WALL. EX. WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ilex godajam COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ilex paraguariensis A.ST.HIL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ilex wightiana WALL. EX. WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Illecebrum lanatum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Illicium anisatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Illicium griffithii HOOK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Illicium religiosum S. & L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Illicium verum HOOK.F. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Illigera appendiculata BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Illigera villosa CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ilysanthes oppositifolia (ROXB.) URB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ilysanthes reptans (ROXB.) URB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens balsamina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens brachycentra KAR. & KIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens chininsis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens gigantea EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens glandulifera ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens latifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens minor (DC.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens roylei WALP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens scabrida DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens tilo (DC.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens tripetala ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Imperata arundinacea CYR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Imperata cylindrica (L.) RAEUSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Incarvillea emodi (LINDL.) CHATTERJ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera angustifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera anil L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera argentea BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera articulata GONAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera aspalathoides VAHL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera astragalina DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera caerulea ROXB. caerulea and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera cassioides ROTTL. EX DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera ennaephylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera galegoides DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera gerardiana WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera glabra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera glandulosa WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera hebepetala BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera heterantha WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera hirsuta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera linifolia RETZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera linnaei ALI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera nil L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera nummulariifolia (L.) SKINA EX ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera oblongifolia FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera paucifolia DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera pulchella ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera suffruticosa MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera sumatrana GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera tinctoria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera trifoliata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera trita L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indigofera uniflora HAM. EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indoneesiella echicides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indoneesiella echioides (L.) SREEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Indoneesiella intermedia SREEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Intsia bijuga (Colebr.) O. Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Inula cappa DC. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Inula cuspidata C.B. CL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Inula grandiflora WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Inula grantioides BOISS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Inula graveolens DESF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Inula helenium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Inula obtusifolia KERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Inula racemosa HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Inula royleana DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ionidium enneaspermum VENT. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ionidium suffruticosum GING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Iphigenia indica (L.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea alba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea aquatica FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea asarifolia (DESR.) ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea batatas (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea biloba FORSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea bona-nox HEYNE EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea burmanni CHOISY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea cairica (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea campanulata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea candicans SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea carnea (MART. EX CHOISY) AUSTIN. fistulosa (MART. E CHOISY) AUSTIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea carnea JACQ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea coccinea L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea coptica (L.) ROTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea cymosa ROEM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea dasysperma JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea digitata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea dissecta WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea eriocarpa R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea fastigiata (ROXB.) SWEET NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea fistulosa MART EX CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea glaberrima BOJ. EX HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea grandiflora ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea hederacea AUCT. NON JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea hederifolia L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea hispida ROEM. & SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea illustris (CLARKE) PRAIN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea involucrata BEAUV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea marginata (DESR.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea mauritiana JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea maxima G. DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea muricata (L.) JACQ. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea nil (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea obscura KER.-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea paniculata (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea pes-caprae (L,) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea pes-tigridis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea petaloidea CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea purga (WEND.) HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea purpurea (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea quamoclit L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea reniformis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea reptans (L.) POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea sepiaria ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea sindica STAPF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea staphylina R,BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea tridentata (L.)ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea tuberosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea turbinata LAG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea turpethum (L..) R. BR. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea uniflora ROEM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea violacea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ipomoea vitifolia SWEET. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Iris decora WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Iris ensata THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Iris florentina KUNZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Iris foetidissima L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Iris germanica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Iris kashmiriana BAKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Iris kemaonesis D.DON EX ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Iris nepalensis D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Iris songarica SCHRENK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Iris versicolor THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Isachne globosa KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ischaemum muticum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ischaemum pilosum HACK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ischaemum rugosum SALISH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Isopyrum acuminata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Isopyrum anemonoides KAR. & KIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Isopyrum thalictroides L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Itea chinensis HOOK. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ixora acuminata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ixora alba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ixora arborea ROXB. EX J.E. SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ixora brunnescens KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ixora coccinea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ixora cuneifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ixora grandiflora Zoll. & Mor. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ixora nigricans BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ixora notoniana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ixora parviflora VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ixora pavetta ANDR. BOT. REPOS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ixora polyantha WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ixora sub-sessilis WALL. EX G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ixora undulata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, JacarKalam acutifolia HUMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jacobinia tinctoria HEMSL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jaeschkea gentianoides KURZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jaeschkea oligosperma (GRISEB.) KNOBL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Janakia arayalpathra JOSEPH & CHANDRASHEKARAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jasminum amplexicaule BUCH.-HAM. EX G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jasminum anastomozans WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jasminum angustifolium VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jasminum arborescens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jasminum auriculatum VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jasminum azoricum L. azoricum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jasminum bignoniaceum WALL. EX. G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jasminum calophyllum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jasminum chrysanthemum ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jasminum cuspidatum ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jasminum diversifolium KOBUSKI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jasminum flexile VAHL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jasminum grandiflorum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jasminum humile SENSU CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jasminum malabaricum WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jasminum multiflorum (BURM.F.) ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jasminum nervosum LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jasminum officinale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jasminum pubescens (RETZ.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jasminum ritchiei CLARKE IN HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jasminum rottlerianum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jasminum sambac (L.) AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jasminum sambac AIT. heyneana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jasminum scandens VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jasminum subhumila W.W. SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jasminum trichotomum HEYNE. EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jasminum undulatum KER-GAWLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jateorhiza palmata (LAM.) MIERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jatropha curcas L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jatropha glandulifera ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jatropha glandulosa VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jatropha glauca VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jatropha gossypifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jatropha montana WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jatropha multifida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jatropha nana DALZ. & GIBS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jatropha panduraefolia ANDR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Joannesia princeps VELL. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Juglans regia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Juglans regia L. kumaonia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Juncellus inundatus CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Juncus inflexus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Juncus lampocarpus EHRH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Juncus prismatocarpus R. BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Juniperus communis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Juniperus excelsa BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Juniperus indica BERTOL. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Juniperus macropoda BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Juniperus polycarpos C. KOCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Juniperus recurva BUCH.-HAM. EX D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Juniperus wallichiana HOOK.F. EX PARL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jurinea dolomiaea BOISS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jurinea himalaica STEWART NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jurinea macrocephala (ROYLE) CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jurinea macrophylla BTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jussiaea repens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jussiaea suffruticosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Jussiaea tenella BURM. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Justicia acaulis L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Justicia adhatoda L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Justicia beddomei (CL.) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Justicia betonica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Justicia bicalyculata VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Justicia bilvalvis L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Justicia ecbolium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Justicia gendarussa BURM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Justicia madurensis BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Justicia nasuta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Justicia paniculata (VAHL) CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Justicia picta ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Justicia procumbens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Justicia prostrata (CL.) GAMBLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Justicia quinqueangularis KOEN. EX. ROXB.

NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Justicia repens DELESS. EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Justicia simplex DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Justicia tranquebariensis L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Justicia vasculosa WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kaempferia angustifolia ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kaempferia galanga L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kaempferia rotunda L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kalanchoe integra (MEDIK.) KUNTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kalanchoe laciniata (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kalanchoe pinnata (LAM.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kalanchoe rosea C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kalanchoe spathulata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kallstroemia pubescens (DON) DANDY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kamettia caryophyllata (ROXB.) NICOL. & SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kandelia candel (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kandelia rheedei WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kandelia rheedii W.&A. NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kedrostis foetidissima (JACQ.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kedrostis rostrata (ROTTL.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kickxia ramosissima (WALL.) JANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kigelia africana (LAMK.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kigelia pinnata (JACQ.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kingiodendron pinnatum (ROXB. EX DC.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kirganelia reticulata BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kleinhovia hospita L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kleinia grandiflora (WALL. EX DC.) RANI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Knema angustifolia (ROXB.) WARB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Knema attenuata (WALL.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Knema erratica (HOOK.F. & TH.) SINCLAIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Knema linifolia (ROXB.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Knoxia brachycarpa R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Knoxia corymbosa WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Knoxia roxburghii (SPRENG.) M.A. RAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Knoxia sumatrensis (RETZ.) DC. hookeriana BHATTACHARJEE & DEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kochia indica WGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kochia scoparia (L.) SCHRAD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kochia sedoides SCHRAD NEUES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Koelpinia linearis PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kokoona zeylanica THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kopsia flavida BLUME. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kopsia fruticosa A. DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kurrimia bipartita M.LAWS. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kydia calycina ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kyllinga brevifolia ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kyllinga monocephala ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kyllinga nemoralis HUTCH. & DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kyllinga squamulata VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kyllinga triceps ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lablab purpureus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lactuca dissecta D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lactuca gracilis DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lactuca heyneana D.C. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lactuca indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lactuca orientalis (BOISS.) BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lactuca remotiflora DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lactuca runcinata DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lactuca sativa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lactuca scariola L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lactuca serriola L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lactuca tataraica C.A.REY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lactuca virosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lagascea mollis CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lagascea spinosissima COV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lagenandra ovata (L.) THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lagenandra toxicaria (L.) THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lagenaria leucantha RUSBY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lagenaria siceraria (MOLINA) STANDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lagenaria vulgaris SER. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lagerstroemia flos-reginae RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lagerstroemia hirsuta (LAM.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lagerstroemia indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lagerstroemia lanceolata WALL. EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lagerstroemia microcarpa W. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lagerstroemia parir-flosh ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lagerstroemia parviflora ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lagerstroemia reginae PL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lagerstroemia speciosa (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Laggera alata (D.DON) SCH.-BIP. EX OLIVE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Laggera aurita (WILD.) SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Laggera crispata (VAHL) HEP. & WD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Laggera flava BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Laggera pterodonta BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lagotis cashmeriana (ROYLE) RUPR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lagotis glauca GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lallemantia royleana BENTH. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lamarkia aurea MOENCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Laminaria saccharina LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lamium album DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lamium amplexicaule L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lamprachaenium microcephalum BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lancea tibetica HK. F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Safed Musli farming for Diabetic neuropathy formulations: Impact of Lannea coromandelica (HOUTT.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lannea grandis (DENNST.) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lansium domesticum JACK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lantana aculeata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lantana camara L. aculeata (L.) MOLDENKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lantana camara L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lantana indica ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Laportea crenulata GANDICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Laportea interrupta (L.) CHEW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Larrea tridentata (SESSE & MOC.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lasia aculeata LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lasia heterophylla SCHOTT MELET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lasia spinosa THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lasianthus Kalammanicus HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lasiosiphon eriocephalus (MEISNER) DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lasiurus hirsutus (FORSK.) BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lastrea filix-mas L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lathraea squamaria L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lathyrus altaicus LED. NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lathyrus aphaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lathyrus inconspicuus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lathyrus luteus BAKER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lathyrus odoratus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lathyrus pratensis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lathyrus sativus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lathyrus sphaericus RETZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Launaea acaulis (ROXB.) BABCOCK EX KERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Launaea aspleniifolia HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Launaea capitata (SPRENG.) DANDY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Launaea chondrilloides HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Launaea fallax (JAUB. & SPACH.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Launaea glomerata HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Launaea nudicaulis HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Launaea pinnatifida CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Launaea procumbens (ROXB.) RAMAYYA & RAJAGOPA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Launaea remotiflora (DC.) STEBBINS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Launaea resedifolia (LINN.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Launaea sarmentosa (WILLD.) ALST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Launea acaulis (ROXB.) KERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Launea procumbens (ROXB.) RAM. & RAJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Launea sarmentosa ALSTON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens chandrasekharanii Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens chinensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens clavicornu Turez. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens cordata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens crenata Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens cuspidata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens dasysperma Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens debilis Turez. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens denisonii Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens disotis Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens diversifolia Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens elegans Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens floribunda Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens fruticosa Lesch. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens gardneriana Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens goughii Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens grandis Heyne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens hensloviana Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens herbicola Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens hookeriana Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens inconspicua Benth ex. Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens jerdoniae Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens laticornis Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens latifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens lawsonii Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens lenta Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens leptura Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens leschenaultii (DC.) Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens levingei Gamble ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens ligulata Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens maculata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens minor (DC.) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens modesta Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens munronii Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens neo-barnesii Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens nilgirica Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens oppositifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens orchioides Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens parasitica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens parvifolia Bedd. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens phoenicea Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens rufescens Benth. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens scabriuscula Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens scapiflora Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens tangachee Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens tenella Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens tomentosa Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens travancorica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens trichocarpa Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens umbellata Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens uncinata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens verticillata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens viridiflora Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens viscida Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens viscosa Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens wightiana Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acronychia pedunculata (L.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aegle marmelos (L.) Correa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Atalantia monophylla (L.) Correa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Atalantia racemosa Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Atalantia wightii Tanaka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Boenninghausenia albiflora (Hook.) Reichb. ex Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chloroxylon swietenia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Choisya ternata Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Citrus aurantifolia (Christm.) Swingle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Citrus aurantium L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Citrus limon (L.) Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Citrus maxima (Burm.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Citrus medica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Citrus nobilis Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Citrus reticulata Blanco and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Citrus sinensis (L.) Osbeck. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clausena austro - indica B. C. Stone and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clausena dentata (Willd.) M. Roem and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clausena indica (Dalz.) OSkin and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clausena lansium (Lour.) Skeels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euodia fraxinifolia (D. Don.) Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euodia lunu-ankenda (Gaertn.) Merr. var. lunu-ankenda and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euodia lunu-ankenda (Gaertn.) Merr. var. tirunelvelica Henry & Chandr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fortunalla japonica (Thunb.) Swingle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glycosmis angustifolia Lindl.ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glycosmis cyanocarpa (Blume) Spreng. var. cymosa Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glycosmis macrocarpa Wight and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glycosmis mauritiana (Lam.) Tanaka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glycosmis pentaphylla (Retz.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glycosmis tirunelveliensis Murugan & Manickam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Limonia acidissima L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Luvunga eleutherandra Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melicope indica Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melicope lunu-ankenda (Gaertn.) T. G. Hartley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Murraya koenigii (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Murraya paniculata (L.) Jack and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Naringi crenulata (Roxb.) Nicolson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pamburus missionis (Wight) Swingle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Paramigyna beddomei Tanaka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Paramignya monophylla Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pleiospermium alatum (Wall ex. Wight & Arn.) Swingle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ruta chalepensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tetradium fraxinifolia (Hook.) T. G. Hartley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Toddalia asiatica (L.) Lam. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Triphasia trifolia (Burm. f.) P. Wilson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vepris bilocularis (Wight & Arn.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zanthoxylum armatum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zanthoxylum ovalifolium Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zanthoxylum rhetsa (Roxb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zanthoxylum limonellia (Dennst.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ailanthus excelsa Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ailanthus triphysa (Dennst.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Quassia amara L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Suriana maritima L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gomphia serrata (Gaertn.) Kanis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ochna integerrima (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ochna jabotapita L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ochna lanceolata Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ochna obtusata DC. var. obtusata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ochna gamblei King ex Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Boswellia serrata Roxb. ex Coleb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bursera penicillata (Sesse & Moc. ex DC.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Canarium strictum Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Canarium vulgare Leenh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Commiphora berryi (Arn.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Commiphora caudata (Wight & Arn.) Engler var. caudata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Commiphora caudata (Wight & Arn.) Engler var. pubescens (Wight & Arn.) K.M. Matthew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Garuga floribunda Decne var. gamblei (King ex W. W. Sm.) Kalkman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Garuga pinnata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aglaia apiocarpa (Thw.) Hiern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aglaia barberi Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aglaia bourdillonii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aglaia domestica (Correa) Pellegrin Lecomte and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aglaia elaeagnoidea (Juss.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aglaia edulis (Roxb.) Wall and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aglaia lawii (Wight) Saldanha and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aglaia tomentosa Teijsm. & Binn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aglaia odorata Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aglaia simplicifolia (Bedd.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aphanamixis polystachya (Wall.) Parker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Azadirachta indica A. Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chukrasia tabularis A. Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cipadessa baccifera (Roth) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dysoxylum binectariferum (Roxb.) Hook. f. ex Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dysoxylum ficiforme (Wight) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dysoxylum malabaricum Bedd. ex Hiern and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melia azedarach L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Naregamia alata Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Reinwardtiodendron anamallayanum (Bedd.) Saldahnha and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sandoricum koetjape (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Soymida febrifuga (Roxb.) A. Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Swietenia macrophylla King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Swietenia mahagoni (L.) Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Toona ciliata M. Roem. var. ciliata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Toona ciliata M. Roem. var. pilistila (C. DC.) Nair & Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trichilia connaroides (Wight & Arn.) Bentvelzen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Turraea villosa Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Walsura trifolia (A. Juss.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Xylocarpus granatum Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dichapetalum gelonioides (Roxb.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anacolosa densiflora Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Olax scandens Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Olax imbricata Roxb. var. imbricata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Olax imbricata Roxb. var. nigrescens Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strombosia ceylanica Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ximenia americana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cansjera rheedii Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Opilia amentacea Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Apodytes dimidiata E. Meyer ex Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gomphandra coriacea Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gomphandra tetrandra (Wall ex. Roxb.) Sleumer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Miquelia dentata Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nothapodytes nimmoniana (Graham) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pyrenacantha volubilis Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sarcostigma kleinii Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erythropalum populifolium (Arn.) Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ilex aquifolium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ilex denticulata Wall ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ilex gardneriana Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ilex malabarica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ilex opaca Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ilex walkeri Wight & Gard. ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ilex wightiana Wall ex. Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bhesa indica (Bedd.) Ding and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cassine glauca (Rottb.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cassine paniculata (Wight & Arn.) Lobr.-Callen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Celastrus paniculatus Willd. var. paniculatus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Celastrus paniculatus Willd. subsp. dependens (Wall.) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Celastrus paniculatus Willd. subsp. aggregatus K.T.Mathew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euonymus angulatus Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euonymus barberi C. Murugan & V. S. Manickam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euonymus crenulatus Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euonymus dichotomous Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euonymus indicus Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euonymus japonicus Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euonymus kanyakumariensis Murugan & Manickam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euonymus paniculatus Wight ex Lawson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Euonymus serratifolius Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glyptopetalum grandiflorum Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glyptopetalum lawsonii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Glyptopetalum zeylanicum Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Loeseneriella bourdillonii (Gamble) Raju and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Loeseneriella obtusifolia (Roxb.) A. C. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lophopetalum wightianum Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Maytenus emarginata (Willd.) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Maytenus heyneana (Roth) Raju & Babu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Maytenus ovatus (Wall ex Wight & Arn.) Loes. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Maytenus rufa (Wall.) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Maytenus wallichiana (Wight & Arn.) Raju & Babu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Microtropis microcarpa Wight var. microcarpa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Microtropis microcarpa Wight var. densiflora Merr. & Freem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Microtropis latifolia Wight ex Lawson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Microtropis ovalifolia Wight and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Microtropis ramiflora Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Microtropis stocksii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Microtropis wallichiana Wight ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pleurostylia opposita (Wall.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Reissantia grahamii (Wight) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Reissantia indica (Willd.) Halle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salacia beddomei Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salacia chinensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salacia fruticosa Heyne ex Lawson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salacia macrosperma Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salacia oblonga Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alphitonia excelsa Reiss ex Endlicher and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Colletia cruciata Gill. & Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Colletia ferox Gill. & Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Colubrina asiatica (L.) Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gouania microcarpa DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hovenia acerba Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Maesopsis eminii Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Noltea africana (L.) Reichb. ex Harv. & Sond.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pomaderris apetala Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pomaderris lanigera Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhamnus cathartica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhamnus dahuricus Pall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhamnus virgatus Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhamnus wightii Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sageretia hamosa Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sageretia parviflora (Klein) G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scutia myrtina (Burm. f.) Kurz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ventilago denticulata Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ventilago gamblei Suesseng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ventilago goughii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ventilago madraspatana Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ziziphus glabrata Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ziziphus horrida Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ziziphus incurva Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ziziphus mauritiana Lam. var. mauritiana and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ziziphus mauritiana Lam. var. fruticosa (Haines) Sebastine & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ziziphus nummularia (Burm.f.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ziziphus oenoplia (L.) Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ziziphus rugosa Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ziziphus xylopyrus (Retz.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ampelocissus araneosa (Dalz. & Gibs.) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ampelocissus divaricata (Wall ex Lawson) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ampelocissus indica (L.) Planch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ampelocissus latifolia (Roxb.) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ampelocissus tomentosa (Heyne ex Roth) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ampelocissus wightiana Shetty & Singhand 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cayratia anemonifolia (Zipp. Ex Miq.) Suesseng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cayratia auriculata (Roxb.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cayratia japonica (Thunb.) Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cayratia mollissima (Wall.) Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cayratia pedata (Lam.) Juss. ex Gagnep. var.

pedata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cayratia pedata (Lam.) Juss. ex Gagnep. var. glabra Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cayratia roxburghii (Wight & Arn.) Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cayratia tenuifolia (Wight & Arn.) Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cayratia trifolia (L.) Domin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cissus arnottiana B.V.Shetty & P.Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cissus adnata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cissus discolor Blume. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cissus latifolia Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cissus glyptocarpa (Thw.) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cissus heyneana (Wall. ex Lawson) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cissus quadrangularis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cissus repKalam Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cissus repens Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cissus vitiginea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyphostemma setosum (Roxb.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Parthenocissus neilgherriensis (Wight) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Parthenocissus semicordata (Wall.) Planchon var. roylei (King) Raizada & Saxina and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tetrastigma gamblei Shetty & Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tetrastigma leucostaphylum (Dennst.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tetrastigma nilagiricum (Miq.) Shetty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tetrastigma sulcatum (Lawson) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vitis vinifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leea asiatica (L.) Ridsdale and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leea guineensis G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leea indica (Burm. F.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leea macrophylla Roxb. ex Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Allophylus cobbe (L.) Raeusch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cardiospermum canescens Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cardiospermum halicacabum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dimocarpus longan Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dodonaea viscosa (L.) Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Filicium decipiens (Wight & Arn.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Harpullia arborea (Blanco) Radlk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lepisanthes erecta (Thw.) Leenh. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lepisanthes senegalensis (Juss. ex Poir.) Leenh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lepisanthes tetraphylla (Vahl.) Radlk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Litchi chinensis Sonner. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Otonephelium stipulaceum (Bedd.) Radlk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sapindus emarginatus Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sapindus trifoliata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Schleichera oleosa (Lour.) Oken and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aesculus indica (Cambess.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acer caesium Wall. ex Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acer oblongum Wall. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acer pseudo-platanus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melianthus major L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Turpinia malabarica Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Turpinia cochinchinensis (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Meliosma pinnata (Roxb.) Maxim. subsp. barbulata (Cufod.) Beus. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Meliosma simplicifolia (Roxb.) Walp. subsp. simplicifolia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Meliosma simplicifolia (Roxb.) Walp. subsp. pungens (Wall ex Wight & Arn.) Beus. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sabia limoniacea Wall. ex Hook. F. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anacardium occidentale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Buchanania axillaris (Desr.) Ramam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Buchanania lanzan Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gluta travancorica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Holigarna arnottiana Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Holigarna beddomei Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Holigarna ferruginea Marchand and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Holigarna grahamii (Wight) Kurz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Holigarna nigra Bourd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Safed Musli farming for Diabetic neuropathy formulations: Impact of Lannea coromandelica (Houtt.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mangifera indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nothopegia aureo-fulva Bedd. ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nothopegia beddomei Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nothopegia colebrookeana (Wight) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nothopegia heyneana (Hook. f.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nothopegia racemosa (Dalz.) Ramam. var.

racemosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nothopegia racemosa (Dalz.) Ramam. var. angustifolia (Gamble) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nothopegia travancorica Bedd ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nothopegia vajravelui Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhus mysorensis G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhus paniculata Wall. ex Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhus tomentosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Schinus molle L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Schinus terebinthifolius Raddi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Semecarpus anacardium L. var. anacardium and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Semecarpus anacardium L. var. cuneifolia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Semecarpus auriculata Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Semecarpus travancorica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Spondias indica (Wight & Arn.) Airy Shaw & Forman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Spondias pinnata (L.f.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Corynocarpus laevigata Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Moringa concanensis Nimmo ex Gibs. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Moringa pterygosperma Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Connarus monocarpus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Connarus sclerocarpus (Wight & Arn.) Schellenb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Connarus wightii Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ellipanthus tomentosus Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rourea minor (Gaertn.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Abrus fruticulosus Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Abrus precatorius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Abrus pulchellus Wall ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aeschynomene americana L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aeschynomene aspera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aeschynomene indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alysicarpus beddomei Schind. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alysicarpus bupleurifolius (L.) DC. var. bupleurifolius and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alysicarpus bupleurifolius (L.) Dc. var. gracilis (Edgew.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alysicarpus bupleurifolius (L.) Dc. var. hybridus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alysicarpus heterrophyllus (Benth. ex Baker) Jefri & Ali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alysicarpus longifolius Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alysicarpus monilifer (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alysicarpus ovalifolius (Schumac) J. Leon. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alysicarpus racemosus Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alysicarpus roxburghianus Thoth. & Pramanik and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alysicarpus glumaceus (Vahl) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alysicarpus scariosus Rottler. ex. Spring) Grah. ex Thw. var. scariosus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alysicarpus scariosus (Rottler. ex. Spring) Grah. ex Thw. var. pilifer (Prain) Pramanik & Thoth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alysicarpus vaginalis (L.) DC. var. vaginalis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alysicarpus vaginalis (L.) DC. var. stocksii Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arachis hypogaea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Butea acuminata (Benth.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Butea monosperma (Lam.) Taub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Butea parviflora Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Butea purpurea (Benth. ex Baker) Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cajanus albicans (Wight & Arn) Maesen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cajanus goensis Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cajanus lineata (Wight & Arn) van der. Maesen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cajanus cajan (L.) Millsp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cajanus rugosus (Wight & Arn) Maesen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cajanus scarabaeoides (L.) Thouars and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cajanus trinervius (DC.) van der. Maesen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calopogonium mucunoides Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calpurnia aurea (Ait.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Canavalia cathartica Thouars and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Canavalia gladiata (Jacq.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Canavalia maritima (Aubl.) Thouars and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Canavalia mollis Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Canavalia virosus (Roxb.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Castanospermum australe A. Cunn. & Fraser ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Centrosema pubescens Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chorizema ilicifolium Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Christia obcordata (Poir.) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Christia vespertilionis (L.f.) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cicer arietinum L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clianthus puniceus Soland ex. Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clitoria ternatea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Laurentia longiflora (L.) PETERMANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Laurus cassia BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Laurus cinnamomum (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Laurus nobilis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lavandula bipinnata KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lavandula burmanni BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lavandula carnosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lavandula stoechas L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lavandula vera DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lavatera kashmiriana CAMB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lawsonia alba LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lawsonia inermis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lawsonia spinosa L.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lechea verticillata WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leea aequata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leea alata EDGEW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leea arguata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leea asiatica (L.) RIDSDALE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leea aspera EDGE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leea bracteata CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leea compactiflora KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leea crispa V. ROYEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leea guineensis G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leea hirta ROXB EX HORNEIM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leea indica MERILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leea macrophylla ROXB. EX HORN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leea robusta ROXB. HORT. BENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leea sambucina BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lemanea australis ATKINS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lemmaphyllum carnosum (J. SM.) PRESL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lemna globosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lemna obcordata BOJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lemna perpusilla TORREY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lens culinaris MEDIC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lens esculenta MOENCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leonotis nepetaefolia R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leontopodium jacotianum BEAUVERD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leonurus cardiaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leonurus hamiltoniana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leonurus incurva DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leonurus japonicus HOUTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leonurus sibiricus LINN. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leonurus stelligera WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lepeocercis serrata TRIM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lepianthes umbellata (L.) RAF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lepidagathis cristata WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lepidagathis hamiltoniana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lepidagathis incurva DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lepidagathis pungens NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lepidagathis scariosa NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lepidagathis trinervia WALL. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lepidagathis trinervis NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lepidium apetalum WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lepidium capitatum HOOK. F. & THOMS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lepidium cartilagineum (J. MAY.) THELL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lepidium draba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lepidium iberis L. alba and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lepidium iberis POLL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lepidium latifolium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lepidium perfoliatum L. NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lepidium ruderale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lepidium sativum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lepidium virginicum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lepionorus sylvestris BL. BIJDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lepionurus sylvestris BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lepisanthes Kalammanica KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lepisanthes rubiginosa (ROXB.) LEENH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lepisanthes tetraphylla (VAHL) RADLK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leptadenia pyrotechnica DCNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leptadenia reticulata (RETZ.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leptadenia spartium WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leptochilus decurrens BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leptochloa malabarica (L.) VELDKAMP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leptodermis lanceolatus WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leptonychia heteroclita (ROXB.) KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lespedeza sericea MIQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lettsomia aggregata ROXB. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lettsomia atropurpurea C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lettsomia elliptica WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lettsomia mysorensis CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lettsomia nervosa ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lettsomia setosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucaena glauca (L.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucas aspera (WILLD.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucas capitata DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucas cephalotes (ROTH.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucas ciliata BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucas flaccida R.BR. scaberula (HOOK.F.) SRINIVASAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucas indica (L.) R.BR. EX VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucas lanata BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucas lavandulifolia J.E. SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucas linifolia SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucas martinicensis (JACQ.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucas mollissima WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucas plukenetii (ROTH) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucas stelligera WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucas stricta BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucas urticaefolia R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucas zeylanica (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leuconotis eugenifolia DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucosceptrum canum SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucostegia immersa (HK.) PRESL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leucostegia nodosa BEDD.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leueas rosmarnifolia CIRUTUMPAI benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Levisticum officinale W.D.J. KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Licuala spinosa WURMB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ligularia amplexicaule DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ligularia jacquemontiana (DECNE) RAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ligusticum elatum C.B. CL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ligustrum indicum (LOUR.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ligustrum lucidum (LOUR.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ligustrum nicum (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ligustrum perrottetii A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ligustrum robustum BLUME. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lilium candidum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lilium giganteum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lilium martagon L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lilium neilgherrense LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lilium polyphyllum DON. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lilium wallichianum SCHULT. & SCHULT. F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Limnanthemum cristatum GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Limnanthemum indicum GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Limnanthemum nymphaeoides LINK FL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Limnophila aromatica (L.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Limnophila gratioloides R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Limnophila gratissima BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Limnophila indica (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Limnophila polystachya BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Limnophila racemosa BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Limnophila roxburghii G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Limnophila rugosa (ROTH) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Limnophila sessiliflora (VAHL) BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Limnophyton obtusifolium (L.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Limodrum spatulatum WLLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Limonia acidissima L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Limonia alata W. & A. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Limonia crenulata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Limonium cabulicum (BOISS.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Linaria cirrhosa H.K. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Linaria minor DESF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Linaria ramosissima WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lindelofia longiflora (BENTH.) BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lindenbergia indica (L.) KTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lindenbergia muraria (ROXB.) P.BRUCHE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lindenbergia urticaefolia LEHM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lindera caudata BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lindera neesiana BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lindera pulcherrima BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lindernia anagallis (BURM.F.) PENNELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lindernia antipoda (L.) ALSTON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lindernia caespitosa (BL.) PANIGRAHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lindernia ciliata (COLESM.) PENNELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lindernia cordifolia (COLSM.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lindernia crustacea (L.) F. V. MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lindernia hyssopioides (L.) HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lindernia oppositifolia (RETZ.) MUKH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lindernia procumbens (KROCK.) BORBAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lindernia pyxidaria ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lindernia rotundifolia (L.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lindernia ruellioides (COLSM) PENNEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lindsaea cultrata (WILLD.) SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Linociera malabarica WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Linociera ramiflora (ROXB.) WALL. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Linum perenne L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Linum strictum LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Linum usitatissimum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Liparis nervosa (THUNB.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Liparis parviflora LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lippia alba N.E. BR. EX BRITTON & WILS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lippia geminata H.B.K. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lippia javanica (BURM.F.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lippia nodiflora MICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Liquidambar orientalis MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Liquidambar styraciflua L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Liqustrum indicum (LOUR.) NERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Liriodendron tulipifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Litchi chinensis SONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lithocarpus pachyphyllus (KURZ) REHDER.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lithospermum arvense L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lithospermum officinale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Litsea chinensis LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Litsea citrata BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Litsea coriacea (HEYNE EX. MEISNER) HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Litsea cubeba (LOUR.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Litsea glutimosa (LOUR.) C.B. ROBINSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Litsea glutinosa (LOUR.) ROBINSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Litsea lancifolia HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Litsea monopetala (ROXB.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Litsea polyantha JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Litsea quinqueflora (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Litsea sebifera PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Litsea stocksii HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Litsea umbrosa NEES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Litsea zeylanica C. & T. NESS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lobelia alsinoides LAM. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lobelia chinensis LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lobelia cordigera CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lobelia excelsa LESCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lobelia inflata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lobelia leschenaultiana (PRESL) SKOTTSB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lobelia nicotianaefolia ROTH. EX. R. & S. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lobelia pyramidalis WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lobularia maritima DESV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lochnera pusilla K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lochnera rosea REICHB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lodoicea maldivica (POIR.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lodoicea seychellarum LABILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Loeseneriella obtusifolia (ROXB.) A.C.SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lomatogonium carinthiacum (WULF.) BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lonicera glauca HK. F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lonicera japonica THUNB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lonicera leschenaultii WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lonicera macrantha (D.DON) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lonicera semenovii REGEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lonicera spinosa (JACQUEM. EX DECNE) WALP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lonicera webbiana WALL. EX DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lophopetalum wallichii KURZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Loranthus coriaceus DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Loranthus elasticus DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Loranthus falcatus L.F. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Loranthus longiflorus DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Loranthus pentandrus HEYNE. EX SCHULT.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lotus corniculatus LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Loxococcus rupicola WENDL.& DRUDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ludwigia adscendens (L.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ludwigia clavelliana GOMEZ DE LA MAZA & MONLINET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ludwigia hyssopifolia (DON) EXCELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ludwigia octovalvis (JACQ.) RAVEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ludwigia octovalvis (JACQ.) RAVEN sessiliflora (MICHELI) RAVEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ludwigia parviflora ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ludwigia perennis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ludwigia peruviana (L.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ludwigia prostrata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Luffa acutangula (L.) ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Luffa acutangula ROXB. amara (ROXB.) CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Luffa aegyptiaca MILL. EX. HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Luffa amara ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Luffa cylindrica (L.) M.J. ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Luffa echinata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Luffa graveolens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Luffa graveolens ROXB. longystyla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Luffa pentandra ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Luffa tuberosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Luffa umbellata (KLEIN) ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Luisia tenuifolia BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lumnitzera racemosa WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lupinus albus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lupinus angustifolius L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lupinus digitatus FORSK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lupinus luteus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Luvunga eleutherandra Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Luvunga scandens (BLUME) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Luzula campestris (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lychnis apetala L. SP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lychnis coronaria LAMK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lycianthes laevis (DUN.) BITTER SUBTRUNCATA (WALL. EX DUN.) DEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lycianthes laevis (DUNAL) BITTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lycium barbarum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lycium europaeum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lycium ruthenicum MURR. EX DUNAL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lycoperdon gemmatum BATSCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lycoperdon pusillum PER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lycopersicon esculentum MILL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lycopersicon lycopersicum (L.) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lycopersicum esculentum MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lycopodium cernum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lycopodium clavatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lycopodium phlegmaria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lycopus europaeus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lycoris radiata (L'HERIT.) HERBERT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lygodium circinatum (BURM) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lygodium flexuosum (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lygodium japonicum (THUNB.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lygodium microphyllum (CAV.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lygodium pinnatifidum SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lygodium scandens (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lyonia ovalifolia (WALL.) DRUDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Maba bauxifolia PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Maba buxifolia PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Macadamia ternifolia F. MUELL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Macaranga denticulata (BL.) MUELL.-ARG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Macaranga indica W. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Macaranga nicobarica BALAKR. & CHAKRAB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Macaranga peltata (ROXB.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Macaranga roxburghi WRIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Macaranga tanarius (L.) M. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Macaranga tetracoccus (ROXB.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Machilus bombycina KING EX HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Machilus macrantha NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Machilus villosa HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Maclura pomifera (RAFIN.) C.K. SCHM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Macropanax dispermus (BI.) KTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Macrosolen cochinchinensis (LOUR.) TIEGH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Macrosolen parasiticus (L.) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Macrotomia benthamii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Macrotomia perennis BOISS. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Macrotomia speciosa AITCHET HEMST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Macrotyloma uniflorum (LAM.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Madhuca butyracea (ROXB.) MACBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Madhuca diplostemon (CLARKE) ROYEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Madhuca indica GMEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Madhuca insignis (RADLK) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Madhuca longifolia (KOEN.) MACLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Madhuca malabarica (BEDD.) R.N.PARKAR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Madhuca neriifolia (MOON) LAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Maerua apetala (ROTH) JACOBS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Maerua arenaria HOOK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Maerua oblongifolia (FORSK.) A.RICH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Maesa chisia DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Maesa indica (ROXB.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Maesa montana DC, and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Maesa ramentacea WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Maharanga emodi (WALL.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mahonia acanthifolia DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mahonia borealis TAKEDA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mahonia leschenaultii (WALL. EX. WIGHT & ARN.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mahonia manipurensis TAKEDA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mahonia nepaulensis DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mahonia pycnophylla (FEDDE) TAKEDA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mahonia sikkimensis TAKEDA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mahonia simonsii TAKEDA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Majorana hortensis MOENCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Malachra capitata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Malaxis acuminata D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Malaxis biloba (LINDL.) AMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Malaxis mackinnonii (DUTHIE) AMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Malaxis muscifera (LINDLEY) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Malaxis rheedei SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Malaxis saprophyta (KING & PRANTL) TANG & WAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mallotus ferrugineus (ROXB.) MUELL-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mallotus peltatus (GEIS.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mallotus philippensis (LAM.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mallotus repandus (WILLD.) MULL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mallotus rhamnifolius (WILLD.) MULL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mallotus tetracoccus (ROXB.) KURZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Malpighia glabra L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Malpighia punicifolia L. NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Malus pumila MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Malus sylvestris MILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Malva neglecta WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Malva parviflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Malva rotundifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Malva sylvestris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Malva verticillata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Malvastrum americanum (L.) TORR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Malvastrum coromandelianum GARCKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mammea americana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mammea longifolia PLANCH. & TRIANA. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mammea suriga (BUCH.-HAM. EX ROXB.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mandragora autumnalis SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mandragora officinalis MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mangifera caesia JACK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mangifera domestica GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mangifera indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mangifera sylvatica ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Manihot esculenta CRANTZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Manihot utilissima POHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Manilkara hexandra (ROXB.) DUBARD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Manilkara kauki (L.) DUBJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Manilkara zapota (L.) VAN ROYEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Manisuris granularis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Maoutia puya WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mappia foetida MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Maranta arundinaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Maranta arundinacea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Marchantia palmata - NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Marchantia polymorpha - NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mariscus concinnus SCHRADER EX NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mariscus javanicus (HOUTT.) MERR. & METCALF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Marlea tomentosa ENDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Marrubium vulgare L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Marsdenia brunoniana WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Marsdenia hamiltonii W. & A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Marsdenia lucida EDGEW. EX MADDEN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Marsdenia roylei WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Marsdenia tenacissima (ROXB.) MOON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Marsdenia tinctoria R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Marsdenia volubilis (L.F). and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Marsilea dentata KUNTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Marsilea grandifolia LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Marsilea minuta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Marsilea quadrifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Martnia diandra GLOX. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Martynia annua L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Martynia diandra GLOX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mastersia assamica BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mastixia arborea CB. CLARK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mathiola incana R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Matricaria aurea (Loefl.)Sch. Bip. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Matricaria chamomilla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Matricaria lasiocarpa BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Matricaria recutita L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Matthiola flavida BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Matthiola incana R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Matthiola tristis R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mattiastrum thomsonii (CL.) KAZMI NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Maytenus emarginata (WILLD.) DING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Maytenus heyneana (ROTHY) RAJU & BABU NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Maytenus senegalensis (LAM.) EXELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mazus japonicus (THUNB.) KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mazus pumilus (BURM.F.) VAN STEENIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Meconopsis aculeata ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Meconopsis nepaulensis DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Meconopsis paniculata (D.DON) PRAIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Meconopsis robusta HK. F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Meconopsis simplicifolia (G.DON)WALP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Meconopsis wallichii HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mecoropsis napaulensis DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Medicago lupulina L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Medicago minima L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Medicago polymorpha L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Medicago sativa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Megacarpaea polyandra BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melaleuca alternifolia (MAIDEN & BETCHE) CHEEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melaleuca cajaputi ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melaleuca leucadendron L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melanorrhoea curtisii OLIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melanorrhoea usitata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melanorrhoea wallichii HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melanthesa rhamnoides (RETZ.) BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melanthesa turbinata (ROXB.) WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melanthium indicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melasma thompsonii (HK.F.) WETTST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melastoma affine D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melastoma asperum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melastoma decemfidum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melastoma malabathricum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melia azadirachta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melia azedarach L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melia composita WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melia dubia HIERN, NON CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melianthus major LINN. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melica ciliata DUTHIE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melica jacquemontii DCNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melilotus indica (L.) ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melilotus officinalis (L.) PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melilotus parviflora BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Meliosma arnottiana WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Meliosma simplicifolia (ROXB.) WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melissa axillaris (BENTH.) BAKH. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melissa officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melissa parviflora BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melocalamus compactiflorus BENTH. F. HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melocanna bambusiodes TRIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melocanna bambusoides TRIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melochia corchorifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melodinus monogynus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melothria heterophylla COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melothria indica LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melothria maderaspatana (L.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melothria perpusilla COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melothria scabra (LINN. F.) PANIGR. ET S.C. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Memecylon amplexicaule ROXB. malabarica CLARKE IN HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Memecylon angustifolium WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Memecylon edule ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Memecylon gracile BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Memecylon heyneanum BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Memecylon malabaricum (CLARKE) COGN.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Memecylon sessile BENTH. EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Memecylon talbotianum BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Memecylon umbellatum BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Menanthes sumatrana (MIQ.) BREMEK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Menispermum cocculus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Menispermum columba ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Menispermum cordifolium WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Menispermum glabrum BRUM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mentha aquatica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mentha arvensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mentha cordifolia OPHIZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mentha crispa GARSAULT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mentha dumetorium SCHULT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mentha longifolia (L.) HUDS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mentha mulleriana SCH.-BIP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mentha niliaca JACQ. alopecuroides NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mentha piperita STOKES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mentha pulegium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mentha rotundifolia (L.) HUDS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mentha sativa L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mentha spicata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mentha sylvestris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mentha verticillata D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mentha viridis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Meriandra benghalensis BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Meriandra strobilifera BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Merremia dissecta (JACQ.) HALLIER F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Merremia emarginata (BURM.F.) HALL.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Merremia gangetica (L.) CUFO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Merremia hastata (DESR.) HALLIER. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Merremia hederacea (N.BURM.) H.HALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Merremia mammosa (LOUR.) HALL. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Merremia peltata (Linn.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Merremia tridentata (L.) HAILLIER tridentata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Merremia tridentata (L.) HALL. F. hastata (DESR.) OOST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Merremia tridentata (L.)H. HALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Merremia tuberosa (LINN.) RENDLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Merremia turpethum RENDLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Merremia umbellata (L.) HALLIER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Merremia vitifolia (BURM. F.) HALL. F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mesembryanthemum crystallinum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mesua ferrea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mesua nagassarium (BURM.F.) KOSTERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Metathelypteris gracilescens (BL.) CHING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Meyna laxiflora ROBYNS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Meyna spinosa ROXB. EX LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mezoneuron cucullatum (ROXB.) WT. AND ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mezoneuron sumatranum W.A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Michelia champaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Michelia doltsopa BUCH.- HAM. EX DC. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Michelia montana BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Michelia nilagirica ZENK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Micranthus oppositifolius WENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Microcos paniculata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Microglossa pyrifolia (LAM.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Microglossa volubilis DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Microlepia puberula VAVR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Microlepia speluncae (L.) MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Micromelum hirsutum OSKIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Micromelum integerrimum (Buch-Ham) Roem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Micromelum minutum (FORST. F.) WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Micromelum pubescens BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Micromeria biflora (DON) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Micromeria capitellata BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Micrometum integerrimum (BUCH.-HAM.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Micropus xanthopus (FR.) KUNT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Microrhynchus nudicaulis LESS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Microsorium alternifolium COPEL.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Microsorium punctatum (L.) COPEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Microsorium scolopendria (BURM.F.) COPEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Microstegium ciliatum A.CAMUS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Microstylis muscifera RIDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Microstylis saprophyta KING & PANTL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Microstylis versicolor (LINDL.) ABEYW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Microstylis wallichii LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Microtoena insuavis (HANCE) PRAIN EX DUNN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Microula tibetica BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mikania cordata (BURM. F.) R.L. ROBINSON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mikania micrantha H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Milium ramosum RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Miliusa roxburghiana (GRIFF.) HK. F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Miliusa tomentosa (ROXB.) SINCLAIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Miliusa velutina HOOK. F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Millettia auriculata BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Millettia caudata (BENTH.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Millettia extensa (BENTH.) BAKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Millettia pachycarpa BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Millettia piscidia WIGHT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Millettia racemosa BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Millingtonia hortensis L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mimosa abstergens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mimosa amara ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mimosa cineraria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mimosa cinerea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mimosa ferruginea ROTTLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mimosa flexuosa BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mimosa hamata WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mimosa intsia L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mimosa invisa MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mimosa lucida ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mimosa paniculata BENTH. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mimosa pudica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mimosa pudica L. hispida BRENAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mimosa pudica L. tetrandra (WILLD.)DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mimosa pudica L. unijuga (DUCHASS. & WALP.)GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mimosa rubicaulis AUCT. NON LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mimosa rubicaulis LAMK. himalayana (GAMBLE) DHASHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mimosa spinisilqua KLEIN. EX POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mimosa suma ROXB. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mimulus moschatus DOUGI. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mimulus strictus BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mimusops elengi L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mimusops hexandra ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mimusops indica A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mimusops kauki L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mirabilis jalapa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mischocarpus sundaicus Bl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mitracarpus villosus (SW.) DC. NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mitragyna parvifolia KORTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mitragyna parvifollia KORTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mitragyna rotundifolia KUNTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mnesithea laevis (RETZ.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Modecca palmata LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Modecca trilobata ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Modecca wightiana WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Moghania bracteata HIU-LIN-LI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Moghania chappar KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Moghania macrophylla KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Moghania nana MUKHSJEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Moghania phursia O.KTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Moghania semialata (ROXB.) MUKHERJEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Moghania stricta (ROXB.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Moghania strobilifera J.ST. HILAIRE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Moghania tuberosa KTZE and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Molineria crassifolia BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Molinia coerulea MOENCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mollugo cerviana SER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mollugo hirta THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mollugo lotoides (L.) O. KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mollugo nedicaulis LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mollugo nudicaulis LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mollugo oppositifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mollugo pentaphylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mollugo spergula L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mollugo stricta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Momordica balsamina WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Momordica charantia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Momordica charantia L. charantia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Momordica charantia L. muricata (WILLD.) CHAKR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Momordica cochinchinensis SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Momordica cymbalaria HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Momordica dioica ROXB. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Momordica exserta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Momordica muricata VELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Momordica tuberosa COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Momordica umbellata ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Monetia barlerioides L HERIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Moniera cuneate and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Moniera cuneifolia MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Monochoria hastaefolia PRESL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Monochoria hastata SOLMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Monochoria vaginalis PRESL.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Monotropa uniflora L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Morchella esculenta PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Morina coulteriana ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Morina longifolia WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Morina persica L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Morinda angustifolia ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Morinda citrifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Morinda coreia BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Morinda pubescens J.E.SMITH IN REES pubescens VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Morinda pubescens SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Morinda tinctoria ROXB. tomentosa (ROTH) HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Morinda tomentosa HEYNE EX ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Morinda umbellata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Moringa concanensis NIMMO EX DALZ. & GIBSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Moringa conconensis NIMMO. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Moringa oleifera LAM. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Moringa pterygosperma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Morus acedosa GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Morus alba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Morus australis POIRET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Morus indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Morus laevigata WALL. EX BRAND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Morus nigra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Moschosma polystachyum BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Moullava spicata (DALZ.) NICOLS. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mucuna atropurpurea DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mucuna bracteata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mucuna capitata DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mucuna cochinchinensis Cheval and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mucuna gigantea (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mucuna hirsuta WIGHT & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mucuna monosperma DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mucuna nigricans (LOUR.) STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mucuna pruriens (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mucuna prurita HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mucuna utilis Wall. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mukia maderaspatana (L.) M.ROEMER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mukia scabrella (L..F.) ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mundulea sericea (WILLD.) A. CHEVAL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mundulea suberosa BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Munronia pinnata (WALL.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Muntingia calabura L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Murdannia edulis (STOKES) FADEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Murdannia elata (VAHL) BRUECKNER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Murdannia japonica (THUNB) FADEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Murdannia nudiflora (L.) BRENAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Murdannia scapiflora (ROXB.) ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Murdannia semiteres (DALZ.) SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Murdannia vaginata (L.) BRUECK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Muricia cochinchinensis LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Murraya exotica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Murraya koenigii (L.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Murraya paniculata (L.) JACK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Musa balbisiana COLLA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Musa chinensis SWEET. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Musa ornata ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Musa paradisiaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Musa rosacea JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Musa sapientum O.KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Musa sapietum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Musa superba ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Musa textilis NEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Musa troglodytarum KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Musa velutina WENDL. & DRUDE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mussaenda belilla BUCH.- HAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mussaenda erythrophylla SCHUM. & THONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mussaenda frondosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mussaenda glabra VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mussaenda glabrata VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mussaenda hirsutissima (HOOK. F.) HUTCHINSON EX GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mussaenda laxa (HOOK. F.) HUTCH EX GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mussaenda macrophylla WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mussaenda roxburghii HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mutilla occidentalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mylitta lapidescens HORAN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Myosoton aquaticum (L.) MOENCH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Myrica cerifera L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Myrica esculenta BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Myrica integrifolia ROXY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Myrica nagi THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Myrica pensylvanica LOISEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Myrica sapida WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Myricaria bracteata ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Myricaria coulteriana ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Myricaria elegans ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Myricaria germanica DESV. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Myriogyne minuta LESS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Myrioneuron nutans WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Myriophyllum spicatum LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Myristica argentea WARB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Myristica dactyloides GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Myristica fragrans HOUTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Myristica laurifolia HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Myristica malabarica LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Myristica moschata THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Myristica officinalis L..F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Myropyrum similacifolium BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Myrsine africana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Myrsine capitellata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Myrsine semiserrata WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Myrsine serrata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Myrtus caryophyllata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Myrtus communis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Myxopyrum serratulum A.W. HILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Myxopyrum smilacifolium BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nannorrhops ritchieana H. WENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Naravelia zeylanica DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Narcissus tazetta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nardostachys grandiflora DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nardostachys jatamansi DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Naregamia alata WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Naringi alata (WALL. EX WIGHT & ARN.) EL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Naringi crenulata (ROXB.) NICOLSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nasturtium fontanum ASCHERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nasturtium indicum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nasturtium officinale R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nasturtium palustre DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Natsiatum herpeticum BUCH.-HAM. EX ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nauclea aculeata H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nauclea cadamba ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nauclea missionis WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nauclea orientalis (L.) L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nauclea ovalifolia ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nauclea sessilifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Neanotis hirsuta (L.F.) LEWIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Neanotis rheedei (WIGHT & ARN.) W.H.LEWIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Neillia thyrsiflora DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Neisosperma oppositifolium (Lamk.) Fosb. & Sach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nelsonia canescens (LAM.) SPR. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nelumbium speciosum WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nelumbo nucifera GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Neodissochaeta celebica (Bl.) Bakh.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Neolamarckia cadamba (ROXB.) BOSSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Neolitsea cassia (L.) KOSTERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Neolitsea chinensis (LAM.) CHUN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Neolitsea scrobiculata (MEISSNER) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Neolitsea umbrosa (NEES) and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Neolitsea zeylancia (NEES) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Neonauclea sessilifolia (ROXB.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nepenthes distillatoria AUCT. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nepenthes khasiana KH.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nepeta cataria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nepeta ciliaris BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nepeta coerulascens MAXIM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nepeta connata ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nepeta discolor ROYLE EX BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nepeta elliptica ROYLE EX BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nepeta eriostachya BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nepeta floccosa BTH. LAB. GEN. & SP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nepeta glomerulosa BOISS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nepeta glutinosa BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nepeta hindostana (ROTH) HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nepeta leucophylla BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nepeta longibracteata (BENTH.) and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nepeta malabarica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nepeta podostachys BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nepeta royleana STEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nepeta ruderalis HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nepeta spicata BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nephelium lappaceum LINN. MANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nephelium litchi (LOUR.) GAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nephelium longana CAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nephelium stipulaceum BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nephrolepis biserrata SCHOTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nephrolepis cordifolia (L.) PRESL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nephrolepis multiflora (ROXB.) JARRETT EX MORTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Neptunia natans (L. F.) DRUCE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Neptunia oleracea LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Neptunia prostrata (LAM.) BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Neptunia triquetra BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nerium antidysentericum L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nerium coronarium JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nerium indicum MILLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nerium odorum SOLANED and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nerium oleander L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nerium tomentosum ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nervilia aragoana GAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nervilia plicata SCHLTR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nervilia prainiana (KING & PANTL) SCIDEN.F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nesaea lanceolata (WT. &ARN.) KOEHNE and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nesaea prostrata (DILLWYN) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Neuracanthus sphaerostachyus DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Neuracanthus trinervis WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nicandra physalodes (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nicotiana macrophylla SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nicotiana plumbaginifolia VIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nicotiana rustica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nicotiana tabacum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Niebuhria linearis DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nigella damascena LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nigella sativa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nilgirianthus ciliatus (NEES) BREMEK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nilgirianthus heyneanus (NEES) BREMEK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nipa fruticans WURMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nomocharis nana (KLOTZ.)WILSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nopalea cochenillifera (L.) LYONS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nothapodytes nimmoniana (GRAH.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Notholaena eckloniana KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nothopanax fruticosum MIQ. FL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nothopegia castaneifolia (Roth)Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nothopegia colebrookiana BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nothosaerva brachiata WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Notonia grandiflora DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nyctanthes arbor-tristis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nymphaea alba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nymphaea caerulea SAVIGN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nymphaea cyanea ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nymphaea edulis D.C and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nymphaea lotus HOOK. F.( NON L). and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nymphaea nouchali BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nymphaea odorata AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nymphaea pubescens WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nymphaea rubra ROXB. EX ANDREWS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nymphaea stellata WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nymphaea stellata WILLD. cyanea H.F. & T. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nymphaea tetragona GEORGI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nymphoides cristata (ROXB.) O. KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nymphoides hydrophylla (LOUR.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nymphoides indica (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nymphoides indicum (L.) O. KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nymphoides macrospermum VASUDEVAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nymphoides peltata (GMEL.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nypa fruticans Wurb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ochlandra brandisii GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ochlandra rheedii BENTH. & HOOK. F. EX GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ochlandra scriptoria (DENNST.) C.E.FISCHER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ochlandra travancorica GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ochna gamblei KING(SONARI) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ochna jabotapita L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ochna lanceolata KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ochna obtusata DC. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ochna pumila HAM. EX D. DON PRODR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ochna squarrosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ochradeneus baccatus DEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ochradenus baccatus DEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ochreinauclea missionis (WALL.EX G.DON) RIDSDALE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ochrocarpus longifolius (WIGHT) T.ANDERSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ochthochloa coracana EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ocimum adscendens WIGHT EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ocimum album L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ocimum americanum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ocimum basilicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ocimum basilicum L. basilicum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ocimum basilicum L. majus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ocimum basilicum L. pilosum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ocimum basilicum L. minimum DAMERT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ocimum canum SIMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ocimum caryophyllatum SCHWEIG EX.

SCHRAUK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ocimum gratissimum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ocimum kilimandscharicum GUERKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ocimum pilosum WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ocimum polystachyon L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ocimum prostratum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ocimum sanctum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ocimum tenuiflorum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Odina pinnata KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Odina wodier ROXB. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oenanthe javanica (BI.)DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oenothera biennis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Olax acuminata WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Olax imbricata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Olax nana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Olax scandens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oldenlandia auricularia K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oldenlandia biflora LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oldenlandia corymbosa L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oldenlandia dichotoma HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oldenlandia diffusa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oldenlandia fruticosa (L.) K. SCHUM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oldenlandia glandulifera WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oldenlandia herbacea (L.) ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oldenlandia heynii BR. EX. G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oldenlandia umbellata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Olea cuspidata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Olea dioica ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Olea europea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Olea ferruginea ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Olea glandulifera WALL. EX DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Olea polygama WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oleandra neriiformis CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oleandra pistillaris (SW.) C.CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oleandra wallichii PRESL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oligochaeta ramosa (ROXB.) WAGEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oligomeris linifolia (VAHL) MACB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Onosma bracteatum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Onosma echioides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Onosma hispidum WALL. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Onosma hookeri CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Onychium contiguum (WALL.) HOPE.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Onychium japonicum O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Onychium siliculosum (DESV.) C. CHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Operculina petaloidea (CHOISY)

OOSTSTROOM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Operculina turpethum (L.) S. MANSO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ophelia angustifolia D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ophelia chiraita GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ophelia densifolia GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ophelia elegans WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ophelia multiflora DATZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ophiocephalus striatus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ophioglossum costatum R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ophioglossum fibrosum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ophioglossum nudicaule L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ophioglossum pendulum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ophioglossum thermale KUMAROV NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ophioglossum vulgaatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ophioglossum vulgatum (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ophiopogon intermedius DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ophiopogon japonicum KER-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ophiopogon malcolmsonii ROYLE EX HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ophiopogon wallichianus HOOK.F. PAUCIFLORA HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ophiorrhiza mungos L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ophiorrhiza nicobarica BALAKR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ophiorrhiza nutans C. B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ophiorrhiza ochroleuca HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ophiorrhiza pauciflora HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ophiorrhiza rugosa WALL. ARGUITEA DEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ophioxylon serpentinum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ophiuros exaltatus KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ophrestia pentaphylla (DALZ.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Opilia amentacea ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oplismenus burmannii (RETZ.) BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Opopanax chironium KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Opuntia cochinellifera MILL. GARD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Opuntia dillenii (KER-GAMIER) HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Opuntia elatior MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Opuntia ferox HAW. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Opuntia ficus-indica (L.) MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Opuntia monacantha HAW. SUPPL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Opuntia nigricans HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Opuntia stricta (HAW.) HAW. dillenii (KER.GAWL)BENSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Opuntia vulgaris MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Orchis chusua D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Orchis habenarioides K. & P. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Orchis latifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Orchis laxiflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Orchis mascula L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Orchis spathulata L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oreocnide frutescens (THUNB.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oreocnide integrifolia (GAUD) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Origanum majorana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Origanum vulgare L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ormocarpum cochinchinense (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ormocarpum sennoides DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ormosia travancoria BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Orobanche aegyptiaca PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Orobanche solmsii CLARKE EX. HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Orophea katschallica KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oroxylum indicum (L.) VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Orthosiphon aristatus (BL.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Orthosiphon diffuses BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Orthosiphon glabratus BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Orthosiphon grandiflorus BOLDINGH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Orthosiphon incurvus BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Orthosiphon pallidus ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Orthosiphon rubicundus BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Orthosiphon spiralis (LOUR) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Orthosiphon stamineus BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Orthosiphon thymiflorus (ROTH.) SLEASEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Orygia decumbens FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oryza granulata Nees. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oryza meyeriana (Zoll.&Mor.)Baill granulata Tateoka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oryza mutica STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oryza rufipogon GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oryza sativa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Osbeckia aspera BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Osbeckia capitata BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Osbeckia chinensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Osbeckia crinita BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Osbeckia cupularis DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Osbeckia nepalensis HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Osbeckia sexatilis (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Osbeckia sikkimensis CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Osbeckia stellata KER-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Osbeckia zeylanica L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Osmanthus fragrans LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Osmunda claytoniana L.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Osmunda regalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Osyris arborea WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Osyris quadripartita SALZ EX DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Osyris wightiana WALL. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Othonnopsis intermedia BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Otostegia aucheri BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Otostegia limbata HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ottelia alismoides (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ougeinia dalbergioides BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ougeinia oojeinensis (ROXB.) HOCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ouratea angustifolia BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oxalis acetosella L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oxalis corniculata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oxalis corymbosa DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oxalis debilis H.B.K. corymbosa (DC.) LOUR. 0. CO. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oxalis latifolia H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oxalis martiana ZUCC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oxalis pubescens H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oxyria digyna (L.) HILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oxyspora paniculata DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oxystelma esculentum R.BR. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oxystelma secamone (L.) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oxytenanthera nigrociliata MUNRO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oxytenanthera thwaitesii MUNRO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oxytropis lapponica (WAHL.) GAY. CORRESS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oxytropis mollis ROYLE EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oxytropis tatarica BUNGE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pachygone ovata (POIR.) HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pachygone zeylanica (GAERTN) SANT. & WAGH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pachyrrhizus angulatus RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pachyrrhizus erosus (L.) URBAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pachystoma senile (LINDL.) REICHB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Padus cornuta (WALL. EX ROYLE) CARR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Paederia foetida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Paederia scandens (LOUR.) MERILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Paederia tomentosa BLUME BIJDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Paeonia emodi WALL. EX. ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pajanelia longifolia (WILLD.) K.SCHUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Palaquium ellipticum (DOLZ.) BAILLON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Palhinhaea cernua (L.) FRANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pamburus missionis (WIGHT) SWINGLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Panax ginseng MEY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Panax pseudoginseng WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Panax quinquefolius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Panax wangianus Sun and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pancratium triflorum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pancratium zeylanicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, PKalamnus fascicularis LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, PKalamnus foetidus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, PKalamnus furcatus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, PKalamnus kaida KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, PKalamnus odoratissimus L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, PKalamnus tectorius AUCT. NON SOLAND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, PKalamnus thwaitesii MARTELLI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, PKalamnus unipapillatus DENNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Panicum antidotale RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Panicum argyptiacum HORT. EX ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Panicum brizoides JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Panicum crus-corvi L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Panicum flavo-marginatum MEZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Panicum floro-marginatum MEZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Panicum frumentaceum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Panicum grossarium GRIFF. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Panicum grosslarium GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Panicum incomtum TRIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Panicum isachne ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Panicum italicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Panicum macimum FACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Panicum maximum JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Panicum miliaceum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Panicum milliare AUCT. NON LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Panicum psilopodium TRIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Panicum psilopodium TRIN. psilopodium and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Panicum repens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Panicum sarmentosum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Panicum stagninum RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Panicum sumatrense ROTH EX ROEM. ET SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Papaver argemone L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Papaver dubium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Papaver hybridum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Papaver nudicaule L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Papaver orientale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Papaver rhoeas L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Papaver somniferum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Paphiopedilum druryi (BEDD.) STEIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phaius tancarvilleae (Banks ex L'Hér.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Paracalyx scariosa (ROXB.) ALI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Paraleptochilus decurrens (BLUME) COPEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Parameria barbata (BI.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Parameria polyneura HOOK.R. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Paramignya angulata KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Paramignya longispina HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Paramignya monophylla WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pardanthus chinensis KER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Paris polyphylla SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Parkia biglandulosa WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Parkia javanica MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Parkia roxburghii G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Parkia timoriana (A. DC.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Parkinsonia aculeata L.SP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Parmelia cirrhata FR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Parmelia kamstchadalis ACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Parmelia nilgherrensis NYL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Parmelia perforata ACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Parmelia perlata (HUDS.) ACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Parmignya monophylla WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Parnassia laxmannii PALL. EX SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Parnassia nubicola HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Parnassia palustris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Parnassia pusilla HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Parochetus communis DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Parsonsia alboflavescens (DENNST.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Parsonsia helicandra HOOK. & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Parsonsia laevigata (Moon) Alston. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Parsonsia spiralis WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Parthenium hysterophorus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pasania truncata (KING) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Paspalum conjugatum BERG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Paspalum distichum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Paspalum scrobiculatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Paspalum scrobiculatum L. commersonii STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Passiflora assamica CHAKRAVARTY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Passiflora edulis SIMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Passiflora foetida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Passiflora incarnata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Passiflora perpera MAST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Passiflora quadrangularis LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Paullinia cupana H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pausinystalia yohimba PIERRE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pavetta crassicaulis BREMEK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pavetta indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pavetta indica L. minor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pavetta tomentosa ROXB. EX SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pavonia odorata WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pavonia procumbens SOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pavonia propinqua GARCKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pavonia repKalam (J.E. SM.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pavonia zeylanica CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Payena lucida A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pecteilis susannae (L.) RAF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pedalium murex L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pedicularis bicornuta CLOTZ. EX. GARCKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pedicularis cheilanthifolia SCHRENK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pedicularis comosa LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pedicularis longiflora RUDOLPH tubiformis (KLOTZSCH)PENNEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pedicularis pectinata WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pedicularis pycnantha BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pedicularis pyramidata ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pedicularis siphonantha D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pedilanthus tithymaloides (L.) POIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Peganum harmala L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pegia nitida COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pegolettia senegalensis CASS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pegonatherum crinitum KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pelargonium graveolens L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pelargonium roseum R. BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Peliosanthes bakeri HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Peliosanthes teta ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pellaea colomelanos LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pellaea hastata (THUNB) PRANTL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Peltigera canina WILLD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Peltophorum dasyrhachis (MIQ.)KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Peltophorum pterocarpum (DC.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pemphis acidula FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pennisetum alopecuroides (L.) SPRENG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pennisetum americanum (L.) LEEKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pennisetum compressum R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pennisetum flaccidum GRISEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pennisetum glaucum R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pennisetum spicatum ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pennisetum typhoides (BURM.F.) STAPF ET HUBB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pennisetum typhoideum (RICH) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pentanema indicum (L.) LING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pentaneura khasiana KURZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pentapetes phoenicea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pentaptera tomentosa BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pentatropis capensis (L.F.) BULLOCK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pentatropis cynanchoides R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pentatropis microphylla (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pentatropis nivalis (GMEL.) FIELD & WOOD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pentatropis spiralis DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Peperomia pellucida L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Peperomia reflexa (L.F.) A. DIETR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Peperomia tetraphylla (G.FORST.) HOOK. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Peranama cyatheoides D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pergularia aktensa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pergularia daemia (FORSK.) CHOIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pergularia extensa N.E.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pergularia tomentosa L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pericampylus glaucus (LAMK.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pericampylus incanus MIERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Perilepta auriculata (NEES) BREMEK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Perilla frutescens (L.) BRITT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Periploca aphylla DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Periploca indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Periploca sylvestris RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Peristrophe bicalyculata NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Peristrophe bivalvis MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Peristrophe paniculata (FORSK.) BRUMMITT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Peristrophe roxburghiana (SCHULT.) BREMEK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Peristylus stocksii (HK.F.) KRANZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Perotis indica (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Perovskia abrotanoides KAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Perovskia atriplicifolia BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Persea fructifera KOST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Persea gamblei (KING EX HK.F.) KOST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Persea macrantha (NEES) KOST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Petrea volubilis GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Petroselinum crispum NYM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Peucedanum aucheri BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Peucedanum dhana BUCH.-HAM.EX CLARKE DALZELII C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Peucedanum grande CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Peucedanum graveolens BENTH. EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Peucedanum nagpurense (CI.) PRAIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phaius grandifolius LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phaius tancarvilleae (L. HERIT.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phaius wallichii LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phalaenopsis amabilis LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phalaris arundinacea L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phalaris canariensis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phallus rubicundus (BOSC.) FRIES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pharbitis nil CHOIS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pharnaceum cerviana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pharnaceum mollugo L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phaseolus aconitifolius L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phaseolus adenanthus G.F. MEYER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phaseolus aureus ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phaseolus dalzellii COOKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phaseolus lunatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phaseolus mungo (L) MANT. radiatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phaseolus mungo (L) MANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phaseolus pauciflorus DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phaseolus radiatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phaseolus roxburghii WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phaseolus semierectus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phaseolus sublobatus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phaseolus trilobus AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phaseolus vulgaris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phaulopsis dorsiflora (RETZ.) SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phaulopsis imbricata (FORSK.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phlegmariurus phlegmaria (L.) SEN & SEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phlogacanthus curviflorus NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phlogacanthus guttatus NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phlogacanthus jenkinsii C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phlogacanthus pubinervis T.ANDERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phlogacanthus thrysiflorus WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phlogacanthus thyrsiflorus NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phlogacanthus thyrsiformis (HARD.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phlomis bracteosa ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phoebe lanceolata NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phoebe wightii MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phoenix acaulis ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phoenix asperulatus HUTCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phoenix dactylifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phoenix farinifera ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phoenix humilis ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phoenix loureirii KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phoenix paludosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phoenix pusilla GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phoenix sylvestris ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pholidota chinensis LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pholidota imbricata (ROXB.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pholidota pallida LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phoradendron leucarpum (RAF.) REV. & M.C. JOHNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Photinia notoniana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Photinia serrulata LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phragmites australis (CAV.) TRIN. EX STEUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phragmites communis TRIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phragmites karka TRIN. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phragmites maxima BLATTER & MCCANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phragmites roxburghii (KUNTH) STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phrymium dichotoma ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyla nodiflora (L.) GREENE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllagathis rotundifolia BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllanthus acidus (L.) SKEELS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllanthus airy-shawii BRUNEL & ROUX and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllanthus amarus SCHUM. & THENN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllanthus clarkei HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllanthus debilis KLEIN EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllanthus distichus (L.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllanthus emblica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllanthus fraternus WEBSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllanthus gomphocarpus HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllanthus indofischeri BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllanthus maderaspatensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllanthus missionis HOOK.F. FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllanthus mukherjeeanus MITRA ET BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllanthus multiflorus WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllanthus niruri SENSU HOOK.F.Non Linn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllanthus polyphyllus DALZ. & GIBS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllanthus reticulatus POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllanthus rhamnoides WILLD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllanthus rheedii WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllanthus simplex RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllanthus urinaria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllanthus virgatus G.FORSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllocephalum indicum (LESS.) KIRKMAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllochlamys taxoides KOORDERS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phyllostachys bambusoides SIEB. & ZUCC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phymatodes ebenipes (HOOK.) CHING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phymatodes scolopendria (BURM.) CHING. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Physalis alkekengi L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Physalis alkekengi LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Physalis angulata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Physalis divaricata D.Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Physalis flexuosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Physalis indica LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Physalis minima L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Physalis peruviana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Physochlaina praealta (DECNE) MIERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Physostigma venenosum BALF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phytolacca acinosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phytolacca americana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Phytolacca lathenia (MOQ.) HANS WALTERS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Picarasma guassioides and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Picea abies (L.) KARST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Picrasma javanica BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Picrasma nepalensis BENN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Picrasma quassioides BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Picris hieracioides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Picrorhiza kurroa ROYLE EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Picrorhiza scrophulariiflora PENNELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Picrorrhiza kurrooa BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pieris ovalifolia D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pilea microphylla (L.) LIEBM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pilea umbrosa WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piliostigma malabaricum (ROXB.) BENTH. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pilocarpus jaborandi HOLMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pimenta acris KOSTEL ALLG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pimenta racemosa J. W. MOORE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pimpinella anisum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pimpinella bracteata HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pimpinella diversifolia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pimpinella heyneana (WALL. EX DC.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pimpinella involucrata MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pimpinella saxifraga L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pimpinella stocksii BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pimpinella tirupatiensis BAL. & SUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pinanga dicksonii (ROXB.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pinanga manii BECC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pinus dammara LAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pinus deodara ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pinus excelsa WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pinus gerardiana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pinus griffithi M. CLELL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pinus insularis ENDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pinus kesiya GORDON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pinus longifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pinus maritima LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pinus merkussi JUNGH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pinus picea PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pinus roxburghii SARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pinus sylvestris LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pinus wallichiana JACKS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pinus webbiana WALL. EX. LAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper argyrophyllum MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper attenuatum BUCH.-HAM. EX MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper aurantiacum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper auranticum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper baccatum CAS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper bachystachyum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper bantamense BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper barberi GAMBLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper betele LINN. SIRIBOA (MIQ.) C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper betle L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper betleoides C. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper boehmeriaefolium WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper caninum BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper chaba HUNTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper clusii C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper crassipes KORTH. EX. C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper cubeba L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper dichotomum HORT. PAR. EX KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper diffusum VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper gamblei CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper griffithii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper guineense SCHUM & THONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper lanceolatum RUIZ & PAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper longum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper mullesua D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper nigrum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper officinarum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper pedicellatum C. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper pedicellosum WALL.EX CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper peepuloides ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper retrofractum VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper ribesioides WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper sarmentosum ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper sylvaticum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper thomsoni Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper thomsonii HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper trichostachyon (MIQ.) C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper trioicum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Piper wallichii (MIQ.) HAND MAZZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pipturus velutinus WEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pisonia aculeata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pisonia alba SPAN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pisonia grandis R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pisonia mitis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pisonia morindifolia R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pisonia umbellata (FORST.) SEEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pistacia chinensis BUNGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pistacia chinensis BUNGE integerrima (STEW) RECH.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pistacia integerrima STEW. EX BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pistacia khinjuk STOCKS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pistacia lentiscus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pistacia terebinthus LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pistacia vera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pistia stratiotes L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pistia stratiotes LINN. CUNEATA ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pisum arvense L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pisum sativum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pithecellobium angulatum BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pithecellobium bigeminum MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pithecellobium clypearia BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pithecellobium dulce (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pithecellobium fasciculatum BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pithecellobium globosum KOSTERM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pithecellobium lobatum BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pithecellobium monadelphum (ROXB.) KOSTER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pithecolobium dulce BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pithecolobium subcoriaceum THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pithecolobium umbelletum (VAHL.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pittosporum floribundum SENSU HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pittosporum nepaulense (DC.) REHDER & WILSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pittosporum nilghirense WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pittosporum tetraspermum WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pityrogramma calomelanos (L.) LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Planchonella obovata (R.BR.) PIERRE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plantago amplexicaulis CAV. bauphula (EDGEW.) RECH. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plantago arenaria DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plantago asiatica L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plantago brachyphylla EDGEW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plantago ciliata DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plantago depressa WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plantago erosa WALL. IN ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plantago himalaica PILG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plantago ispaghula ROXB. EX FLEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plantago lagocephala BUNGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plantago lanceolata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plantago major L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plantago media L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plantago ovata FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plantago psyllium LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plantago pumila WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plantago stocksii BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plantago tibetica HK. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Platanthera susannae (L.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Platanus orientalis LINN. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Platostoma africanum BEAUV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Platostoma africanus BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Platostoma flaccidum BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plecospermum spinosum TREC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plectranthus ambonicus (LOUR.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plectranthus barbatus ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plectranthus coetsa HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plectranthus fruticosus WIGHT EX HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plectranthus incanus LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plectranthus japonicus (BURM.F) KOIDZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plectranthus lophanthoides (DON) GRIER. & LONG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plectranthus mollis (AITON) SPLRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plectranthus nilgherricus BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plectranthus rugosus WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plectranthus striatus BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plectranthus ternifolius D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plectranthus vettiveroides (JACOB) SINGH & SHARMA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plectronia didyma KURZ FOR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plectronia parviflora BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pleione maculata (LINDL.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pleiospermium alatum (WALL. EX WT. & ARN.) SURINGLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pleopeltis contorta (CHRIST.) PANIGR. & PATAV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pleopeltis lanceolata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pleopeltis macrocarpa (BORRY EX WILLD.) KAULF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pleopeltis nuda HOOK. NULL and 15 wasteland

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plesmonium margaretiferum (ROXB.) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pleurospermum angelicoides (DC.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pleurospermum brunonis (DC.)BENTH. EX. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pleurospermum candollei (DC.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pleurostylia opposita (WALL.) ALSTON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pluchea indica LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pluchea lanceolata OSKIN & HIERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pluchea pinnatifida HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pluchea tomentosa DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pluechea indica LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plumbago auriculata LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plumbago capensis THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plumbago indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plumbago rosea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plumbago zeylanica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plumeria acuminata R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plumeria acutifolia POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plumeria alba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plumeria rubra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plumieria acutifolia POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plumieria alba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plumieria rubra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Poa cynosuroides RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Poa malabarica KLEIN.EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Podocarpus latifolia BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Podocarpus neriifolius DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Podophyllum emodi WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Podophyllum hexandrum ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Podophyllum peltatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Poeciloneuron indicum BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Poeciloneuron pauciflorum BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pogonatherum crinitum (THUNB.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pogonia plicata (ROXB.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pogostemon auricularis (L.) HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pogostemon benghalensis (BURM.F.) KUNTZE

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pogostemon cablin (BLANCO) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pogostemon elsholtzioides BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pogostemon heyneanus BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pogostemon paniculatus (WILLD.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pogostemon parviflorus BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pogostemon patchouli PELLET. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pogostemon plectranthoides DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pogostemon pubescens BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pogostemon purpurascens DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pogostemon vestitus BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pogostemon villosus BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Poikilospermum suaveolens (BL.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Poinciana elata L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Poinciana gilbesii HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Poinciana pulcherrima L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polanisia felina DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polanisia icosandra WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polemonium caeruleum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polianthes tuberosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polyalthia cerasoides (ROXB.) BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polyalthia coffeoides (HOOK.F.&THOMS.) BENTH. & HOOK.F. EX. HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polyalthia fragrans BENTH. & HOOK. F. EX HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polyalthia korinti (DUNAL) BENTH. & J.HOOK. EX J.HOOK. & TH oms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polyalthia longifolia BENTH. & HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polyalthia simiarum BENTH. & HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polyalthia suberosa (ROXB.) THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polyanthes tuberosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polycarpaea corymbosa LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polycarpon prostratum (FORSK.) ASCH. & SCHWEINF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygala abyssinica (R.BR.) FRESEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygala arillata HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygala arvensis WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygala chinensis L. and 15 wasteland weeds

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygala crotalarioides HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygala elongata KLEIN EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygala erioptera DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygala glomerata LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygala irregularis BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygala leptalea DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygala longifolia POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygala persicaraefolia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygala senega L. and 15 wasteland weeds

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygala sibirica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygala telephioides WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygala vulgaris THUNB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygallata arillata BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonatum cirrhifolium ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonatum multiflorum (L.) ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonatum verticillatum (L.) ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum affine DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum alatum HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum alpinum ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum amphibium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum amplexicaule DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum auriculatum MEISN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum aviculare L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum barbatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum bistorta L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum bistorta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum capitatum BUCH.-HAM. EX DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum chinense L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum chinense LINN. SUBHASTATA MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum convolvulus LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum cymosum ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum flaccidum ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum glabrum WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum hydropiper LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum lapathifolium L. and 15 wasteland

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum macrophyllum DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum minus HUDS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum molle D.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum multiflorum THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum nepalense MEISSN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum orientale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum paronychioides MEYER EX HOHEN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum perfoliatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum persicaria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum plebeium R. BR. EFFUSA HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum plebeium R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum polystachyum WALL. EX MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum posumbi HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum pulchrum BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum recumbens ROYLE EX BAB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum roettleri ROTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum rumicifolium ROY. and 15 wasteland

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum serrulatum LAGASCA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum sphaerostachyum MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum stagninum (BUCH.-HAM. EX MEISSN.) STEWARD stagninum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum stewartianum DIELS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum strigosum BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum tenellum BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum tomentosum WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum tortuosum D.DON and 15 wasteland

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum vaccinifolium WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum virginianum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygonum viviparum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polypodium irioides LAMK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polypodium quercifolium L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polypodium vulgare L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polyporus anthelminticus BERK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polyporus officinalis FRIES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polyscias fruticosa (L.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polysolenia wallichii HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polystichum aculeatum (L.) ROTH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polystichum biaristatum (BLUME) MOORE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polystichum squarrosum (D.DON) FEE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polytoca barbata STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polytrichum juniperinum WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pometia pinnata Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ponerorchis chusua (D.DON) SOO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pongamia glabra VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pongamia pinnata (L.) PIERRE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pontederia vaginalis BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Populus alba LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Populus caspica BORNM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Populus ciliata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Populus euphratica OLIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Populus nigra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Porana paniculata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Porphyra umbilicalis (L.) AG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Porphyra vulgaris LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Portulaca grandiflora HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Portulaca guadrifida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Portulaca meridiana LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Portulaca oleracea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Portulaca pilosa LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Portulaca quadrifida L. and 15 wasteland weeds

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Portulaca sativa LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Portulaca tuberosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Potentilla anserina LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Potentilla arbuscula D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Potentilla argyrophylla WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Potentilla atrosanguinea LODD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Potentilla bifurca L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Potentilla fragarioides LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Potentilla fruticosa L. rigida (LEHM.) WOLF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Potentilla fulgens WALL. EX HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Potentilla gerardiana LINDL. EX LEHM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Potentilla kleiniana WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Potentilla lineata TREVIR EX REICH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Potentilla moonaiana WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calophyllum inophyllum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calophyllum polyanthum Wall.ex Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Garcinia cowa Roxb. ex DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Garcinia gummi-gutta (L.) Robs. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Garcinia mangostana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Garcinia morella (Gaertn.) Desr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Garcinia papilla Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Garcinia rubro-echinata Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Garcinia spicata (Wight & Arn.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Garcinia talbotii Raiz. ex Sant and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Garcinia travancorica Bedd. and 15 wasteland

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Garcinia wightii T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Garcinia xanthochymus Hook. f. ex. T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hypericum androsaemum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hypericum humifusum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hypericum japonicum Thunb. ex Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hypericum mysurense Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hypericum patulum Thunb ex Murray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hypericum uralum Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hypericum wightianum Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mammea suriga (Buch. - Ham. ex Roxb.) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mesua ferrea L. subsp. ferrea and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mesua ferrea L. subsp. pulchella (Planch. & Triana) Vesque var. pulchella and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mesua ferrea L. subsp. pulchella (Planch. & Triana) Vesque var. coromandeliana (Wight) Mahesh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Poeciloneuron indicum Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Poeciloneuron pauciflorum Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Camellia japonica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Camellia sinensis (L.) Kuntze and 15 wasteland

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eurya nitida Korth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gordonia obtusa Wall ex Wight Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Schima wallichii (DC.) Korth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ternstroemia japonica (Thunb.) Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saurauia fasciculata Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saurauia napaulensis DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stachyurus himalaicus Hook. f. & Thoms. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dipterocarpus indicus Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hopea erosa (Bedd.) van Sloot. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hopea glabra Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hopea parviflora Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hopea ponga (Dennst.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hopea utilis (Bedd.) Bole and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Shorea roxburghii G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vateria indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ancistrocladus heyneanus Wall. ex Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Abelmoschus angulosus Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Abelmoschus esculentus (L.) Moench and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Abelmoschus ficulneus (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Abelmoschus manihot (L.) Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Abelmoschus moschatus Medicus subsp. tuberosus (Span.) Borss. Waalk and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Abutilon crispum (L.) Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Abutilon hirtum (Lam.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Abutilon indicum (L.) Sweet subsp. indicum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Abutilon indicum (L.) Sweet subsp. guineense (Schumach.) Borssum and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Abutilon megapotamicum (Spreng.) Mill. & Naud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Abutilon neilgherrense Munro ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Abutilon pannosum (Forst. f.) Schlect and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Abutilon persicum (Burm. F.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Abutilon ramosum (Cav.) Guill. & Perr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Abutilon striatum Dickson ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Abutilon theophrastii Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alcea rosea L. and 15 wasteland weeds based

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Decaschistia crotonifolia Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Decaschistia rufa Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gossypium arboreum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gossypium barbadense L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gossypium herbaceum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gossypium hirsutum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hibiscus canescens Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hibiscus cannabinus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hibiscus furcatus Willd. and 15 wasteland weeds

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hibiscus hirtus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hibiscus lobatus (Murr.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hibiscus lunariifolius Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hibiscus mutabilis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hibiscus micranthus L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hibiscus panduriformis Burm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hibiscus platanifolius (Willd.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hibiscus radiatus Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hibiscus rosa-sinensis L. and 15 wasteland weeds

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hibiscus sabdariffa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hibiscus schizopetalus (Mast.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hibiscus surattensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hibiscus syriacus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hibiscus tiliaceus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hibiscus trionum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hibiscus vitifolius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kydia calycina Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Malachra capitata (L.) L. and 15 wasteland weeds

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Malva parviflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Malva sylvestris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Malva verticillata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Malvastrum coromandelianum (L.) Garcke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Malvaviscus arboreus Cav. var. arboreus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Malvaviscus arboreus Dill ex Cav. var. penduliflorus (DC.) Schery and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Modiola caroliniana (L.) G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pavonia odorata Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pavonia procumbens (Wall ex. Wight & Arn.) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pavonia zeylanica (L.) Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Plagianthus pulchellus A. Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sida acuta Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sida cordata (Burm. f.) Borssum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sida cordifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sida mysorensisWight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sida rhombifolia L. var. rhombifolia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sida rhombifolia L. var. retusa (L.) Borss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sida schimperiana Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sida spinosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thespesia lampas (Cav.) Dalz. ex Dalz. & Gibs and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thespesia populnea (L.) Soland ex Correa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Urena lobata L. subsp. lobata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Urena lobata L. subsp. sinuata (L.) Borssum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Adansonia digitata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bombax ceiba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bombax ellipticum Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bombax insigne Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ceiba pentandra (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chorisia speciosa St. Hil. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cullenia exarillata Robyns and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Durio zibethinus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Byttneria herbacea Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cola acuminata (P. Beauv.) Schott & Endlicher and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dombeya acutangula Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dombeya burgessiae Gerr. ex Harv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dombeya mastersii Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dombeya mollis Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dombeya platanifolia Boj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dombeya spectabilis Boj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dombeya wallichii (Lindl.) K. Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eriolaena hookeriana Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eriolaena lushingtonii Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eriolaena quinquelocularis (Wight & Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eriolaena stocksii Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Firmiana colorata (Roxb.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Guazuma ulmifolia Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Helicteres isora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Heritiera papilio Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hildegardia populnifolia (Roxb.) Schott & Endl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kleinhovia hospita L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Leptonychia moacurroides Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melhania balakrishnanii K.Ravik., R.Ganesan & K.Ramamurthy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melhania cannabina Wight ex Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melhania hamiltoniana Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melhania incana Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melochia corchorifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melochia nodiflora Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Melochia pyramidata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pentapetes phoenicea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pterospermum acerifolium (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pterospermum canescens Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pterospermum diversifolium Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pterospermum obtusifolium Wight ex Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pterospermum reticulatum Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pterospermum rubiginosum Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pterospermum xylocarpum (Gaertn.) Sant. & Wagh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pterygota alata (Roxb.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sterculia balanghas L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sterculia foetida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sterculia guttata Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sterculia urens Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sterculia villosa Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Theobroma cacao L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Waltheria indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Berrya cordifolia (Willd.) Burret. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Berrya javanica (Turez.) Burret. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Corchorus aestuans L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Corchorus capsularis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Corchorus fascicularis Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Corchorus olitorius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Corchorus tridens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Corchorus trilocularis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Corchorus urticifolius Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grewia abutilifolia Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grewia abutilifolia Vent. ex Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grewia barberi Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grewia bracteata Roth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grewia damine Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grewia flavescens Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grewia gamblei Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grewia heterotricha Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grewia hirsuta Vahl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grewia lanceaefolia Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grewia nervosa (Lour.) Panigr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grewia oppositifolia Buch - Ham ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grewia orbiculata Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grewia orientalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grewia pKalamica Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grewia rhamnifolia Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grewia rothii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grewia serrulata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grewia tenax (Forsk.) Fiori and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grewia tiliifolia Vahl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grewia umbellifera Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Grewia villosa Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Muntingia calabura L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Triumfetta annua L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Triumfetta pentandra A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Triumfetta pilosa Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Triumfetta rhomboidea Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Triumfetta rotundifolia Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elaeocarpus amoenus Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elaeocarpus blascoi Weibeln and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elaeocarpus lanceifolius Roxb. and 15 wasteland

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elaeocarpus munronii (Wight) Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elaeocarpus recurvatus Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elaeocarpus rugosus Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elaeocarpus serratus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elaeocarpus glandulosus Wall. ex Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elaeocarpus tuberculatus Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elaeocarpus venustus Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hugonia mystax L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Linum mysurense Heyne ex Benth. and 15

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Linum usitatissimum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Reinwardtia indica Dumort. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erythroxylum coca Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erythroxylum lanceolatum (Wight) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erythroxylum monogynum Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erythroxylum moonii Hochr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erythroxylum obtusifolium (Wight) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aspidopterys canarensis Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aspidopterys indica (Roxb.) Hochr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Galphimia gracilis Bartl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hiptage benghalensis (L.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hiptage obtusifolia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hiptage parvifolia Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Malpighia coccigera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Malpighia glabra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Malpighia heternantha Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Malpighia punicifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tristellateia australasiae A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Balanites aegyptiaca (L.) Del. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fagonia cretica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Guaiacum officinale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tribulus lanuginosis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tribulus subramanii P. Singh, Giri & V. Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Erodium moschatum (L.) L' Herit and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Geranium nepalense Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pelargonium capitatum (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pelargonium cucullatum (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pelargonium x domesticum L.H.Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pelargonium graveolens L' Herit and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pelargonium grossularioides (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pelargonium x hortorum L.H.Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pelargonium inquinans (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pelargonium peltatum Soland. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tropaeolum majus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tropaeolum pentaphyllum Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Limnanthes douglasii R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Biophytum insignis Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Biophytum intermedium Wight var. pulneyensis Edgew. & Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Biophytum longibracteatum Tad. & Jacob and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Biophytum nudum (Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Biophytum polyphyllum Munro and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Biophytum proliferum (Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Biophytum reinwardtii (Zucc.) Klotzsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Biophytum sensitivum (L.) DC. var. sensitivum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Biophytum sensitivum (L.) DC var. candolleanum (Wight) Edgew . & Hook.f and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Biophytum sensitivum (L.) DC var. nervifolium (Thw.) Edgew . & Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oxalis acetosella L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oxalis cernua Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oxalis corniculata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oxalis corymbosa DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oxalis deppei Lodd. and 15 wasteland weeds

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oxalis latifolia H. B. K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oxalis pubescens H. B. K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oxalis variabilis Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Averrhoa bilimbi L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Averrhoa carambola L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hydrocera triflora (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens acaulis Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens auriculata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens balsamina L. and 15 wasteland weeds

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Impatiens campanulata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Potentilla multifida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Potentilla nepalensis HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Potentilla reptans LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Potentilla salesoviana STEPH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Potentilla sericea LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Potentilla sibbaldi HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Potentilla sundaica (BL.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Potentilla supina LINN. and 15 wasteland weeds

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pothomorphe subpeltata (WILLD.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pothos cathcarti SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pothos kunstleri HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pothos officinalis ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pothos scandens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pouzolzia bennettiana WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pouzolzia frondosa (DON) KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pouzolzia hirta HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pouzolzia indica GAUD. and 15 wasteland weeds

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pouzolzia quinquenervis BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pouzolzia sanguinea (BI.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pouzolzia viminea WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pouzolzia zeylanica (L.) BENN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Prangos pabularia LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pratia begonifolia (WALL.) LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pratia nummularia KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Premna barbata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Premna coriacea CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Premna corymbosa ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Premna divaricata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Premna esculenta ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Premna flavescens HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Premna herbacea ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Premna integrifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Premna latifolia ROXB. mucronata C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Premna latifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Premna macrophylla WALL. EX SCHAUER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Premna mucronata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Premna obtusifolia R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Premna parasitica BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Premna serratifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Premna spinosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Premna thyrsoidea WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Premna tomentosa WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Premna villosa CLARKE IN HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Primula denticulata HK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Primula macrophylla D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Primula reticulata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Prinsepia utilis ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Prismatomeris tetrandra K.SCHUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Priva cordifolia (L.F.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Priva leptostachya JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pronephrium nudatum (ROXB. EX GRIFF.) HOLTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Prosopis chilensis (MOLINA) STUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Prosopis cineraria (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Prosopis farcta (SOL EX RUSS) MAC BRIDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Prosopis juliflora (SW.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Prosopis spicigera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Protium kataf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Protium pubescens ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Protium serratum (COLEBR) ENGLER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Prunus amygdalus BATSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Prunus armeniaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Prunus avium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Prunus carmesiana HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Prunus cerasoides D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Prunus cerasus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Prunus ceylanica (WT.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Prunus communis FRITSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Prunus communis HUDS. insitia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Prunus cornuta (ROYLE) STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Prunus domestica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Prunus dulcis (MILLER) D.A. WEBB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Prunus insititia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Prunus mahaleb L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Prunus malus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Prunus persica BATSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Prunus puddum (WALL.) ROXB. EX BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Prunus salicina LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Prunus triflora ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Prunus undulata HAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Przewalskia tangutica MAXIM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psalliota campestris L FR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psammogeton biternatum EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psammogeton canescens (DC.) VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pseudarthria viscida WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pseuderanthemum bicolor (SCHRANK.) RADIK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pseuderanthemum platiferum (WALL.) RADLK. EX LINDAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pseudodissochaeta assamica (CL.) NAYAR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pseudodrynaria caronas (WALL. EX METT.) CHING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pseudognaphalium luteoalbum (L.) HILL. & BURTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pseuduvaria prainii (KING) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psidium cattleyanum SABINE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psidium guajava L. pomiferum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psidium guyava L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psidium pomiferum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psidium pyriferum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psidium quajava L. and 15 wasteland weeds

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psilanthus travancorensis (WIGHT & ARN.) LERAY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psilotrichum trichotomum BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psilotum nudum BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psophocarpus tetragonolobus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psoralea corylifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psoralea plicata DEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psoralea tetragonoloba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psychotria calocarpa KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psychotria curviflora THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psychotria dalzelii J. HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psychotria glandulosa (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psychotria ipecacuanha LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psychotria montana BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psychotria sarmentosa BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psychotria viridiflora REINW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Psychrogeton andryaloides (DC) NOVOP. EX KRASH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pteridium aquilinum (L.) KUHN and 15

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pteris aquilina BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pteris biaurita L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pteris cretica L.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pteris ensiformis BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pteris longipes DON F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pteris multifida POIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pteris vitata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pteris wallichiana AGARDH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pternandra coerulescens JACK and 15 wasteland

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pterocarpus dalbergioides ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pterocarpus indicus WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pterocarpus marsupium ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pterocarpus santalinus L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pterococcus corniculatus (SM.) PAX & HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pterocymbium javanicum R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pterolobium hexapetalum (ROTH) SANT. & WAGH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pteropyrum olivierii JAUB. & SPACH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pterospermum acerifolium WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pterospermum canescens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pterospermum diversifolium BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pterospermum heyneanum WALL. EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pterospermum rubiginosum HEYNE EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pterospermum suberifolium (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pterospermum xylocarpum (GAERTH.) SAMT. & WAGH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pterygota alata R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ptesmonium margaritiferum (ROXB.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ptychopetalum olacoides BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ptychopetalum uncinatum ANSELMINO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ptychotis ajowan DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pueraria hirsuta (THUNB.) SCHU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pueraria lobata (WILLD.) OHWI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pueraria phaseoloides (ROXB.)BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pueraria tuberosa (ROXB. EX. WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pulicaria crispa SCH.-BIP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pulicaria dysenterica (L.) GAERTN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pulicaria glaucescens JAUB. & SPACH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pulicaria wightiana (DC.) BENTH. EX CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Puneeria coagulans STOCKS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Punica granatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pupalia lappacea (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pupalia orbiculata WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Putranjiva roxburghii WALL. and 15 wasteland

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Putranjiva zeylanica MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pycnocycla aucheriana BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pycnocycla glauca ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pycnospora lutescens (POIR.) SCHINDLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pygeum gardneri HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pygeum wightianum BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pygmaeopremna herbacea (ROXB.) MOLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pygmaeopremna pyrifolia - culta NAKAI NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pyrethrum indicum DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pyrethrum umbeliferum BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pyrola rotundifolia LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pyrrosia adnascens (SW.) CHING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pyrrosia heterophylla (L.) ORUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pyrrosia lanceolata (L.) FARWELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pyrrosia mannii (GIES.) CHING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pyrrosia penangiana (HK.) HOLTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pyrus aucuparia GAERTN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pyrus chinensis ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pyrus communis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pyrus cydonia L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pyrus lindleyi REHD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pyrus malus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pyrus pashia BUCH.-HAM EX DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pyrus tomentosa ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Quamoclit coccinea MOENCH.METH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Quamoclit phoenicea CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Quamoclit pinnata BOJER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Quamoclit vulgaris CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Quassia indica (GAERTN.) NOOTEBOOM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Quercus acutissima CARR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Quercus floribunda LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Quercus ilex L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Quercus incana ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Quercus infectoria OLIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Quercus lamellosa SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Quercus leucotrichophora A. CAMUS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Quercus pachyphylla KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Quercus robur PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Quercus truncata KING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Quisqualis indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Radermachera xylocarpa (ROXB.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Randia cochinchinensis (LOUR.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Randia densiflora BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Randia dumetorum LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Randia fasciculata DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Randia longiflora LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Randia longispina DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Randia malabaricum LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Randia rugulosa (THW.) HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Randia spinosa POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Randia tetrasperma BENTH. & HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Randia tomentosa HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Randia uliginosa DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ranunculus aquatilis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ranunculus arvensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ranunculus cantoniensis DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ranunculus diffusus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ranunculus falcatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ranunculus hirtellus ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ranunculus hyperboreus ROTLB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ranunculus laetus WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ranunculus lingua L. SP. PL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ranunculus muricatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ranunculus pensylvanicus L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ranunculus sceleratus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ranunculus trichophyllus CHAIX IN VILL. DAUPH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ranunculus tricuspis MAXIM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Raphanus caudatus ALEF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Raphanus sativus L. and 15 wasteland weeds

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rauvolfia canescens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rauvolfia densiflora (WALL.) BENTH. EX HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rauvolfia micrantha HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rauvolfia reflexa T. & B. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rauvolfia serpentina (L.) BENTH. EX KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rauvolfia tetraphylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ravenala madagascarensis SONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Reaumuria hypericoides WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Reinwardtia indica DUMORT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Reinwardtia trigyna PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Reissantia arborea (ROXB) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Reissantia grahamii (WIGHT) DING.HOU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Reissantia indica (WILLD.) HALLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Remirea maritima AUBL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Remusatia vivipara SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Reseda odorata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhabdia lycioides SENU CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhamnus dahuricus PALL. REISE RUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhamnus nepalensis WALL. EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhamnus prostrata JACQ. EX PAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhamnus purpurea EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhamnus purshiana DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhamnus triquetra (WALL.) BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhamnus virgatus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhamnus wightii WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhaphidophora decursiva SCHOTT NULL and

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhaphidophora laciniata (BURM.F.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhaphidophora pertusa SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhazya stricta DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rheum acuminatum HK. F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rheum australe D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rheum emodi WALL. EX MEIM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rheum moorcroftianum ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rheum nobile HOOK.F. & THOMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rheum officinale BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rheum palmatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rheum rhaponticum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rheum spiciforeme ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rheum spiciforme ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rheum undulatum PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rheum webbianum ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhinacanthus calcaratus NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhinacanthus communis NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhinacanthus nasuta (L.) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhinchoglossum obliquum BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhizophora apiculata BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhizophora mangle Roxb. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhizophora mucronata LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhodamnia trinervia BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhodiola heterodonta (Hook. f. & Thoms.) Boriss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhodiola imbricata EDGEW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhododendron anthopogon D.DON and 15

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhododendron arboreum SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhododendron barbatum WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhododendron campanulatum DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhododendron chrysanthum PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhododendron cinnabarinum HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhododendron decipiens LACAITA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhododendron falconeri HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhododendron javanicum BENN. PL. and 15

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhododendron lepidotum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhododendron ponticum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhododendron setosum D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhododendron thomsonii HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhodomyrtus parviflora ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhodomyrtus semialata MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhodomyrtus tomentosa WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhus chinensis MILL and 15 wasteland weeds

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhus coriaria L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhus hookeri SAHNI & BAHADUR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhus insignis HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhus javanica L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhus parviflora ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhus punjabensis J.L. STEW. EX BRAND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhus semialata MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhus succedanea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhus wallichii HOOK.F. and 15 wasteland weeds

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhynchocarpa foetida SCHRAD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhynchoglossum obliquum BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhynchosia minima (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhynchosia nummularia (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhynchospermum verticillatum REIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rhynchostylis retusa (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ribes alpestre WALL. EX DECNE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ribes emodense REHDER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ribes grossularia L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ribes himalense ROYLE EX DECNE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ribes nigrum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ribes orientale DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ribes rubrum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Richardia scabra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ricinus communis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Riedlea corchorifolia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rikliella squarrosa (L.) RAYNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rivea hypocrateriformis CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rivea ornata CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Roccella montagnei BEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Roripa islandica (OEDER) BORBAS SCHINZ & THELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rorippa dubia HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rorippa indica (L.) HIERN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rorippa indieca HIERN. APETALA HOCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rorippa islandica (OED.) BORBASS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rorippa montana SMALL and 15 wasteland

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rorippa nasturtium-aquaticum (L.) HAYEK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rosa alba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rosa banksiae AIT. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rosa brunonii LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rosa centifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rosa chinensis JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rosa eglanteria MILL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rosa foetida HERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rosa gallica L. and 15 wasteland weeds based

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rosa indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rosa macrophylla LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rosa moschata HERRM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rosa multiflora THUNB. EX J. MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rosa rubra BLACKW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rosa sericea LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rosa webbiana WALL. EX ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Roscoea alpina ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Roscoea procera WALL. and 15 wasteland weeds

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Roscoea purpurea ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rosmarinus officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rostellularia procumbens (L.) NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rosularia rosulata (EDGEW.) OHBA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rotala baccifera KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rotala densiflora (ROTH) KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rotala indica (WILLD.) KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rotala rotundifolia KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rothia indica (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rotula aquatica LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rourea mimosoides PLANCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rourea minor (GAERTN.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rourea santaloides WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Roylea cinerea (DON) BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Roylea elegans WALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rubia cordifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rubia munjista ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rubia sikkimensis KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rubia tinctorum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rubus biflorus HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rubus contennifer KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rubus ellipticus SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rubus fruticosus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rubus idaeus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rubus lasiocarpus SMITH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rubus lucens FOCKE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rubus moluccanus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rubus niveus THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rubus paniculata SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rubus rugosus SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rubus saxatilis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rubus strigosus MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rubus ulmifolicus SCHOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rudolphia frondosa POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ruellia patula JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ruellia prostrata POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ruellia secundra BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ruellia strepens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ruellia suffruticosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ruellia tuberosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rumex acetosella L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rumex crispus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rumex dentatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rumex hastatus DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rumex hymenosepalus TORR. and 15 wasteland

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rumex maritimus LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rumex nepalensis SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rumex orientalis BERNH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rumex paulsenianus RECH. F. FEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rumex scutatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rumex vesicarius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rumphia amboinensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rungia parviflora NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rungia pectinata (L.) NEES. and 15 wasteland

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rungia repens (L.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ruscus aculeatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Russelia equisetiformis SCHL. & CHAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ruta angustifolia PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ruta chalepensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ruta graveolens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ruta tuberculata FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rytilix granularis (L.) SKEELS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sabia lanceolata COLEBR. and 15 wasteland

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sabia robusta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saccharomyces cerevisiae MEYEN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saccharum arundinaceum RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saccharum bengalense RETZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saccharum ciliare ANDERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saccharum fuscum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saccharum munja ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saccharum officinarum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saccharum robustum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saccharum sara ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saccharum sinense ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saccharum spontaneum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sacciolepis indica CHASE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sacciolepis interrupta (WILLD.) STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saccolabium guttatum LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saccolabium papillosum LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saccolabium praemorsum HOOK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sageraea dalzelli BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sageraea laurifolia (GRAHAM) BLATTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sagina saginoides (L.) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sagittaria sagittifolia L. sagittifolia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saguerus rumphii ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salacia chinensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salacia fruticosa HEYNE EX LAWS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salacia grandiflora KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salacia macrophylla BL. and 15 wasteland weeds

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salacia macrosperma WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salacia oblonga WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salacia reticulata WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salicornia brachiata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salicornia indica DREGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salix acmophylla BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salix acutifolia WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salix alba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salix babylonica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salix caprea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salix daphnoides VILL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salix elegans WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salix pychnostachya ANDERSS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salix tetrasperma ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salmalia insignis (WALL.) SCHOTT & ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salmalia malabarica SCHOTT & ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salomonia cantoniensis LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salsola baryosma (R. & S.) DANDY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salsola foetida DEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salsola kali LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salvadora indica ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salvadora oleoides DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salvadora persica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salvadora persica L. wightiana (PLANCH EX THW.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salvadora wightiana PLANCH. EX THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salvia aegyptiaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salvia bengalensis KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salvia cabulica BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salvia coccinea BUCHOZ EX ETLINGA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salvia glutinosa L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salvia haematodes W. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salvia hians ROYLE EX BTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salvia lanata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salvia macrosiphon BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salvia moorcroftiana WALL. EX BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salvia mukerjeea BENNET & RAIZADA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salvia officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salvia plebeia R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salvia pumila BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salvia sclarea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salvia spinosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Salvinia cucullata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kalamdera indica GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kalamdera lucida WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Kalamnea Kalamn (JACQ.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sambucus ebulus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sambucus hookeri REHDER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sambucus javanica REINW. EX BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sambucus nigra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sambucus wightiana WALL. EX WGT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sandoricum indicum CAV. DISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sandoricum koetjape (BURM.F.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sanguinaria canadensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sanicula europaea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sansevieria cylindrica BOJ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sansevieria ebracteata (CAV.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sansevieria hyacinthoides (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sansevieria lanuginosa WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sansevieria roxburghiana SCHULT. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sansevieria trifasciata HORT. EX PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sansevieria zeylanica WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Santaloides minus SCHELLENB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Santalum album L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Santalum flonum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Santolina chamaecyparissus LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sapindus emarginatus VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sapindus laurifolia VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sapindus mukorossi GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sapindus trifoliatus L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sapium indicum WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sapium insigne TRIMEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sapium sebiferum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saponaria vaccaria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saprosma ternatum (WALL. EX ROXB.) HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saraca asoca (ROXB.) DE WILDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saraca indica AUCT. NON L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sarcandra glabra (THUNB.) NAKAI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sarcocephalus cordatus MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sarcocephalus missionis HAVILAND REV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sarcococca saligna (D.DON) MUELL.-ARG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sarcolobus globosus WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sarcostemma acidium (ROXB.) VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sarcostemma acidum VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sarcostemma brevistigma WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sarcostemma brunonianum WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sarcostemma intermedium DECNE and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sarcostemma secamone (L.) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sarcostemma stocksii HK. F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sarcostigma kleinii WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sassafras albidum (NUTT.) NESS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sassafras officinale NEES. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Satureja hortensis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Satureja montana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Satyrium nepalense D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saurauia armata KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saurauia macrotricha KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saurauia napaulensis DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saurauia nepalensis DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saurauia robusta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saurauia roxburghii WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sauromatum guttatum (WALL.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sauromatum pedatum (WILLD.) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sauromatum venosum (AIT.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sauropus androgynus (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sauropus quadrangularis MUELL. ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saussurea affinis SPR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saussurea albescens (DC.) SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saussurea auriculata (DC.) SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saussurea bracteata DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saussurea candicans CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saussurea ceratocarpa DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saussurea costus (FALC.) LIPSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saussurea gossypiphora DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saussurea gracilis DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saussurea heteromalla (DON) HAND.-MAZZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saussurea hypoleuca SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saussurea lappa C.B.CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saussurea obvallata (DC.) EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saussurea sacra EDGEW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saussurea schultzii H.K. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saussurea simpsoniana (FIELD & GARD.) LIPSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saussurea taraxacifolia WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saxifraga diversifolia WALL. EX SER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saxifraga imbricata ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saxifraga ligulata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scabiosa speciosa ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scaevola frutescens KRAUSE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scaevola koenigii VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scaevola sericea VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scaevola taccada (GAERTN.) ROXB. N and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.ULL

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scaphium affine RIDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scaphium wallichii SCHOTT & ENDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scapiflora species (ROXB.) ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Schefflera elata (BUCH.-HAM. EX D.DON) HARMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Schefflera elliptica (BL.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Schefflera hypoleuca (KURZ) HARMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Schefflera shypoleucoids HARMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Schefflera stellata (GAERTN.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Schefflera venulosa (WIGHT & ARN.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Schefflera venulosum WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Schima wallichii (DC.) KORTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Schinus molle HORT. EX ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Schisandra chinensis (TURCZ.) BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Schisandra neglecta SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Schizachyrium exile STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Schizaea dichotoma (L.) SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Schizandra neglecta SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Schizophyllum commune FR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Schleichera oleosa (LOUR.) OKEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Schleichera trijuga WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Schlerichera trijuga WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Schrebera swietenioides ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Schultzia benthami C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Schumannianthus virgatus (ROXB.) ROLFE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Schweinfurthia papilionacea MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Schweinfurthia sphaerocarpa A.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scilla coromandeliana ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scilla hohenackeri FISCHET MAY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scilla hyacinthina (ROTH.) MAC BRIDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scilla indica BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scindapsus aureus (LINDEN EX ANDRE) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scindapsus officinalis SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scirpus articulatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scirpus barbatus ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scirpus corymbosus HEYNE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scirpus grossus L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scirpus inclinatus (DEL.) ASCHERS. & SCHWEINF. EX BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scirpus kysoor ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scirpus lacustris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scirpus maritimus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scirpus tuberosus DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scleria hebecarpa NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scleria levis RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scleria lithosperma (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scleria pergracilis (NEES) KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scleria poaeformis RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scleria terrestris (L.) FASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sclerocarya birrea HOCHST and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scleropyrum pentandrum (DENNST.) MABBERLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scleropyrum wallichianum (WIGHT & ARN.) A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scolopia aculeata SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scolopia crenata CLOS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scoparia dulcis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scopolia anomala (LINK & OTTO) AIRY-SHAW NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scopolia lurida DUNAL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scopolia stramonifolia (WALL.) SHRESTHA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scorzonera virgata DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scrophularia koelzii PENN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scrophularia variegata M.B. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scurrula parasitica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scurrula philippensis (CH. & SCH.) DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scutellaria angulosa BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scutellaria assamica MUKHERJEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scutellaria discolor COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scutellaria galericulata L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scutellaria glandulosa COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scutellaria heydei HK.F. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scutellaria indica L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scutia indica BRONG.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scutia myrtina (N.BURM.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scyphiphora hydrophyllacea GAERTN.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sebastiana chamaelea MUELL.ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Secamone emetica R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sechium edule SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Securinega leucopyrus (WILLD.) MUELL.ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Securinega suffruticosa (PALL.) REHDER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Securinega virosa BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sedum asiaticum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sedum crassipes WALL. EX HOOK. F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sedum ewersii LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sedum multicaule WALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sedum quadrifidum PALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sedum tibeticum HOOK.F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sedum tillacoides DUTHIE and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sedum trifidum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sedum wallichianum HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Selaginella bryopteris (L.) BAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Selaginella chrysocaulos (HOOK. & GREV.)SPRING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Selaginella ciliaris (RETZ.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Selaginella involvens SPRENG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Selaginella krausiana A.BR.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Selaginella monosperma SPRING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Selaginella plumosa L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Selaginella radicata (HOOK. & GREV.) SPRING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Selaginella repKalam (DESV. EX POIR.) SPRENG NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Selaginella rupestris and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Selaginella willdenowii (POIR.) BAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Selenicereus grandiflorus (LINN.) BRITT. & ROSE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Selinum candollei DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Selinum filicifolium EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Selinum striatum BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Selinum tenuifolium WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Selinum vaginatum C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Semecarpus anacardium L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Semecarpus heterophylla BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Semecarpus kurzii ENGLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Semecarpus travancorica BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sempervium sedoides JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Senebiera didyma PERS. NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Senecio aureus WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Senecio bhutanicus BALAK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Senecio cappa DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Senecio graciliflorus . DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Senecio hohenackeri HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Senecio jacquemontianus BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Senecio kraschenninikovii SCHICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Senecio laetus EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Senecio nudicaulis HAM. EX D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Senecio quinquelobus HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Senecio scandens DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Senecio tenuifolius BURM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Senecio vulgaris L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Senna prostrata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Serenoa repens (BARTR.) SMALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sesamum indicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sesamum laciniatum KLEIN EX. WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sesamum orientale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sesamum prostratum RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sesbania aculeata PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sesbania aculeata PERS. cannabina (RETZ.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sesbania aegyptiaca POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sesbania bispinosa (JACQ.) W.F. WIGHT bispinosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sesbania cannabina RETZ. POIRET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sesbania grandiflora (L.) POIRET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sesbania paludosa PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sesbania sesban (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sesbania sesban (L.) MERR. bicolor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sesbania sesban (L.) MERR. picta (CON.) SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sesbania sesban (L.) MERR. typica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sesbania sesban (L.) MERR. sesban sesban and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sesbania speciosa TAUB. EX ENGL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Seseli diffusum (ROXB. EX. SM.) SAMT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Seseli indicum WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Seseli sibiricum BENTH. EX CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sesuvium portulacastrum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Setaria glauca BEAUV and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Setaria italica (L.) BEAUV and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Setaria planifolia STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Setaria plicata (LAM.) COOKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Setaria verticillata (L.) P. BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Setaria viridis BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Shorea robusta GAERTN. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Shorea roxburghii G.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Shorea tumbaggaia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sida acuminata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sida acuta BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sida alba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sida carpinifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sida cordata (BURM.F.) BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sida cordifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sida humilis CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sida lanceolata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sida mauritiana JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sida orientalis CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sida ovata FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sida retusa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sida rhombifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sida rhombifolia L. retusa (L.) BORASSUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sida rhombifolia L. retusa (L.) MASTERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sida rhombifolia L. rhombifolia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sida rhombifolia L. rhomboidea (DC.) MASTERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sida rhomboidea ROXB. EX FLEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sida spinosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sida veronicaefolia LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sideroxylon spinosum WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sideroxylon tomentosum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Siegesbeckia orientalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sigesbeckia orientalis L. NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Silene apetala WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Silene inflata SM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Silene laxantha MAJUMDAR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Silene moorcroftiana WALL. EX BTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Silene vulgaris (MOENCH) GARCKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Silybum marianum GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Simmondsia chinensis (LINK) C.K. SCHNEID. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sinapis alba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sinapis chinensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sinapis juncea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sinapis ramosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sison ammi HERB. MADR. EX WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sisymbrium altissimum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sisymbrium irio L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sisymbrium loeselii L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sisymbrium orientale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sisymbrium sophia L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sium latijugam C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Skimmia anquetilia N.P.TAYLOR & AIRY SHAW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Skimmia arborescens T.ANDERS EX. GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Skimmia laureola (DC.) ZUCC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Smilax aspera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Smilax china L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Smilax glabra ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Smilax glaucophylla KLOTZSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Smilax lanceifolia ROXB. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Smilax macrophylla ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Smilax ocreata A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Smilax ovalifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Smilax parvifolia WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Smilax perfoliata LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Smilax prolifera ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Smilax pseudo-china WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Smilax wightii L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Smilax zeylanica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Smithia conferta J.E. SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Smithia geminiflora ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Smithia sensitiva AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum aculeatissimum JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum albicaule KOTSCHY EX DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum americanum MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum anguivi LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum aviculare FORST. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum capsicoides ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum ciliatum LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum denticulatum BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum dulcamara L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum erianthum D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum ferox L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum giganteum JACQ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum gracilipes DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum hirsutum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum incanum L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum indicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum insanum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum jacquini WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum khasianum C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum kurzii PRAIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum laciniatum AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum lasiocarpum DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum lycopersicum LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum mauritianum SCORP. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum melongena L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum melongena L. incanum KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum myriacanthum DUNAL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum nigrum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum pseudocapsicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum pubescens HEYNE. EX WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum sarmentosum NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum seaforthianum ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum sisymbrifolium LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum spirale ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum surattense BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum torvum SWARTZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum trilobatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum tuberosum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum verbascifolium AUCT NON L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum viarum DUNAL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum villosum SCHUR. puniceum (KRISCHLEGER) EDMONDS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum violaceum ORTEGA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum virginianum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solanum xanthocarpum SCHRAD & WENDL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solena amplexicaulis (LAM.) GANDHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Solena heterophylla LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sonchus arvensis L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sonchus asper (L.) HILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sonchus brachytus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sonchus maritimus L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sonchus oleraceus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sonchus wightianus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sonerila maculata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sonerila rheedei WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sonerila tenera ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sonneratia acida L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sonneratia apetala BUCH.-HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sonneratia caseolaris (L.) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sonneratia griffithii KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sophora glauca LESCH. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sophora griffithii STOCKS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sophora mollis (GRAH. EX ROYLE) BAK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sophora tomentosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sophora wightii BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sopubia delphinifolia G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sorbaria tomentosa (LINDL.) REHDER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sorbus aucuparia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sorbus tianshanica RUPR. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sorghum bicolor MOENCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sorghum halepense (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sorghum saccharatum PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sorghum vulgare PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Soymida febrifuga (ROXB.) A.JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sparganium stoloniferum BUCH.- HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Spathodea campanulata P. BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Spathoglottis plicata BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Spatholobus parviflorus (ROXB.) KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Spatholobus roxburghii BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Spergula arvensis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Spergularia rubra (L.) J.PRESL & C.PRESL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Spermacoce articularis L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Spermacoce hispida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Spermadictyon suaveolens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sphaeranthus africanus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sphaeranthus amaranthoides BURM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sphaeranthus hirtus WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sphaeranthus indicus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sphaeranthus microcephalus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sphaeranthus senegalensis DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sphaerostephanos subtractus (BERG.) HOLLT.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sphaerostephanos unitus (L.) HOLLT.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sphenoclea zeylanica GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sphenodesme involucrata (PRESL.) paniculata (CL.) MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sphenodesme pentandra JACK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sphenomeris chinensis (L.) MAXON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sphenomeris chusana COPELAND NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sphyranthera lutescens (KURZ) PAX & HOFFER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Spilanthes acmella MURR. olerace and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Spilanthes calva WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Spilanthes oleracea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Spilanthes paniculata WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Spinacia oleracea L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Spinifex littoreus (N.BURM.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Spiraea aruncus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Spiraea bella SIMS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Spiraea canescens D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Spiraea lindleyana WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Spondias acuminata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Spondias mangifera WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Spondias mombin L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Spondias pinnata (L.F.) KURZ. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stachyphrynium spicatum (ROXB.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stachys floccosa BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stachys officinalis (L.) TREV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stachys palustris L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stachys parviflora BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stachys sylvatica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stachys tuberosa LOUR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stachytarpheta indica (L.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stachytarpheta jamaicensis (L.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stachytarpheta mutabilis (JACQ.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stachytarpheta urticaefolia (SALISB.) SIMS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Statice aegyptica DELILE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stauranthera grandifolia BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stauranthera umbrosa CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stellaria alsine GRIMM. undulata (THUNB.) OHWI NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stellaria aquatica SCOP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stellaria media WIGHT EX EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stellera chamaejasme L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stemodia viscosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stemona tuberosa LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stenochlaena palustris (N.BURM.) BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stenolobium stans SEE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stenoloma chinensis BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stenotaphrum dimidiatum (L.) BRONGN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stephania glabra (THUNB.) MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stephania glandulifera MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stephania hernandifolia (WILLD.) WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stephania japanica (THUNB.) MIERS discolour (BLUME.) FORMAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stephania japonica (THUNB.) MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stephania japonica (THUNB.) MIERS. japonica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stephania rotunda LOUR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stephania wightii (A,) DUN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stephegyne parvifolia KORTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sterculia alata ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sterculia balanghas L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sterculia foetida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sterculia guttata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sterculia rubiginosa VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sterculia scaphigera WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sterculia urens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sterculia villosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stereospermum chelonoides (L.F.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stereospermum colais (DILLWYN) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stereospermum neuranthrum KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stereospermum personatum (HASSK.) CHATTERJEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stereospermum suaveolens DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stereospermum tetragonum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stereospermum xylocarpum WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Steudnera virosa (KUNTH) PRAIN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stichoneuron caudatum RIDLEY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stictocardia campanulata (L.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stipa capensis THUNB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stipa capillata L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stipa sibirica (L.) LAMK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stipa tortilis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stranvaesia glaucescens LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Streblus asper LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Streblus taxoides (HEYNE EX ROTH) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Striga asiatica (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Striga gesnerioides (WILLD.) VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Striga lutea LOUR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Striga orobanchoides BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthes acrocephalus T. AND. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthes auriculatus NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthes callosus NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthes ciliatus NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthes consanguineus C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthes dalhousianus C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthes flaccidifolius NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthes heyneanus NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthes kunthiana T.ANDERS. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthes lupulinus NEES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthes nobilis CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthes wallichii NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strobilanthes wightianus NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stroemia tetrandra VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strophanthus dichotomus DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strophanthus wallichii A. DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strophanthus wightianus WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strychnos aenea A.W. HILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strychnos axillaris COLEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strychnos cinnamomifolia THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strychnos colubrina AUCTT. PL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strychnos gaultheriana PIER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strychnos ignatia LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strychnos ignatii BERG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strychnos maingayi CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strychnos minor DENNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strychnos nux-blKalam A.W.Hill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strychnos nux-vomica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strychnos potatorum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strychnos rheedei CL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Strychnos wallichiana STEUD. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stylocoryne lucens GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stylophorum lactucoides (HOOK. F. & THOMS.) BENTH. & HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stylosanthes fruticosa (RETZ.) ALST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Styrax benzoin DRYAND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Styrax hookeri CLARKE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Styrax officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Styrax serrulatum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Styrax tonkinensis CRAIB EX. HARTWICH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Suaeda fruticosa FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Suaeda monoica FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Suregada angustifolia (BAILL. EX MUELL. - ARG.) AIRY SHAW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Suregada multiflora (JUSS.) BAILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Swertia affinis CLARKE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Swertia alata ROYLE EX. D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Swertia anguestifolia BUCH.-HAM. EX D. DON. PULCHELLA BURKILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Swertia angustifolia HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Swertia chirata (ROXB. EX. FLEM.) KAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Swertia chirayita ROXB. EX (FLEMING) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Swertia ciliata (G.DON) BURTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Swertia cordata CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Swertia corymbosa (GRISEB.) WT. EX CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Swertia decussata NIMNO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Swertia densiflora (GRISEB.) KASHYAPPA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Swertia densifolia (GRISEB.) KASHYAPA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Swertia lawii BURKILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Swertia minor (GRISEB.) KNOBL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Swertia paniculata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Swertia perennis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Swertia petiolata DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Swertia pulchella C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Swertia purpurascens WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Swertia thomsonii CI. EX HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Swietenia febrifuga ROXB. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Swietenia macrophylla KING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Swietenia mahagoni (L.) JACQ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Symphorema involucratum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Symphorema polyandrum WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Symphytum officinale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Symplocos beddomei C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Symplocos caudata WALL. EX. G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Symplocos chinensis (LOUR.) DRUCE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Symplocos cochinchinensis S.MOORE laurina laurina (RETZ.) NOOTEBOOM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Symplocos cochinchinensis S.MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Symplocos crataegoides BUCH.-HAM. EX.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Symplocos laurina WALL. EX REHD. & E. H. WILS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Symplocos monantha WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Symplocos paniculata (THUNB.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Symplocos racemosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Symplocos spicata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Symplocos sumuntia D.DON and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Symplocos theaefolia BUCH.-HAM. EX DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Synadenium grantii HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Synantherias sylvatica SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Synapis dichotoma ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Synedrella nodiflora GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Synnema uliginosum (L.F.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syringa emodi WALL. EX ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syringa persica L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium alternifolium (WT.) WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium aromaticum (L.) MERRILL & PERRY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium caryophyllaeum AUCT.NON GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium caryophyllatum (L.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium cerasoides (ROXB.) CHATT. & KANJI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium cerasoideum (ROXB.) RAIZADA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium cumini (L.) SKEELS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium hemisphericum (WIGHT) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium heyneanum WALL. EX DUTHIE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium jambolana DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium jambolanum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium jambos (L.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium malaccense (L.) MERR. & MERR. & PERRY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium neyneanum (DUTHIE) GAMBLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium operculatum (ROXB.) NIEDENZU obovatum (DUTHIE) GAMBLE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium operculatum GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium Kalamrangense (BL.) MERR. & PERRY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium travancoricum GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Syzygium zeylanicum (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tabernaemontana alternifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tabernaemontana coronaria R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tabernaemontana crispa ROBT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tabernaemontana dichotoma ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tabernaemontana divaricata (L.) ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tabernaemontana heyneana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tabernaemontana sphaerocarpa BLUME. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tabernaemontana wallichiana STEUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tacca aspera ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tacca integrifolia KER-GAWL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tacca leontopetaloides (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tacca pinnatifida J.R. & G. FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tagetes erecta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tagetes minuta L. NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tagetes patula L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tamarindus indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tamarix aphylla (L.) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tamarix ariticulata VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tamarix dioica ROXB. EX. ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tamarix ericoides ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tamarix gallica AUCT. NON.L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tamarix indica ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tamarix troupii HOLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tanacetum dolichophyllum KITAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tanacetum fruticulosum LEDEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tanacetum gracile HOOK. F. & TH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tanacetum longifolium WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tanacetum parthenium (L.) SCHULTZ BIP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tanacetum tenuifolium JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tanacetum tibeticum HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tanacetum tomentosum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tanacetum vulgare L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Taraktogenos kurzii KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Taraktogenos macrocarpa (BEDD.) BALAK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Taraxacum officinale WIGGERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Taraxacum officinale WIGG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tarenna asiatica KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Taverniera cuneifolia (ROTH) ARN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Taverniera nummularia BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Taxillus tomentosus (ROXB.) VAN TIEGHAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Taxillus umbellifer (SCHULTES) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Taxus baccata L. wallichiana Zucc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Taxus wallichiana ZUCC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tecoma capensis LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tecoma grandiflora LOISEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tecoma radicans JUSS. EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tecoma stans JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tecoma undulata G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tecomella undulata (SM.)SEEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tectaria coadunata (WALL.) CHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tectaria macrodonta (FEE) CHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tectaria polymorpha (WALL. & HOOK.) COPEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tectona grandis L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Telosma minor CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Telosma pallida (ROXB.) CRAIB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Teona ciliata ROEM. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tephrosia candida DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tephrosia hamiltonii J.R.DRUMM NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tephrosia hirta (BUCH.-HAM.) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tephrosia petrosa BLATTER & HALBB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tephrosia procumbens BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tephrosia purpurea PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tephrosia purpurea PERS. pumila and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tephrosia rheedei DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tephrosia senticosa PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tephrosia spinosa PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tephrosia tinctoria PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tephrosia uniflora PERS. petrosa (BLATT. & HALLB.) GILLETT & ALI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tephrosia uniflora PERS. petrosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tephrosia villosa PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Teramnus labialis (L.F.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Teramnus mollis BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Terminalia alata HEYNE EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Terminalia arjuna (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Terminalia bellerica ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Terminalia bellerica ROXB. laurinoides CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Terminalia bellirica (GAERTN.) ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Terminalia bialata STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Terminalia catappa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Terminalia chebula RETZ. typica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Terminalia chebula RETZ. & WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Terminalia citrina FLEMING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Terminalia coriacea (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Terminalia crenulata ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Terminalia manii KING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Terminalia myriocarpa HEURCK & MUELL-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Terminalia oSkini BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Terminalia pallida BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Terminalia paniculata ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Terminalia pyrifolia KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Terminalia reticulata ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Terminalia tomentosa (ROXB.) WIGHT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Terminalia travancorensis WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Termitomyces microcarpus (BERK. & BR.) HEIM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ternstroemia gymnanthera (WT. & ARN.) BEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ternstroemia japonica AUCT.NON THUNB) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tetracera akara (N.BURM.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tetracera indica (HOUTT. EX CHRISTM. & PAUZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tetracera laevis AUCT. NON VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tetracera scandens (L.) MERR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tetrameles nudiflora R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tetranthera roxburghii NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tetrastigma lanceolarium (ROXB.) PLANCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tetrastigma leucostaphylum (DENNST.) ALSTON EX MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tetrastigma serrulata (ROXB.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Teucrium chamaedrys LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Teucrium polium L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Teucrium scordium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Teucrium stocksianum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thalictrum alpinum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thalictrum cultratum WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thalictrum dalzelli HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thalictrum foetidum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thalictrum foliolosum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thalictrum javanicum BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thalictrum minus L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thalictrum pauciflorum ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thalictrum pedunculatum EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thalictrum reniforme WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thamnolia vermicularis (SWARTZ) ACH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thea assamica J.W.MAST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thecagonium biflorum (L.) BABU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thelypteris gracilescens (BI.) CHING. glandulysis KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Themeda arguens (L.) HACK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Themeda arundinacea (ROXB.) RIDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Themeda gigantea HACK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Themeda triandra FORSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Theobroma cacao LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Theriophonum infaustum N.E. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Theriophonum minutum BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thespesia lampas (CAV.) DALZ. EX DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thespesia populnea (L.) SOL.EX. CORREA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Theum tibeticum MAXIM. EX HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thevetia neriifolia JUSS. EX. STEUDEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thevetia peruviana MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thlaspi arvense L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thlaspi kotschyanum BOISS. & HOHEN BROIGAR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thlaspi tetragona HK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thomsonia nepalensis WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thonningia axillaris (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thottea siliquosa (LAM.) DING HOU and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thuja orientalis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thunbergia alata BOJER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thunbergia erecta (BENTH.) T. ANDERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thunbergia fragrans ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thunbergia grandiflora ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thunbergia hawtayneana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thunbergia laurifolia LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thymus linearis BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thymus serpyllum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thymus vulgaris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thysanolaena acarifera NEES. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thysanolaena agrostis NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thysanolaena maxima (ROXB.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thysanolaena procera MEZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tiaridium indicum LEHM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tiliacora acuminata MIERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tiliacora racemosa COLEBR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tinospora cordifolia (WILLD.) HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tinospora crispa (L.) HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tinospora malabarica (LAM.) HOOK F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tinospora sinensis (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tinospora tomentosa (COLEBR.) HOOK. F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tithonia diversifolia (HEMSLEY) A. GRAY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tithonia tagetiflora DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Toddalia aculeata PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Toddalia asiatica (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Toddalia bilocularis W. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tonningia axillaris KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Toona ciliata ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Torenia asiatica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Torenia bicolor DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Torenia parviflora BUCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Torenia polygonoides BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Torenia thouarsii KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Torenia travancorica GAMBLE and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Torenia vagans ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tournefortia candollii C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tournefortia montana LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tovara virginiana (LINN.) RAFIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Toxocarpus villosus DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trachelospermum fragrans HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trachelospermum lucidum (DON) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trachycarpus martianus H.WANDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trachydium lehmanni BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trachyspermum ammi (L.) SPRAGUE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trachyspermum khasianum (CI.) WOLFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trachyspermum roxburghianum (DC.) CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tradescantia axillaris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tragia bicolor MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tragia cannabina L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tragia cordata MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tragia cordifolia VAHL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tragia involucrata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tragia muelleriana PAX & HOFFM. unicolor (MUELL.ARG.) PAX & HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tragia plukenetii A.RADCLIFFE-SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tragopogon gracilis D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tragopogon porrifolius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tragopogon pratensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trapa bicornis L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trapa bispinosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trapa natans L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trapa natans L. bispinosa (ROXB.) NAKIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trema cannabina LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trema orientalis BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trevesia palmata (ROXB.) VIS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trewia nudiflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trewia polycarpa BTH. & HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trianthema decandra L. MANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trianthema govinda BUCH.-HAM. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trianthema govindia BUCH-HAM EX G. DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trianthema monogyna L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trianthema pentandra LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trianthema portulacastrum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trianthema triquetra ROTTL. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tribulus alatus DEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tribulus lanuginosus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tribulus terrestris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tricalysia singularis (KORTH.) K. SCHUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tricalysia sphaerocarpa (HOOK.F.) GAMBLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trichilia connaroides (WT. & ARN.) BENTVELZEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trichilia spinosa WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trichodesma africanum R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trichodesma indicum R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trichodesma zeylanicum R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tricholepis angustifolia DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tricholepis glaberrima DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tricholepis montana DLAZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tricholepis procumbens WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trichomanes javanicum BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trichopus zeylanicus GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trichopus zeylanicus GAERTN. travancoricus (BED and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trichosanthes anaimalaienis BEDDOME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trichosanthes anguina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trichosanthes bracteata (LAM.) VOIGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trichosanthes cordata ROXB. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trichosanthes cucumerina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trichosanthes dioica ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trichosanthes incisa ROTTL. EX ROSENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trichosanthes laciniosa WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trichosanthes lobata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trichosanthes nervifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trichosanthes palmata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trichosanthes tricuspidata LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trichosanthes wallichiana (SERINGE) WT. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tridax procumbens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trifolium alexandrinum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trifolium alexandrium L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trifolium fragiferum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trifolium indicum THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trifolium officinalis WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trifolium pratense L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Triglochin maritima L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Triglochin palustris L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trigonella corniculata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trigonella emodi BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trigonella foenum-graecum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trigonella hamosa (L.) WILLD. uncata (BOISS. & BOE) TOWNSEND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trigonella incisa BENTHA. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trigonella occulta DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trigonella polycerata L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trigonella uncata BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trigonostemon longifolius BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trillium govanianum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trimufetta rhomboidea JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Triphasia trifolia (BURM. F.) P. WILS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tripleurospermum maritimum (LINN.) W.D.J. KOCH inodorum (LINN.) HYL. EX VAAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Triticum aestivum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Triticum amyleum SER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Triticum durum DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Triticum pilosum (DALZ. & GIBS) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Triticum sativum LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Triticum spelta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Triticum vulgare WILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Triumfetta annua L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Triumfetta bartramia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Triumfetta rhomboidea JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Triumfetta rotundifolia LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Triumfetta semitriloba L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Triumfetta tomentosa NORONHA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tropaeolum minus LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Trophis aspera RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tropidia curculigoides LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tuber cibarium and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tulipa stellata HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Turbina corymbosa (L.) RAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Turnera angustifolia MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Turnera diffusa WILLD. APHRODISIACA (L.F. WARD)URB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Turnera ulmifolia L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Turpinia nepalensis WALL. EX WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Turpinia pomifera (ROXB.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Turraea villosa BENN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tussilago farfara L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tylophora asthmatica WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tylophora dalzelli HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tylophora fasciculata BUCH.-HAM. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tylophora hirsuta WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tylophora indica (BURM.F.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tylophora tenuis BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tylophora tenuissima (ROXB.) WGT. & ARN. EX WGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tylophora tetrapetala (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Typha angustata BORY & CHAUB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Typha angustifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Typha australis SCHUM. & THONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Typha elephantina GRAH, NON ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Typha laxmannii LEPECH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Typhonium divaricatum DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Typhonium flagelliforme (LODD.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Typhonium roxburghii SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Typhonium trilobatum (L.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ulmus campestris L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ulmus wallichiana PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Uncaria cordata (LOUR.) MERR. ferruginea (BL.) RIDSD. FORMA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Uncaria gambier ROXB. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Uncaria sessilifructus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Unona narum DUN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Uraria alopecuroides WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Uraria crinita DESV and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Uraria hamosa WALL. EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Uraria lagopodioides DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Uraria picta DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Uraria prunellaefolia GREH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Uraria rufescens (DC.) SCHINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Urena lobata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Urena repKalam ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Urena simiata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Urena sinuata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Urginea coromandeliana HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Urginea indica (ROXB) KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Urginea maritima (L.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Urginea nagarjunae Hemadri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Urtica ardens LINK. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Urtica dioica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Urtica hyperborea JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Urtica parviflora ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Urtica pilulifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Usena sikkimensis BISWAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Usnea flexilis STIRT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Usnea florida (L.) WIGG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Usnea hirta (L.) WIGG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Usnea longissima ACH. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Usnea rubicunda STIRT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Usnea sikkimensis BISPAS. SP. NOV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Usnea venosa MOT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Uteleria sallicifolia BEDD. EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Utleria salicifolia BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Utricularia bifida L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Utricularia gibbosa L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Utricularia reticulata SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Utricularia stellaris L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Uvaria dulcis DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Uvaria ebracteolata PRESL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Uvaria hookeri KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Uvaria micrantha (A.DC.)Hook.f.Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Uvaria narum (DUNAL) WALL EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Uvaria zeylanica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vaccaria pyramidata MEDIC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vaccinium leschenaultii WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vaccinium macrocarpon AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Valeriana brunoniana W. & A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Valeriana dubia BUNGE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Valeriana hardwickii WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Valeriana jatamansi JONES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Valeriana leschenaultii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Valeriana officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Valeriana pyrolaefolia DENE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Valeriana wallichii DC. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vallaris heynei SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vallaris pergulanus BURM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vallaris solanacea (ROTH.) KUNTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vallisneria spiralis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, VKalam coerulea GRIFF. EX LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, VKalam parviflora LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, VKalam roxburghii R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, VKalam spathulata (L.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, VKalam teres LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, VKalam tessellata (ROXB.) DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, VKalam testacea (LINDL.) REICHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vandellia erecta BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vandellia pedunculata BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vandellia pyxidaria MAXIM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vangueria pubescens KUNTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vangueria spinosa SENSU HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vanilla planifolia ANDR. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vanilla wightiana LINDL.EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vateria indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vateria macrocarpa B.L.GUPTA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vateria malabarica BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vatica lancaefolia BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ventilago calycina TUL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ventilago calyculata TULASNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ventilago denticulata WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ventilago madraspatana GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vepris bilocularis (WIGHT & ARN.) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Veratrum album L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Veratrum viride AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Verbascum chinense (L.) SANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Verbascum coromandelianum (VAHL) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Verbascum thapsus PLENK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Verbena nodiflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Verbesina calendulacea L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Verchellia farnesiana WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vernonia albicans DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vernonia anthelmintica (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vernonia arborea HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vernonia aspera BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vernonia cinerea LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vernonia patula MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vernonia pyramidale (D.DON) MITRA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vernonia revoluta BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vernonia roxburghii LESS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vernonia squarrosa (D.DON) LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vernonia teres WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Veronica agrestis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Veronica anagallis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Veronica arvensis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Veronica beccabunga L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Veronica biloba L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Veronica hederaefolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Veronica serpyllifolia L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vetiveria zizanioides (L.) NASH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Viburnum acuminatum WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Viburnum colebrookianum WALL. EX CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Viburnum coriaceum BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Viburnum corylifolium HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Viburnum cotinifolium DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Viburnum cylindricum BUCH.-HAM.EX D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Viburnum foetidum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Viburnum hebanthum THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Viburnum nervosum D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Viburnum obovatum WALT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Viburnum punctatum BUCH.- HAM, EX D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vicatia wolffiana (WOLFF EX FEDDE) NORMAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vicia faba LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vicia hirsuta KOCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vicia sativa L. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vicoa auriculata CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vicoa indica (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vigna aconitifolia (JACQ.) MARECHAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vigna adenantha (MEYER) MARECHAI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vigna angularis (WILLD.) OHWI. & OHASHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vigna catjang ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vigna cylindrica SKEELS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vigna dalzelliana (O.KTZE) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vigna grahmiana (WT. & ARN.) VERD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vigna mungo (L.) HEPPER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vigna pilosa BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vigna radiata (L.) R. WILCZEK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vigna radiata (L.) WILEZ sublobata (ROXB.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vigna trilobata (L.) VERDCOURT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vigna umbellata (THUNB.) OHWL & OHOSHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vigna unguiculata (L.) WALP. cylindrica (L.) ESELT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vigna unguiculeta (L.) WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vigna vexillata (L.) A. RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vinca major LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vinca minor SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vinca parviflora RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vinca pusilla MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vinca rosea L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vincetoxicum album (MILL.)ASCHERS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vincetoxicum hirundinaria MEDIC glaucum (WALL. EX WT.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Viola biflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Viola caespitosa D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Viola canescens WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Viola cinerea BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Viola diffusa GING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Viola odorata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Viola patrinii GING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Viola pilosa BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Viola serpens WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Viola suffruticosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Viola sylvestris LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Viola tricolor L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Viscum album L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Viscum articulatum BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Viscum monoicum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Viscum nepalense SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Viscum orientale WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vitex agnus-castus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vitex altissima L.F and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vitex glabrata F. MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vitex leucoxylon SCHAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vitex negundo L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vitex negundo L. incisa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vitex negundo L. negundo and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vitex negundo L. purpurascens SIVARAJAN & MOLDENKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vitex paniculata LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vitex peduncularis WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vitex pinnata L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vitex pubescens VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vitex quinata (LOUR.) F.N. WILLIAMS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vitex trifolia L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vitis adnata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vitis araneosus DALZ. & GIBS. EX M.LAWS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vitis carnosa (ROXB.) WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vitis hastata MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vitis heyneana ROEM. & SCULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vitis indica W. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vitis lanata ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vitis latifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vitis objecta WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vitis pallida W. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vitis parvifolia ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vitis pedata VAHL EX WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vitis planicaulis HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vitis polystachya WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vitis quadrangularis WALT EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vitis repens WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vitis rugosa HOOK.F. & THOMS. EX M. LAWS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vitis setosa WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vitis tomentosa HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vitis trifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vitis vinifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vitis vitiginea HAINES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vittaria elongata SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vittaria zosterifolia WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Viverra zibetha L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Volkameria inermis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Volutarella divaricata C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Wagatea spicata DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Wahlenbergia marginata (THUNB.) A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Waldheimia glabra (DECNE) REGEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Waldheimia stoliczki (CI.) OSTENF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Waldheimia tomentosa (DECNE) REGEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Wallichia disticha T. ANDERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Walsura piscidia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Walsura trifoliata (A.JUSS) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Waltheria indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Wattakaka volubilis (L.F.) STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Webera corymbosa WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Webera tetrandra WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Wedelia biflora (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Wedelia calendulacea LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Wedelia chinensis MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Wedelia wallichii LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Wendlandia exerta DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Wendlandia heynei (R. & S.) SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Wendlandia notoniana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Wendlandia pendula DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Wendlandia tinctoria DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Wikstroemia canescens MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Wikstroemia indica (L.) C. A. MEY. viridiflora (MEISSN.) HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Wikstroemia ridleyi GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Wikstroemia viridiflora MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Willughbeia edulis ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Withania coagulans DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Withania somnifera DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Wolffia globosa (ROXB.) HARTOG & PLAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Wollastonia biflora (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Woodfordia floribunda SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Woodfordia fruticosa (L.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Wrightia antidysenterica GRAH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Wrightia arborea (DENNST.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Wrightia coccinea SIMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Wrightia tinctoria R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Wrightia tomentosa R.& S. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Wrightia zeylanica R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Xanthium indicum KOEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Xanthium strumarium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Xanthophyllum arnottianum WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Xanthophyllum flavescens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Xanthoxylum fraxineum WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Xantolis tomentosa (ROXB.) RAF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Xeromphis spinosa (THUNB.) KEAY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Xeromphis uliginosa (RETZ.) MAHESH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ximenia aegyptiaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ximenia americana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Xylaria polymorpha PERS. EX MERAT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Xylia dolabriformis BENTH.& HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Xylia xylocarpa (ROXB.) TAUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Xylocarpus granatum KOEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Xylopia parvifolia HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Xylosma longifolium CLOS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Xyris anceps LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Xyris auceps AUCT. NON LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Xyris complanata R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Xyris indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Xyris pauciflora WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Youngia japonica (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Yucca aloifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Yucca filamentosa WOOD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Yucca gloriosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zaleya decandra (L.) BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zaleya govindia (DON) NAIR and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zaleya pentandra (L.) JEFFREY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zalia decandra (L.) BURM. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zannichellia indica ROTTL. EX ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zanonia indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zantedeschia aethiopica (L.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zanthoxylum acanthopodium DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zanthoxylum alatum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zanthoxylum armatum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zanthoxylum budrunga (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zanthoxylum hamiltonianum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zanthoxylum hostile WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zanthoxylum limonella (DENNST.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zanthoxylum nitidum (ROXB.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zanthoxylum ovalifolium WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zanthoxylum oxphyllum EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zanthoxylum rhetsa (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zanthoxylum tetraspsermum WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zanthoxylum triphyllum WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zataria multiflora BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zea mays L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zehneria hookeriana ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zehneria indica (LOUR.) KERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zehneria maysorensis (WT. & ARN.) ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zehneria scabra (L.F.) SOND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zehneria thwaitesii (SCHWEIN.) JEFF. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zehneria umbellata THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zephyranthes ajax SPRENGER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zephyranthes grandiflora LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zephyranthes rosea LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zeuxine longilabris (LINDL.) BENTH. EX HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zeuxine strateumatica (L.) SCHLECHTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zeuxine sulcata LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zingiber capitatum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zingiber cassumunar ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zingiber cernuum DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zingiber chrysanthum ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zingiber mioga ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zingiber montanum (KOEN.) LINK EX A. DIETRICH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zingiber officinale ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zingiber officinalis ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zingiber purpureum ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zingiber roseum ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zingiber rubens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zingiber squarrosum ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zingiber zerumbet ROSC. EX SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zinnia elegans JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zizania caduciflora HAND.-MAZZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zizania latifolia TURCZ. EX STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ziziphora clinopodioides M.BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ziziphora tenuior L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ziziphus glabarata HEYNE, EX ROTH. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ziziphus glabrata HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ziziphus jujuba LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ziziphus mauritiana LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ziziphus napeca WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ziziphus nummularia WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ziziphus oenoplia MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ziziphus oxyphylla EDGEW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ziziphus rugaosa LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ziziphus rugosa LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ziziphus sativa GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ziziphus sororia ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ziziphus trinervia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ziziphus trinervius ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anemone hupehensis Lemoine ex Boynton var. japonica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anemone rivularis Buch.- Ham.ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aquilegia vulgaris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clematis gouriana Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clematis munroiana Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clematis smilacifolia Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clematis theobromina Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Clematis wightiana Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Consolida ambigua (L.) P. W. Ball and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Delphinium elatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Naravelia zeylanica (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ranunculus diffusus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ranunculus muricatus L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ranunculus reniformis Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ranunculus wallichianus Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thalictrum foliolosum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thalictrum javanicum Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thalictrum saniculaeforme DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Chimonanthus praecox(L.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Acrotrema arnottianum Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dillenia bracteata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dillenia indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dillenia pentagyna Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dillenia retusa Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dillenia suffruticosa (Griffith) Martelli and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tetracera akara (Burm. f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Magnolia campbellii Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Magnolia grandiflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Magnolia liliflora Desr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Magnolia x alba DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Michelia champaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Michelia nilagirica Zenk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alphonsea lutea (Roxb.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alphonsea sclerocarpa Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Alphonsea zeylanica Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Annona cherimola Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Annona muricata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Annona reticulata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Annona squamosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Artabotrys hexapetalus (L. f.) BhKalamri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Artabotrys zeylanicus Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cananga odorata (Lam.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyathocalyx zeylanicus Champ. ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmos lawii (Hook. f. & Thoms.) Safford and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Desmos viridiflorus (Bedd.) Safford and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Goniothalamus cardiopetalus (Dalz.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Goniothalamus rhynchantherus Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Goniothalamus salicina Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Goniothalamus thwaitesii Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Goniothalamus wightii Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Goniothalamus wynadensis (Bedd.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Meiogyne pannosa (Dalz.) Sinclair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Meiogyne ramarowii (Dunn) Gandhi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Miliusa eriocarpa Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Miliusa montana Gard. ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Miliusa nilagirica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Miliusa tomentosa (Roxb.) Sinclair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Miliusa wightiana Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mitrephora heyneana (Hook. f. & Thoms.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Orophea erythrocarpa Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Orophea thomsonii Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Orophea uniflora Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polyalthia cerasoides (Roxb.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polyalthia coffeoides (Hook. f. & Thoms.) Benth. & Hook. f. ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polyalthia fragrans (Diaz.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polyalthia korintii (Dunal) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polyalthia longifolia (Sonner.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polyalthia rufescens Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polyalthia suberosa (Roxb.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polyalthia tirunelveliensis M. B. Viswan. & ManikKalamn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Popowia beddomeana Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sageraea dalzellii Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Uvaria macropoda Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Uvaria narum (Dunnal) Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Uvaria zeylanica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Xylopia parvifolia (Wight) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Anamirta cocculus (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cissampelos pareira L. var. hirsuta (Buch.-Ham. ex DC.) Forman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cocculus hirsutus (L.) Diels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cocculus laurifolius DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cocculus pendulus (Forst.) Diels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coscinium fenestratum (Gaertn.) Coleb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyclea arnottii Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cyclea peltata (Lam.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Diploclisia glaucescens (Blume) Diels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pachygone ovata (Poir.) Miers ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stephania japonica (Thunb.) Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stephania wightii (Arn.) Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tiliacora acuminata (Lam.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tinospora cordifolia (Willd.) Miers ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tinospora sinensis (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Berberis lycium Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Berberis nilghiriensis Ahrendt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Berberis tinctoria Lesch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Berberis wightiana Schneid and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mahonia leschenaultii (Wall. ex Wight & Arn.) Takeda and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nelumbo nucifera Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nymphaea nouchali Burm. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nymphaea pubescens Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Nymphaea rubra Roxb. ex Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Argemone mexicana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Eschscholzia californica Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Mecanopsis wallichii Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Papaver caucasicum Bait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Papaver fugax Poir. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Papaver rhoeas L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Papaver somniferum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Romneya coulteri Harv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Corydalis lutea (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dicentra scandens (D. Don.) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fumaria indica (Hassk.) Pugsley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Fumaria officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Barbarea intermedia Boreau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Barbarea verna (Miller) Asch. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Barbarea vulgaris R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brassica juncea (L.) Czern. & Coss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brassica nigra (L.) Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brassica oleracea L. var. botrytis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brassica oleracea L. var. capitata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brassica oleracea L. var. gemmifera Zenk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brassica oleracea L. var. gongylodes L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Brassica rapa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Capsella bursa-pastoris (L.) Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cardamine africana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cardamine hirsuta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cardamine trichocarpa Hochst. ex A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cheiranthus cheiri L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Coronopus didymus (L.) Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Iberis amara L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Iberis umbellata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lepidium ruderale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lepidium sativum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lepidium virginicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lobularia maritima (L.) Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Matthiola incana (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Raphanus sativus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rorippa indica (L.) Hiern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Rorippa nasturtium - aquaticum (L.) Hayek and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sisymbrium volgense Ledeb. ex Shmal. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Thlaspi arvense L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cadaba fruticosa (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cadaba trifoliata (Roxb.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Capparis brevispina DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Capparis decidua (Forsk.) Edgew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Capparis divaricata Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Capparis diversifolia Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Capparis fusifera Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Capparis grandiflora Wall ex. Hook.f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Capparis grandis L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Capparis kollimalayana Viswanathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Capparis moonii Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Capparis nilgiriensis Subbha Rao Kumari & Chandr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Capparis rheedii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Capparis rotundifolia Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Capparis roxburghii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Capparis sepiaria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Capparis shevaroyensis Sundararaghavan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Capparis spinosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Capparis zeylanica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cleome angustifolia Forsk and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cleome aspera Koen ex. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cleome burmannii Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cleome chelidonii L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cleome felina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cleome hassleriana Chod. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cleome monophylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cleome rutidosperma DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cleome speciosa Raf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cleome viscosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crateva adansonii DC. subsp. odora (Buch. - Ham.) Jacobs and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Crateva magna (Lour.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gynandropsis gynandra (L.) Briq and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Maerua apetala (Roth) Jacobs and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Maerua oblongifolia (Forsk.) A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Steriphoma clemoides Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Reseda alba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Reseda luteola L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hybanthus enneaspermus (L.) F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hybanthus travancoricus (Bedd.) Melch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Viola arcuata Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Viola betonicifolia J. E. Smith subsp. betonicifolia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Viola canescens Wall. ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Viola hamiltoniana D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Viola pilosa Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bixa orellana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cochlospermum religiosum (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Aphloia theiformis (Vahl) Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Casearia championii Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Casearia graveolens Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Casearia ovata (Lam.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Casearia rubescens Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Casearia thwaitesii Briq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Casearia tomentosa Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Casearia wynadensis Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Flacourtia indica (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Flacourtia jangomas (Lour.) Raeusch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Flacourtia montana Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Homalium jainii A. N. Henry & Swamin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Homalium travancoricum Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Homalium ceylanicum (Gard.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hydnocarpus alpina Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hydnocarpus macrocarpa (Bedd.) Warb. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hydnocarpus pentandra (Buch. - Ham.) Oken and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Oncoba spinosa Forsk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scolopia crenata (Wight & Arn.) Clos var. crenata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scolopia crenata (Wright & Arn.) Clos var. brevifolia Mukherjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Xylosma latifolium Hoof. F. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Xylosma longifolia Clos and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Hymenosporum flavum (Hook.) F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pittosporum anamallayense Nayar & Giri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pittosporum bicolor Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pittosporum ceylanicum Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pittosporum crassifolium Soland.ex Putterl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pittosporum dasycaulon Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pittosporum eugenioides A. Cunn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pittosporum napaulense (DC.) Rehder & Wilson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pittosporum neelgherrense Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pittosporum tetraspermum Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pittosporum tobira (Thunb.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pittosporum umbellatum Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pittosporum undulatum Vent and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Pittosporum viridulum Nayar, Giri & Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sollya heterophylla Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Muraltia juniperifolia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygala arillata Buch.-Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygala arvensis Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygala bolbothrix Dunn and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygala chinensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygala elongata Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygala erioptera DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygala jacobii Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygala javana DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygala longifolia Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygala myrtifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygala persicariifolia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygala rosmarinifolia Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygala sibirica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygala telephioides Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygala virgata Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polygala wightiana Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Securidaca bracteata Bennett and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Xanthophyllum flavescens Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Xanthophyllum manickamii Murugan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Arenaria neelgerrensis Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cerastium glomeratum Thuill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Cerastium indicum Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Dianthus caryophyllus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Drymaria cordata (L.) Willd. ex Roem. & Schultes subsp. diandra (Blume) Duke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Drymaria villosa Cham. & Schlect. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Gypsophila elegans M. Bieb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Lychnis coronaria (L.) Desr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polycarpaea aurea Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polycarpaea corymbosa (L.) Lam. var. corymbosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polycarpaea corymbosa (L.) Lam. var. longipetala Sriniv. & D. Naras. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polycarpaea diffusa Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polycarpaea spicata Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polycarpon prostratum (Forsk.) Asch. & Sehweinf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Polycarpon tetraphyllum (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Sagina saginoides (L.) Karsten, Deutsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Saponaria officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Scleranthus annus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Silene armeria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Silene coeli - rosa (L.) Godron and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Silene gallica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Spergula arvensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stellaria media (L.) Vill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stellaria monosperma Buch. - Ham. ex D. Don var. paniculata (Edgew) Majumdar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Stellaria vestita Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Vaccaria pyramidata Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Portulaca oleracea L. var. oleracea and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Portulaca oleracea L. var. linearifolia Sivarajan & Manilal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Portulaca pilosa L. subsp. pilosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Portulaca pilosa L. subsp. pilosa var. tuberosa (Roxb.) Sivar. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Portulaca pilosa subsp. grandiflora (Hook.f.) Geesink and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Portulaca quadrifida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Portulaca wightiana Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Portulacaria afra Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Talinum portulacifolium (Forsk.) Asch. & Schweinf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Talinum triangulare Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tamarix aphylla (L.) Karsten and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tamarix ericoides Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Tamarix indica Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bergia ammannioides Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Bergia capensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elatine ambigua Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Elatine triandra Schkuhr and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calophyllum apetalum Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Calophyllum austroindicum Kosterm. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ziziphus vulgaris LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Ziziphus xylopyrus WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zornia diphylla (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zornia gibbosa SPAN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zosima absinthifolia (VENT.) LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of Phaius tancarvilleae (Banks ex L'Hér.) Blume, Zosima orientalis HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. http://www.pankajoudhia.com,

(Where there are two or three same references of one species then consider the first one as purified through long duration purification method, second as purified through medium duration method and third through short duration purification method.)

For queries write at pankajoudhia@gmail.com